

Price List Index - June 15, 2026

Page	Series	Product Type	Page	Series	Product Type
38	BEKOTEC	Modular Screed System	46	KERDI-LINE-A	Shower System
1	DECO	Floors	46	KERDI-LINE-FC	Shower System
5	DECO-DE	Walls & Countertops	45	KERDI-LINE-STYLE	Shower System
5	DECO-SG	Walls & Countertops/Shower System	46	KERDI-LINE-TF	Shower System
6	DECO-SGC	Walls & Countertops/Shower System	46-47	KERDI-LINE-VARIO	Shower System
6	DESIGNBASE-SL	Walls & Countertops	40	KERDI-SEAL-MV	Membranes
7	DESIGNBASE-SL-E	Walls & Countertops	40	KERDI-SEAL-PS	Membranes
7	DESIGNLINE	Walls & Countertops	43	KERDI-SHOWER-CB	Shower System
27-29	DILEX-AHK	Movement Joint & Cove-Shaped	48	KERDI-SHOWER-KIT	Shower System
29-30	DILEX-AHKA	Movement Joint & Cove-Shaped	47	KERDI-SHOWER-LT/LTS	Shower System
30	DILEX-AKWS	Movement Joint & Cove-Shaped	47	KERDI-SHOWER-R	Shower System
30	DILEX-AS	Movement Joint & Cove-Shaped	47	KERDI-SHOWER-TI-TS/TT	Shower System
31	DILEX-BT	Movement Joint & Cove-Shaped	48	KERDI-TUBKIT	Shower System
31	DILEX-BTO	Movement Joint & Cove-Shaped	39	PRIMER-PS	Primer (Peel & Stick Membranes)
31	DILEX-BTS	Movement Joint & Cove-Shaped	38	PRIMER-U	Universal Primer
31	DILEX-BWA	Movement Joint & Cove-Shaped	51	PROCUT-SQR	Accessories
31	DILEX-BWB	Movement Joint & Cove-Shaped	51	PROCUT-TSM	Accessories
31	DILEX-BWS	Movement Joint & Cove-Shaped	13-15	QUADEC	Walls & Countertops
31	DILEX-EDP	Movement Joint & Cove-Shaped	15	QUADEC-FS	Walls & Countertops
32	DILEX-EHK	Movement Joint & Cove-Shaped	15	REMA	Walls & Countertops
32	DILEX-EKE	Movement Joint & Cove-Shaped	1	RENO-RAMP	Floors
32	DILEX-EKSB	Movement Joint & Cove-Shaped	1	RENO-RAMP-K	Floors
32	DILEX-EZ 6 + 9	Movement Joint & Cove-Shaped	1	RENO-T	Floors
32	DILEX-F	Movement Joint & Cove-Shaped	1-2	RENO-TK	Floors
33	DILEX-HK	Movement Joint & Cove-Shaped	2	RENO-U	Floors
33	DILEX-HKS	Movement Joint & Cove-Shaped	2-3	RENO-V/-VT/-VB	Floors
34	DILEX-HKU	Movement Joint & Cove-Shaped	15-20	RONDEC	Walls & Countertops
34	DILEX-HKW	Movement Joint & Cove-Shaped	21-22	RONDEC-CT	Walls & Countertops
34	DILEX-KSA	Movement Joint & Cove-Shaped	22	RONDEC-DB	Walls & Countertops
35	DILEX-KSN	Movement Joint & Cove-Shaped	22-23	RONDEC-STEP	Walls & Countertops
35	DILEX-MOP	Movement Joint & Cove-Shaped	3-4	SCHIENE	Floors
35	DILEX-MP/-MPV	Movement Joint & Cove-Shaped	5	SCHIENE-RADIUS	Floors
35	DILEX-PHK	Movement Joint & Cove-Shaped	24	SCHIENE-STEP	Stairs, Walls & Countertops
35	DILEX-STF	Movement Joint & Cove-Shaped	40	SCHLUTER-REFLEECE	Removable Fleece
39	DITRA-DITRA-XL	Membranes	38	SET / ALL-SET / FAST-SET	Thinset Mortars
51	DITRA/KERDI Trowels	Accessories	48-49	SHELF-E	Shower System
39	DITRA-DRAIN	Membranes	49	SHELF-N	Shower System
39	DITRA-PS	Membranes (Peel & Stick)	49	SHELF-W	Shower System
7	ECK-E	Walls & Countertops	50	SHOWERPROFILE-R	Shower System
8	ECK-K	Walls & Countertops	50	SHOWERPROFILE-S (-SA/-SB)	Shower System
8	ECK-KHK	Walls & Countertops	50	SHOWERPROFILE-WS	Shower System
8	FINEC	Walls & Countertops	50	SHOWERPROFILE-WSK	Shower System
9	FINEC-SQ	Walls & Countertops	51	SNIPS	Accessories
9	INDEC	Walls & Countertops	51	TPRO-ET	Accessories
9-12	JOLLY	Walls & Countertops	25	TREP-B	Stair-Nosing
13	JOLLY-P (PVC)	Walls & Countertops	25	TREP-E	Stair-Nosing
39	KERDI	Membranes	25	TREP-EFK	Stair-Nosing
39	KERDI-BAND	Membranes	25	TREP-EK	Stair-Nosing
41	KERDI-DRAIN & KERDI-DRAIN H	Shower System	25	TREP-FL	Stair-Nosing
41	KERDI-DRAIN - DRAIN KITS	Shower System	26	TREP-G	Stair-Nosing
41-42	KERDI-DRAIN FLANGES	Shower System	26	TREP-GK	Stair-Nosing
42	KERDI-DRAIN GRATES	Shower System	26	TREP-S	Stair-Nosing
43	KERDI-DRAIN STRAINER	Shower System	26-27	TREP-SE	Stair-Nosing
43	KERDI-DRAIN TAMPER PROOF S	Shower System	27	TREP-TAP	Stair-Nosing
41	KERDI-DRAIN-A	Shower System	27	TREP-V	Stair-Nosing
41	KERDI-DRAIN-F	Shower System	50-51	TROBA-LEVEL	Paver Support System
39	KERDI-DS	Membranes	51	TROBA-PLUS	Exterior Drainage Membranes
39	KERDI-FIX	Membranes	51	TROBA-ZFK	Paver Support System
40	KERDI-FLEX	Membranes	36	VINPRO-RO	Profiles for Resilient Coverings
40	KERDI-KERECK-F	Shower System	36	VINPRO-S	Profiles for Resilient Coverings
40	KERDI-KERS	Shower System	37	VINPRO-STEP	Profiles for Resilient Coverings
40	KERDI-KERS-B	Shower System	37	VINPRO-STEP-R	Profiles for Resilient Coverings
40	KERDI-KM	Membranes	37	VINPRO-T	Profiles for Resilient Coverings
43-45	KERDI-LINE	Shower System	38	VINPRO-U	Profiles for Resilient Coverings
46	KERDI-LINE STRAINER	Shower System			



Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**FINISHING, EDGE-PROTECTION & TRANSITION PROFILES FOR FLOORS**

**DECO**

Designed to provide decorative lines within tile coverings and edge protection at transitions from tile coverings to other same-height surface coverings such as wood or carpet. This profile features a 1/4" wide visible surface.

<i>Color:</i> Chrome-Plated Solid Brass (MC)									
11/32" x 8'	MC90D		249.70	EA	1/2" x 8'	MC125D		264.50	EA
7/16" x 8'	MC110D		258.60	EA					
<i>Color:</i> Satin Anodized Aluminum (AE)									
5/16" x 8'	AE80D		28.65	EA	1/2" x 8'	AE125D		33.35	EA
3/8" x 8'	AE100D		32.25	EA					
<i>Color:</i> Solid Brass (M)									
11/32" x 8'	M90D		114.80	EA	1/2" x 8'	M125D		129.40	EA
7/16" x 8'	M110D		123.45	EA					
<i>Color:</i> Stainless Steel 304 (E)									
3/8" x 8'	E100D		61.65	EA	5/8" x 8'	E160D		67.00	EA
7/16" x 8'	E110D		62.45	EA	13/16" x 8'	E210D		71.35	EA
1/2" x 8'	E125D		63.95	EA					

**RENO-RAMP**

Designed to protect tile edges and provide a smooth transition between tile coverings and floor coverings at lower elevations or finished concrete.

<i>Color:</i> Satin Anodized Aluminum (AE)									
1/4" x 8'	AERP60B50 (2" Slope)		64.15	EA	1/2" x 8'	AERP125B90 (3-1/2" Slope)		86.80	EA
3/8" x 8'	AERP100B65 (2-1/2" Slope)		64.75	EA	9/16" x 8'	AERP150B90 (3-1/2" Slope)	a	89.75	EA
1/2" x 8'	AERP125B65 (2-1/2" Slope)		67.50	EA	3/4" x 8'	AERP200B90 (3-1/2" Slope)	a	94.25	EA
<i>Note:</i> a) 9/16" and 3/4" are not ADA-Compliant.									

**RENO-RAMP-K**

Designed to protect tile edges and provide a smooth transition between tile coverings and floor coverings at lower elevations or finished concrete. Features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

<i>Color:</i> Satin Anodized Aluminum (AE)						
1/2" x 8'	AERPK125B65 (2-1/2" Slope)				78.80	EA

**RENO-T**

Designed to provide transitions between existing same-height hard surface floor coverings primarily in retrofit applications.

<i>Color:</i> Brushed Stainless Steel 304 (EB)									
17/32" x 8'	T9/14EB		48.30	EA	1" x 8'	T9/25EB		67.85	EA
<i>Color:</i> Satin Anodized Aluminum (AE)									
17/32" x 8'	T9/14AE		16.10	EA	1" x 8'	T9/25AE		26.00	EA
<i>Color:</i> Satin Copper Anodized Aluminum (AK)									
17/32" x 8'	T9/14AK		19.20	EA	1" x 8'	T9/25AK		31.25	EA
<i>Color:</i> Satin Brass Anodized Aluminum (AM)									
17/32" x 8'	T9/14AM		17.40	EA	1" x 8'	T9/25AM		26.45	EA
<i>Color:</i> Satin Nickel Anodized Aluminum (AT)									
17/32" x 8'	T9/14AT		18.80	EA	1" x 8'	T9/25AT		31.25	EA
<i>Color:</i> Solid Brass (M)									
17/32" x 8'	T9/14M		31.10	EA	1" x 8'	T9/25M		52.60	EA
<i>Color:</i> Stainless Steel 304 (E)									
17/32" x 8'	T9/14E		45.40	EA	1" x 8'	T9/25E		62.10	EA

**RENO-TK**

Designed to protect tile edges and provide a smooth transition from tile coverings to floor coverings at lower elevations typically carpet.

<i>Color:</i> Bright Chrome Anodized Aluminum (ACB)									
1/4" x 8'	ATK60ACB		26.00	EA	3/8" x 8'	ATK100ACB		29.65	EA
5/16" x 8'	ATK80ACB		27.80	EA	1/2" x 8'	ATK125ACB		38.55	EA
<i>Colors:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)									
5/16" x 8'	ATK80----		38.10	EA	Brushed Nickel Anodized Aluminum (ATGB)				
3/8" x 8'	ATK100----	<b>Stock</b>	41.30	EA	1/2" x 8'	ATK125----		50.15	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**RENO-TK - continued**

<i>Color:</i> Brushed Stainless Steel 304 (EB)									
5/16" x 8'			87.60	EA	7/16" x 8'			98.60	EA
3/8" x 8'			95.80	EA	1/2" x 8'			102.25	EA
<i>Color:</i> Satin Anodized Aluminum (AE)									
1/4" x 8'			24.20	EA	3/8" x 8'		<b>Stock</b>	27.80	EA
5/16" x 8'			26.00	EA	1/2" x 8'		<b>Stock</b>	35.85	EA
<i>Color:</i> Satin Nickel Anodized Aluminum (AT)									
1/4" x 8'			27.75	EA	3/8" x 8'			35.80	EA
5/16" x 8'			29.60	EA	1/2" x 8'			40.30	EA
<i>Color:</i> Solid Brass (M)									
5/16" x 8'			56.05	EA	1/2" x 8'			82.35	EA
3/8" x 8'			60.75	EA					
<i>Color:</i> Stainless Steel 304 (E)									
5/16" x 8'			67.40	EA	7/16" x 8'			79.70	EA
3/8" x 8'			73.75	EA	1/2" x 8'			81.85	EA
<i>Note:</i> To complete part number replace hyphens with color code. Example ATK125--, for Satin Nickel Anodized Aluminum # is: ATK125AT.									

**RENO-U**

Designed to protect tile edges and provide a smooth transition between tile coverings and floor coverings at lower elevations or finished concrete.

<i>Color:</i> Bright Chrome Anodized Aluminum (ACB)									
5/16" x 8'			27.45	EA	1/2" x 8'			41.15	EA
3/8" x 8'			32.05	EA					
<i>Colors:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)									
5/16" x 8'			44.40	EA	<i>Brushed Nickel Anodized Aluminum (ATGB)</i>				
3/8" x 8'			48.80	EA	1/2" x 8'			58.90	EA
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
5/16" x 8'			107.15	EA	9/16" x 8'		a	129.85	EA
3/8" x 8'			113.85	EA	11/16" x 8'		b	138.90	EA
7/16" x 8'			117.75	EA	3/4" x 8'		b	148.70	EA
1/2" x 8'			122.55	EA					
<i>Color:</i> Satin Anodized Aluminum (AE)									
1/8" x 8'			20.75	EA	1/2" x 8'		<b>Stock</b>	35.00	EA
5/16" x 8'		<b>Stock</b>	25.10	EA	9/16" x 8'		a	44.80	EA
3/8" x 8'		<b>Stock</b>	26.40	EA	11/16" x 8'		b	54.45	EA
<i>Colors:</i> Satin Brass Anodized Aluminum (AM)									
5/16" x 8'			27.00	EA	<i>Satin Nickel Anodized Aluminum (AT)</i>				
3/8" x 8'			28.40	EA	1/2" x 8'			36.60	EA
<i>Color:</i> Solid Brass (M)									
5/16" x 8'			75.00	EA	1/2" x 8'			105.65	EA
3/8" x 8'			84.20	EA	9/16" x 8'		a	117.20	EA
<i>Color:</i> Stainless Steel 304 (E)									
5/16" x 8'			69.50	EA	9/16" x 8'		a	91.85	EA
3/8" x 8'			76.05	EA	11/16" x 8'		b	101.00	EA
7/16" x 8'			82.35	EA	3/4" x 8'		b	111.15	EA
1/2" x 8'			84.35	EA					
<i>Notes:</i> To complete part number replace hyphens with color code. Example AU80--, for Satin Brass Anodized Aluminum # is: AU80AM.									
a) When leading edge rests on top of lower surface covering, size 9/16" is not ADA-Compliant.									
b) 11/16" and 3/4" are not ADA-Compliant.									

**RENO-VI-VT-VB**

RENO-V is designed to protect tile edges and provide a smooth transition between tile coverings and floor coverings at lower elevations. The profile features a movable transition arm that allows the profile to adjust to the height of the adjacent floor covering via a ball-and-socket joint and eliminates trip hazards. RENO-V features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

<i>Color:</i> Satin Anodized Aluminum (AE)									
5/16" x 8'			73.95	EA	9/16" x 8'			80.30	EA
3/8" x 8'			75.80	EA	11/16" x 8'			82.15	EA
1/2" x 8'			77.65	EA	3/4" x 8'			88.55	EA
5/16" x 8'			82.20	EA	9/16" x 8'			86.80	EA
3/8" x 8'			83.95	EA	11/16" x 8'			88.60	EA
1/2" x 8'			84.90	EA	3/4" x 8'			94.95	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
<b>RENO-VI-VT/VB - continued</b>									
<i>Color:</i> Satin Anodized Aluminum (AE)									
5/16" x 8'			90.40	EA	9/16" x 8'			96.75	EA
3/8" x 8'			92.25	EA	11/16" x 8'			98.60	EA
1/2" x 8'			94.55	EA	3/4" x 8'			105.00	EA
5/16" x 8'		Support Profile	34.10	EA	9/16" x 8'		Support Profile	39.55	EA
3/8" x 8'		Support Profile	35.65	EA	11/16" x 8'		Support Profile	41.40	EA
1/2" x 8'		Support Profile	37.50	EA	3/4" x 8'		Support Profile	46.80	EA
3/4" x 8'		Variable Transition Arm						33.05	EA
1-3/16" x 8'		Variable Transition Arm						38.15	EA
1-9/16" x 8'		Variable Transition Arm						47.45	EA

**SCHIENE**

Schiene features an 87° angle to transfer point loads and protect tile edges in tile coverings. Typical applications include edge protection where tile is bordered by carpet, at expansion joints, or as a decorative edging for stairs. Schiene in aluminum and brass, in sizes 1/4" and higher, features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

<i>Color:</i> Aluminum (A)									
3/32" x 8'			11.55	EA	17/32" x 8'			17.40	EA
1/8" x 8'			12.15	EA	9/16" x 8'			18.25	EA
3/16" x 8'			12.40	EA	5/8" x 8'			18.75	EA
1/4" x 8'			13.25	EA	11/16" x 8'			19.90	EA
9/32" x 8'			13.50	EA	3/4" x 8'			20.75	EA
5/16" x 8'		Stock	13.30	EA	13/16" x 8'			21.55	EA
11/32" x 8'			14.20	EA	7/8" x 8'			22.05	EA
3/8" x 8'		Stock	14.05	EA	1" x 8'			23.20	EA
7/16" x 8'			14.50	EA	1-1/16" x 8'			24.05	EA
1/2" x 8'			14.75	EA	1-3/16" x 8'			25.70	EA
<i>Color:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)									
1/4" x 8'			29.05	EA	5/16" x 10'			38.25	EA
5/16" x 8'		Stock	30.60	EA	3/8" x 10'			39.40	EA
3/8" x 8'		Stock	31.50	EA	1/2" x 10'			42.65	EA
1/2" x 8'		Stock	34.15	EA					
<i>Color:</i> Brushed Brass Anodized Aluminum (AMGB)									
1/4" x 8'			26.20	EA	3/8" x 8'			29.10	EA
5/16" x 8'			27.10	EA	1/2" x 8'			30.60	EA
<i>Color:</i> Brushed Chrome Anodized Aluminum (ACGB)									
1/4" x 8'			24.65	EA	3/8" x 8'			28.00	EA
5/16" x 8'			25.30	EA	1/2" x 8'			29.55	EA
<i>Color:</i> Brushed Copper Anodized Aluminum (AKGB)									
1/4" x 8'			27.20	EA	3/8" x 8'			28.65	EA
5/16" x 8'			28.10	EA	1/2" x 8'			29.35	EA
<i>Color:</i> Brushed Nickel Anodized Aluminum (ATGB)									
1/4" x 8'			27.20	EA	3/8" x 8'			28.15	EA
5/16" x 8'		Stock	27.55	EA	1/2" x 8'		Stock	29.35	EA
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
1/4" x 8'			56.40	EA	7/16" x 8'			63.80	EA
5/16" x 8'			58.55	EA	1/2" x 8'			63.85	EA
3/8" x 8'			61.75	EA					
<i>Color:</i> Polished Brass Anodized Aluminum (AMG)									
1/4" x 8'			23.05	EA	3/8" x 8'			27.80	EA
5/16" x 8'			24.65	EA	1/2" x 8'			29.40	EA
<i>Color:</i> Polished Chrome Anodized Aluminum (ACG)									
1/4" x 8'			23.05	EA	5/16" x 10'			30.80	EA
5/16" x 8'			24.65	EA	3/8" x 10'			34.05	EA
3/8" x 8'		Stock	27.25	EA	1/2" x 10'			36.05	EA
1/2" x 8'		Stock	28.85	EA					
<i>Colors:</i> Polished Copper Anodized Aluminum (AKG)					Polished Nickel Anodized Aluminum (ATG)				
1/4" x 8'			30.30	EA	3/8" x 8'			31.60	EA
5/16" x 8'			30.80	EA	1/2" x 8'			31.90	EA

*Note:* To complete part number replace hyphens with color code. Example A60---, for Polished Copper Anodized Aluminum # is: A60AKG.

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**SCHIENE - continued**

<i>Color:</i> Satin Anodized Aluminum (AE)									
3/32" x 8'	AE20		17.65	EA	5/8" x 8'	AE160		27.25	EA
1/8" x 8'	AE30		18.45	EA	11/16" x 8'	AE175		28.85	EA
3/16" x 8'	AE45		18.95	EA	3/4" x 8'	AE200		31.25	EA
1/4" x 8'	AE60		19.75	EA	13/16" x 8'	AE210		32.10	EA
9/32" x 8'	AE70		20.15	EA	7/8" x 8'	AE225		32.90	EA
5/16" x 8'	AE80	Stock	19.60	EA	1" x 8'	AE250		34.50	EA
11/32" x 8'	AE90		21.25	EA	1-1/16" x 8'	AE275		36.90	EA
3/8" x 8'	AE100	Stock	20.80	EA	1-3/16" x 8'	AE300		38.45	EA
7/16" x 8'	AE110		22.15	EA	5/16" x 10'	AE80/300		24.50	EA
1/2" x 8'	AE125	Stock	22.30	EA	3/8" x 10'	AE100/300		26.00	EA
17/32" x 8'	AE140		24.85	EA	1/2" x 10'	AE125/300		27.90	EA
9/16" x 8'	AE150		25.15	EA					
<i>Color:</i> Satin Brass Anodized Aluminum (AM)									
1/4" x 8'	A60AM		19.70	EA	3/8" x 8'	A100AM		22.85	EA
5/16" x 8'	A80AM		20.45	EA	1/2" x 8'	A125AM		24.35	EA
<i>Color:</i> Satin Copper Anodized Aluminum (AK)									
1/4" x 8'	A60AK		23.45	EA	3/8" x 8'	A100AK		24.90	EA
5/16" x 8'	A80AK		24.40	EA	1/2" x 8'	A125AK		25.70	EA
<i>Color:</i> Satin Nickel Anodized Aluminum (AT)									
1/4" x 8'	A60AT		23.45	EA	5/16" x 10'	A80AT/300		29.95	EA
5/16" x 8'	A80AT	Stock	23.95	EA	3/8" x 10'	A100AT/300		30.50	EA
3/8" x 8'	A100AT	Stock	24.40	EA	1/2" x 10'	A125AT/300		31.50	EA
1/2" x 8'	A125AT	Stock	25.20	EA					
<i>Color:</i> Solid Brass (M)									
1/8" x 8'	M30		37.30	EA	9/16" x 8'	M150		57.10	EA
3/16" x 8'	M45		41.75	EA	5/8" x 8'	M160		57.50	EA
1/4" x 8'	M60		43.55	EA	11/16" x 8'	M175		58.50	EA
5/16" x 8'	M80		48.00	EA	3/4" x 8'	M200		59.80	EA
11/32" x 8'	M90		48.50	EA	7/8" x 8'	M225		72.95	EA
3/8" x 8'	M100		49.05	EA	1" x 8'	M250		74.35	EA
7/16" x 8'	M110		50.35	EA	1-3/16" x 8'	M300		81.05	EA
1/2" x 8'	M125		50.85	EA					
<i>Color:</i> Stainless Steel 304 (E)									
3/32" x 8'	E20		35.45	EA	9/16" x 8'	E150		62.10	EA
1/8" x 8'	E30		39.00	EA	5/8" x 8'	E160		63.35	EA
3/16" x 8'	E45		46.15	EA	11/16" x 8'	E175		63.90	EA
1/4" x 8'	E60		47.05	EA	3/4" x 8'	E200		66.55	EA
9/32" x 8'	E70		47.90	EA	7/8" x 8'	E225		69.25	EA
5/16" x 8'	E80		47.40	EA	1" x 8'	E250		71.90	EA
11/32" x 8'	E90		50.35	EA	1-3/16" x 8'	E300		77.25	EA
3/8" x 8'	E100	Stock	50.00	EA	5/16" x 10'	E80/300		59.20	EA
7/16" x 8'	E110		50.75	EA	3/8" x 10'	E100/300		62.50	EA
1/2" x 8'	E125		51.70	EA	1/2" x 10'	E125/300		64.60	EA
17/32" x 8'	E140		55.45	EA					

**SCHIENE - TRENDLINE Textured Color-Coated Aluminum**

<i>Colors:</i> Beige (TSB)	Dark Anthracite (TSDA)	Light Anthracite (TSLA)	Stone Grey (TSSG)						
Bronze (TSOB)	Greige (TSBG)	Pewter (TSG)							
Cream (TSC)	Ivory (TSI)	Rustic Brown (TSR)							
1/4" x 8'	A60--	41.40	EA	7/16" x 8'	A110--			43.60	EA
5/16" x 8'	A80--	42.35	EA	1/2" x 8'	A125--	Stock	a	44.50	EA
3/8" x 8'	A100--	43.15	EA						
<i>Colors:</i> Matte Black (MGS)	Matte White (MBW)								
1/8" x 8'	A30--	31.80	EA	3/8" x 8'	A100--	Stock		34.55	EA
3/16" x 8'	A45--	32.45	EA	7/16" x 8'	A110--			34.90	EA
1/4" x 8'	A60--	33.15	EA	1/2" x 8'	A125--	Stock	c	35.60	EA
5/16" x 8'	A80--	33.90	EA						

**Notes:** To complete part number replace hyphens with color code. Example A60--, Cream # is: A60TSC. a) Stocked in color Greige (TSBG) only.  
 b) Stocked in colors Cream (TSC), Dark Anthracite (TSDA), Greige (TSBG), Ivory (TSI), Pewter (TSG) and Stone Grey (TSSG) only.  
 c) Stocked in color Matte Black (MGS) only.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**SCHIENE-RADIUS**

Schiene-Radius is an extruded profile with special perforations for finishing and protecting the edges of curved tile coverings.

<i>Color:</i> Aluminum (A)							
1/4" x 8' R/A60			19.90 EA	3/8" x 8' R/A100			20.70 EA
5/16" x 8' R/A80			19.95 EA	1/2" x 8' R/A125			21.40 EA
<i>Color:</i> Satin Anodized Aluminum (AE)							
1/4" x 8' R/AE60			26.40 EA	3/8" x 8' R/AE100			27.45 EA
5/16" x 8' R/AE80			26.25 EA	1/2" x 8' R/AE125			28.95 EA
<i>Color:</i> Solid Brass (M)							
1/4" x 8' R/M60			50.15 EA	3/8" x 8' R/M100			55.65 EA
5/16" x 8' R/M80			54.60 EA	1/2" x 8' R/M125			57.50 EA
<i>Color:</i> Stainless Steel 304 (E)							
1/4" x 8' R/E60			53.70 EA	3/8" x 8' R/E100			56.65 EA
5/16" x 8' R/E80			54.05 EA	1/2" x 8' R/E125			58.35 EA

**FINISHING & EDGE-PROTECTION PROFILES FOR WALLS & COUNTERTOPS**

**DECO-DE**

A Stainless Steel finishing and edge-protection profile for 135° outside corners of tiled surfaces.

<i>Color:</i> Stainless Steel 304 (E)							
5/16" x 8' DE80ES			62.70 EA	7/16" x 8' DE110ES			67.05 EA
3/8" x 8' DE100ES			65.95 EA	1/2" x 8' DE125ES			68.95 EA
<i>Color:</i> Brushed Stainless Steel 304 (EB)							
5/16" x 8' DE80EBS			69.25 EA	7/16" x 8' DE110EBS			74.60 EA
3/8" x 8' DE100EBS			72.85 EA	1/2" x 8' DE125EBS			77.10 EA

**DECO-SG**

Decorative profile for floors and walls featuring a 1/2" or 9/16" -wide channel that creates a support for glass partitions. The channel can also be used as a decorative shadow gap between tile courses or other wall coverings. DECO-SG features a trapezoid perforated anchoring leg that is secured in the bond coat beneath the tile.

<i>Color:</i> Bright Chrome Anodized Aluminum (ACB)					
<i>1/2" Wide Channel</i>					
5/16" x 8' SG80ACB12			29.75 EA	<i>9/16" Wide Channel</i>	
3/8" x 8' SG100ACB12			31.15 EA	5/16" x 8' SG80ACB15	31.25 EA
7/16" x 8' SG110ACB12			32.05 EA	3/8" x 8' SG100ACB15	32.75 EA
1/2" x 8' SG125ACB12			33.10 EA	7/16" x 8' SG110ACB15	33.70 EA
<i>Color:</i> Brushed Stainless Steel 304 (EB)					
<i>1/2" Wide Channel</i>					
5/16" x 8' SG80EB12			103.35 EA	<i>9/16" Wide Channel</i>	
3/8" x 8' SG100EB12			110.40 EA	5/16" x 8' SG80EB15	106.55 EA
7/16" x 8' SG110EB12			114.20 EA	3/8" x 8' SG100EB15	113.55 EA
1/2" x 8' SG125EB12			120.25 EA	7/16" x 8' SG110EB15	117.75 EA
<i>Color:</i> Satin Anodized Aluminum (AE)					
<i>1/2" Wide Channel</i>					
5/16" x 8' SG80AE12			28.60 EA	<i>9/16" Wide Channel</i>	
3/8" x 8' SG100AE12			30.10 EA	5/16" x 8' SG80AE15	30.05 EA
7/16" x 8' SG110AE12			30.90 EA	3/8" x 8' SG100AE15	31.60 EA
1/2" x 8' SG125AE12			31.95 EA	7/16" x 8' SG110AE15	32.45 EA
<i>Color:</i> Satin Anodized Aluminum (AE)					
<i>1/2" Wide Channel</i>					
5/16" x 8' SG80AE12			28.60 EA	<i>9/16" Wide Channel</i>	
3/8" x 8' SG100AE12			30.10 EA	5/16" x 8' SG80AE15	30.05 EA
7/16" x 8' SG110AE12			30.90 EA	3/8" x 8' SG100AE15	31.60 EA
1/2" x 8' SG125AE12			31.95 EA	7/16" x 8' SG110AE15	32.45 EA

**DECO-SG - TRENDLINE Textured Color-Coated Aluminum**

<i>Colors:</i> Bronze (TSOB)		Greige (TSBG)		Matte White (MBW)		
Cream (TSC)		Ivory (TSI)		Stone Grey (TSSG)		
Dark Anthracite (TSDA)		Matte Black (MGS)		Pewter (TSG)		
<i>1/2" Wide Channel</i>					<i>9/16" Wide Channel</i>	
5/16" x 8' SG80----12			55.45 EA	5/16" x 8' SG80----15	58.10 EA	
3/8" x 8' SG100----12			56.95 EA	3/8" x 8' SG100----15	59.60 EA	
7/16" x 8' SG110----12			57.75 EA	7/16" x 8' SG110----15	60.40 EA	
1/2" x 8' SG125----12			58.30 EA	1/2" x 8' SG125----15	60.95 EA	

*Note:* To complete part number replace hyphens with color code. Example SG80----12, Matte Black # is: SG80MGS12.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DECO-SGC**

Decorative profile featuring a 1/2" or 9/16" -wide channel used as a vertical support for glass panels in recessed showers that border on untiled walls, creating a 90° angle between the glass partition and the untiled wall.

Color: Satin Anodized Aluminum (AE)

1/2" Wide Channel				9/16" Wide Channel			
5/16" x 8'	SGC80AE12	30.90	EA	5/16" x 8'	SGC80AE15	32.40	EA
3/8" x 8'	SGC100AE12	32.50	EA	3/8" x 8'	SGC100AE15	34.10	EA
7/16" x 8'	SGC110AE12	33.35	EA	7/16" x 8'	SGC110AE15	35.00	EA
1/2" x 8'	SGC125AE12	34.50	EA	1/2" x 8'	SGC125AE15	36.25	EA

**DESIGNBASE-SL**

The Schluter DESIGNBASE-SL profile is an alternative to baseboard, which is available in anodized and color-coated aluminum. DESIGNBASE features a clean, polished look, and is simply attached to the wall with a suitable adhesive. An optional sealing lip accessory is available to protect the floor/wall transition from moisture penetration and to reduce the transmission of impact sound.

Color: Satin Anodized Aluminum (AE)

2-3/8" x 8'	DBSL60AE	37.15	EA	3-1/8" x 8'	DBSL80AE	45.45	EA
	90° Outside Corner				90° Outside Corner		
2-3/8"	ED/DBSL60AE	13.55	EA	3-1/8"	ED/DBSL80AE	13.55	EA
	90° Inside Corner				90° Inside Corner		
2-3/8"	ID/DBSL60AE	13.55	EA	3-1/8"	ID/DBSL80AE	13.55	EA
	End Cap (Left)				End Cap (Left)		
2-3/8"	EL/DBSL60AE	11.90	EA	3-1/8"	EL/DBSL80AE	11.90	EA
	End Cap (Right)				End Cap (Right)		
2-3/8"	ER/DBSL60AE	11.90	EA	3-1/8"	ER/DBSL80AE	11.90	EA
	Connector				Connector		
2-3/8"	V/DBSL60AE	11.90	EA	3-1/8"	V/DBSL80AE	11.90	EA

Color: Anodized Aluminum w/Brushed Stainless Steel appearance (AEEB)

2-3/8" x 8'	DBSL60AEEB	114.30	EA	3-1/8" x 8'	DBSL80AEEB	149.90	EA
	90° Outside Corner				90° Outside Corner		
2-3/8"	ED/DBSL60AEEB	13.55	EA	3-1/8"	ED/DBSL80AEEB	13.55	EA
	90° Inside Corner				90° Inside Corner		
2-3/8"	ID/DBSL60AEEB	a 13.55	EA	3-1/8"	ID/DBSL80AEEB	a 13.55	EA
	End Cap (Left)				End Cap (Left)		
2-3/8"	EL/DBSL60AEEB	11.90	EA	3-1/8"	EL/DBSL80AEEB	11.90	EA
	End Cap (Right)				End Cap (Right)		
2-3/8"	ER/DBSL60AEEB	11.90	EA	3-1/8"	ER/DBSL80AEEB	11.90	EA
	Connector				Connector		
2-3/8"	V/DBSL60AEEB	11.90	EA	3-1/8"	V/DBSL80AEEB	11.90	EA

Note: a) For reasons associated with production technology, these 90° Inside Corners are not Brushed.

Color: Matte White Color-Coated Aluminum (MBW)

2-3/8" x 8'	DBSL60MBW	63.65	EA	3-1/8" x 8'	DBSL80MBW	90.25	EA
	90° Outside Corner				90° Outside Corner		
2-3/8"	ED/DBSL60MBW	13.55	EA	3-1/8"	ED/DBSL80MBW	13.55	EA
	90° Inside Corner				90° Inside Corner		
2-3/8"	ID/DBSL60MBW	13.55	EA	3-1/8"	ID/DBSL80MBW	13.55	EA
	End Cap (Left)				End Cap (Left)		
2-3/8"	EL/DBSL60MBW	11.90	EA	3-1/8"	EL/DBSL80MBW	11.90	EA
	End Cap (Right)				End Cap (Right)		
2-3/8"	ER/DBSL60MBW	11.90	EA	3-1/8"	ER/DBSL80MBW	11.90	EA
	Connector				Connector		
2-3/8"	V/DBSL60MBW	11.90	EA	3-1/8"	V/DBSL80MBW	11.90	EA
8'	DBZSLL				Sealing Lip	13.55	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DESIGNBASE-SL-E**

The Schluter DESIGNBASE-SL-E profile is made of brushed stainless steel and provides a modern alternative to traditional baseboards. The profile is available in 4-3/8" or 6-3/8" heights to meet code requirements for a commercial cove base. DESIGNBASE features a sleek look and has an optional sealing lip accessory to protect the floor/wall transition from moisture penetration and to reduce the transmission of impact sound. Matching corners, end caps and connectors are available to create a clean, finished design.

*Color:* Brushed Stainless Steel 304 (EB)

4-3/8" x 8"	DBSL110EB		155.75	EA	6-3/8" x 8"	DBSL160EB		218.35	EA
	<i>90° Outside Corner</i>					<i>90° Outside Corner</i>			
4-3/8"	E90/DBSL110EB		77.20	EA	6-3/8"	E90/DBSL160EB		79.85	EA
	<i>90° Inside Corner</i>					<i>90° Inside Corner</i>			
4-3/8"	I90/DBSL110EB		77.20	EA	6-3/8"	I90/DBSL160EB		79.85	EA
	<i>End Cap (Left)</i>					<i>End Cap (Left)</i>			
4-3/8"	EL/DBSL110EB		77.15	EA	6-3/8"	EL/DBSL160EB		79.80	EA
	<i>End Cap (Right)</i>					<i>End Cap (Right)</i>			
4-3/8"	ER/DBSL110EB		77.15	EA	6-3/8"	ER/DBSL160EB		79.80	EA
	<i>Connector</i>					<i>Connector</i>			
4-3/8"	V/DBSL110EB		42.00	EA	6-3/8"	V/DBSL160EB		43.35	EA
8"	DBZSLL	Sealing Lip						23.80	EA

**DESIGNLINE**

A border profile for creating decorative designs in tile fields on walls. DESIGNLINE in Stainless Steel can also be used to create decorative designs in floors. This profile can be combined with QUADDEC and RONDEC finishing & edge-protection profiles.

1/4" x 8"	DL625AMGB	Brushed Brass Anodized Aluminum (AMGB)					56.95	EA
1/4" x 8"	DL625ACGB	Brushed Chrome Anodized Aluminum (ACGB)					56.95	EA
1/4" x 8"	DL625AKGB	Brushed Copper Anodized Aluminum (AKGB)					58.75	EA
1/4" x 8"	DL625ATGB	Brushed Nickel Anodized Aluminum (ATGB)					58.75	EA
1/4" x 8"	DL625EB	Brushed Stainless Steel 304 (EB)					120.65	EA
1/4" x 8"	DL625MC	Chrome-Plated Solid Brass (MC)					130.55	EA
1/4" x 8"	DL625AMG	Polished Brass Anodized Aluminum (AMG)					49.75	EA
1/4" x 8"	DL625ACG	Polished Chrome Anodized Aluminum (ACG)					49.75	EA
1/4" x 8"	DL625AKG	Polished Copper Anodized Aluminum (AKG)					51.55	EA
1/4" x 8"	DL625ATG	Polished Nickel Anodized Aluminum (ATG)					51.55	EA
1/4" x 8"	DL625AE	Satin Anodized Aluminum (AE)					36.20	EA
1/4" x 8"	DL625AM	Satin Brass Anodized Aluminum (AM)					36.20	EA
1/4" x 8"	DL625AK	Satin Copper Anodized Aluminum (AK)					38.00	EA
1/4" x 8"	DL625AT	Satin Nickel Anodized Aluminum (AT)					38.00	EA
1/4" x 8"	DL625E	Stainless Steel 304 (E)					82.60	EA

**ECK-E**

An edging profile for outside corners of tiled walls that offers excellent edge protection in applications subject to high degrees of wear. Produces a radiused edge along the outside wall corner for a clean decorative finish. Installed simultaneously with the tile.

*Color:* Brushed Stainless Steel 304 (EB)

1/4" x 4' 11"	E37V2AEB60/150	90° Angle	104.10	EA	1/4" x 8"	E37V2AEB60/250	90° Angle	163.35	EA
5/16" x 4' 11"	E37V2AEB80/150	90° Angle	108.25	EA	5/16" x 8"	E37V2AEB80/250	90° Angle	169.90	EA
7/16" x 4' 11"	E37V2AEB110/150	90° Angle	112.85	EA	7/16" x 8"	E37V2AEB110/250	90° Angle	177.10	EA
1/4" x 6' 7"	E37V2AEB60/200	90° Angle	133.80	EA	1/4" x 10"	E37V2AEB60/300	90° Angle	201.85	EA
5/16" x 6' 7"	E37V2AEB80/200	90° Angle	139.10	EA	5/16" x 10"	E37V2AEB80/300	90° Angle	212.90	EA
7/16" x 6' 7"	E37V2AEB110/200	90° Angle	144.80	EA	7/16" x 10"	E37V2AEB110/300	90° Angle	220.35	EA

*Color:* Stainless Steel 304 (E)

1/4" x 4' 11"	E37V2A60/150	90° Angle	80.20	EA	1/4" x 8"	E37V2A60/250	90° Angle	125.85	EA
5/16" x 4' 11"	E37V2A80/150	90° Angle	83.40	EA	5/16" x 8"	E37V2A80/250	90° Angle	130.90	EA
7/16" x 4' 11"	E37V2A110/150	90° Angle	86.70	EA	7/16" x 8"	E37V2A110/250	90° Angle	136.50	EA
1/4" x 6' 7"	E37V2A60/200	90° Angle	103.05	EA	1/4" x 10"	E37V2A60/300	90° Angle	155.50	EA
5/16" x 6' 7"	E37V2A80/200	90° Angle	107.10	EA	5/16" x 10"	E37V2A80/300	90° Angle	164.00	EA
7/16" x 6' 7"	E37V2A110/200	90° Angle	111.55	EA	7/16" x 10"	E37V2A110/300	90° Angle	169.75	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**ECK-K**

An edging profile for outside corners of tiled walls that offers excellent edge protection against mechanical stresses in commercial/industrial applications. Produces a radiused edge along the outside wall corner & is subsequently bonded to the outside corners of existing installations.

**Color:** Brushed Stainless Steel 304 (EB)

9/16" x 4' 11"	K15V2AEB/150	90° Angle	61.35	EA	1-9/32" x 8'	K32V2AEB/250	90° Angle	168.60	EA
1-9/32" x 4' 11"	K32V2AEB/150	90° Angle	101.10	EA	2" x 8'	K50V2AEB/250	90° Angle	216.85	EA
2" x 4' 11"	K50V2AEB/150	90° Angle	130.20	EA	9/16" x 10'	K15V2AEB/300	90° Angle	122.50	EA
1-9/32" x 6' 7"	K32V2AEB/200	90° Angle	134.90	EA	1-9/32" x 10'	K32V2AEB/300	90° Angle	204.40	EA
2" x 6' 7"	K50V2AEB/200	90° Angle	173.50	EA	2" x 10'	K50V2AEB/300	90° Angle	258.65	EA
9/16" x 8'	K15V2AEB/250	90° Angle	102.25	EA					

**Color:** Stainless Steel 304 (E)

9/16" x 4' 11"	K15V2A/150	90° Angle	47.20	EA	1-9/32" x 8'	K32V2A/250	90° Angle	129.70	EA
1-9/32" x 4' 11"	K32V2A/150	90° Angle	77.80	EA	2" x 8'	K50V2A/250	90° Angle	166.90	EA
2" x 4' 11"	K50V2A/150	90° Angle	100.15	EA	9/16" x 10'	K15V2A/300	90° Angle	94.30	EA
1-9/32" x 6' 7"	K32V2A/200	90° Angle	103.85	EA	1-9/32" x 10'	K32V2A/300	90° Angle	157.40	EA
2" x 6' 7"	K50V2A/200	90° Angle	133.55	EA	2" x 10'	K50V2A/300	90° Angle	199.20	EA
9/16" x 8'	K15V2A/250	90° Angle	78.60	EA					
1-9/32" x 4' 11"	K32ES/150	135° Angle	75.55	EA	1-9/32" x 10'	K32ES/300	135° Angle	150.90	EA
1-9/32" x 8'	K32ES	135° Angle	125.75	EA					

**ECK-KHK**

A stainless steel profile for inside wall corners that produces a radiused edge for a clean, decorative finish. ECK-KHK provides a 5/16" radius to prevent the accumulation of dirt and make cleaning simple. Thus, the profile is especially suited for commercial kitchens, bathrooms, food processing plants or any environment where a sanitary corner is desired. ECK-KI is subsequently bonded to the inside corners of existing tile or other wall coverings. As such, the profile can be installed as a repair so that existing, damaged corners don't have to be replaced.

**Color:** Brushed Stainless Steel 304 (EB)

9/16" x 4' 11"	KHK15EB/150		36.50	EA	9/16" x 8'	KHK15EB		60.75	EA
9/16" x 6' 7"	KHK15EB/200		48.60	EA	9/16" x 10'	KHK15EB/300		72.95	EA
	E/KHK15EB	Outside Corner, 90°						13.80	EA
	I/2KHK15EB	Inside Corner, 90° (2-way)						13.80	EA
	I/3KHK15EB	Inside Corner, 90° (3-way)						13.80	EA
	V/KHK15EB	Connector						9.40	EA

**Color:** Stainless Steel 304 (E)

9/16" x 4' 11"	KHK15E/150		32.50	EA	9/16" x 8'	KHK15E		54.15	EA
9/16" x 6' 7"	KHK15E/200		43.30	EA	9/16" x 10'	KHK15E/300		64.95	EA
	E/KHK15E	Outside Corner, 90°						13.80	EA
	I/2KHK15E	Inside Corner, 90° (2-way)						13.80	EA
	I/3KHK15E	Inside Corner, 90° (3-way)						13.80	EA
	V/KHK15E	Connector						9.40	EA

**FINEC**

A finishing and edge protection profile for the external edges of tile coverings or mosaics. The finishing leg of the profile protects the covering edges from mechanical damage, and features a very slim, elegant reveal. FINEC is ideal for protecting mitered edges, while creating a discreet trim for a minimalist design.

**Color:** Satin Anodized Aluminum (AE)

3/32" x 8'	F25AE		22.25	EA	11/32" x 8'	F90AE		24.60	EA
3/16" x 8'	F45AE		22.55	EA	7/16" x 8'	F110AE		25.60	EA
9/32" x 8'	F70AE		23.45	EA	1/2" x 8'	F125AE		26.25	EA

**Color:** Stainless Steel 304 (E)

3/16" x 8'	F45E		43.35	EA	7/16" x 8'	F110E		50.10	EA
9/32" x 8'	F70E		45.45	EA	1/2" x 8'	F125E		51.00	EA
11/32" x 8'	F90E		48.45	EA					

**FINEC - TRENDLINE Textured Color-Coated Aluminum**

**Colors:** Beige (TSB)      Dark Anthracite (TSDA)      Light Anthracite (TSLA)      Stone Grey (TSSG)  
 Bronze (TSOB)      Greige (TSBG)      Pewter (TSG)  
 Cream (TSC)      Ivory (TSI)      Rustic Brown (TSR)

3/16" x 8'	F45---		31.40	EA	7/16" x 8'	F110---		33.80	EA
9/32" x 8'	F70---		32.10	EA	1/2" x 8'	F125---		34.45	EA
11/32" x 8'	F90---		33.45	EA					

**Colors:** Matte Black (MGS)      Matte White (MBW)

3/32" x 8'	F25MBW	a	30.80	EA	11/32" x 8'	F90---		33.45	EA
3/16" x 8'	F45---		31.40	EA	7/16" x 8'	F110---		33.80	EA
9/32" x 8'	F70---		32.10	EA	1/2" x 8'	F125---		34.45	EA

**Notes:** a) Not available in color Matte Black (MGS).

To complete part number replace hyphens with color code. Example F45---, Cream # is: FT45TSC.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**FINEC-SQ**

FINEC-SQ is a finishing and edge-protection profile for outside corners of tile coverings. This minimalistic wall profile features a symmetrical 3/16" profile reveal that combines the slim look of Schluter-FINEC with the square shape of Schluter-QUADEC and a perforated anchoring leg that is secured in mortar bond coat beneath the tile. This profile is available in larger sizes to accommodate thicker tiles and is ideal for protecting mitered edges.

*Color:* Satin Anodized Aluminum (AE)

7/16" x 8'	FSQ110AE	29.15 EA	9/16" x 8'	FSQ150AE	29.55 EA
1/2" x 8'	FSQ125AE	29.50 EA			

*Note:* FINEC-SQ can be combined with QUADEC corner pieces.

**FINEC-SQ - TRENDLINE Textured Color-Coated Aluminum**

<i>Colors:</i>	Beige (TSB)	Greige (TSBG)	Matte White (MBW)	
	Bronze (TSOB)	Ivory (TSI)	Pewter (TSG)	
	Cream (TSC)	Light Anthracite (TSLA)	Stone Grey (TSSG)	
	Dark Anthracite (TSDA)	Matte Black (MGS)	Rustic Brown (TSR)	
7/16" x 8'	FSQ110----	39.15 EA	9/16" x 8' FSQ150----	39.40 EA
1/2" x 8'	FSQ125----	39.25 EA		

*Notes:* FINEC-SQ can be combined with QUADEC corner pieces.  
To complete part number replace hyphens with color code. Example FSQ110--, Cream # is: FTSG110TSC.

**INDEC**

An anodized aluminum profile for outside corners of tiled surfaces and tiled edges. The reveal of the profile forms a square recessed groove for modern decorative design and interesting contrasts.

*Color:* Polished Chrome Anodized Aluminum (ACG)

5/16" x 8'	IN80ACG	62.30 EA	7/16" x 8'	IN110ACG	67.80 EA
3/8" x 8'	IN100ACG	63.95 EA	1/2" x 8'	IN125ACG	72.35 EA
<i>Outside Corner, 90° (Cast Zinc with ACG appearance)</i>					
5/16"	ED/IN80ACG	9.65 EA	7/16"	ED/IN110ACG	9.65 EA
3/8"	ED/IN100ACG	9.65 EA	1/2"	ED/IN125ACG	9.65 EA

*Color:* Satin Anodized Aluminum (AE)

5/16" x 8'	IN80AE	35.50 EA	7/16" x 8'	IN110AE	37.90 EA
3/8" x 8'	IN100AE	36.70 EA	1/2" x 8'	IN125AE	44.50 EA
<i>Outside Corner, 90° (Cast Zinc with AE appearance)</i>					
5/16"	ED/IN80AE	9.65 EA	7/16"	ED/IN110AE	9.65 EA
3/8"	ED/IN100AE	9.65 EA	1/2"	ED/IN125AE	9.65 EA

**JOLLY**

Schluter-JOLLY is a decorative profile featuring a 90° angle designed to finish and protect external corners and other tile edges in wall applications. Its 90° angle creates a clean, flush look on wall corner installations, and the joint spacers on both sides of the profile ensure consistent grout joints and perfect symmetry. Matching corners are available, which feature innovative plug-in connections that result in clean, visually appealing corner applications.

*Color:* Bright Black Anodized Aluminum (AGSG)

1/4" x 8'	J60AGSG	24.00 EA	7/16" x 8'	J110AGSG	26.60 EA
5/16" x 8'	J80AGSG	24.50 EA	1/2" x 8'	J125AGSG	27.20 EA
3/8" x 8'	J100AGSG	26.30 EA			
<i>Outside Corner, 90°</i>					
1/4"	EV/J60AGSG	13.85 EA	7/16"	EV/J110AGSG	13.85 EA
5/16"	EV/J80AGSG	13.85 EA	1/2"	EV/J125AGSG	13.85 EA
3/8"	EV/J100AGSG	13.85 EA			
V/JPP4	Connector (Package of 4 Each)				3.55 PKG

*Color:* Brushed Antique Bronze Anodized Aluminum (ABGB)

1/4" x 8'	J60ABGB	29.70 EA	5/16" x 10'	J80ABGB/300	39.10 EA
5/16" x 8'	J80ABGB	31.25 EA	3/8" x 10'	J100ABGB/300	40.35 EA
3/8" x 8'	J100ABGB	32.25 EA	1/2" x 10'	J125ABGB/300	43.65 EA
7/16" x 8'	J110ABGB	33.20 EA			
1/2" x 8'	J125ABGB	34.95 EA			
<i>Outside Corner, 90°</i>					
1/4"	EV/J60ABGB	13.85 EA	7/16"	EV/J110ABGB	13.85 EA
5/16"	EV/J80ABGB	13.85 EA	1/2"	EV/J125ABGB	13.85 EA
3/8"	EV/J100ABGB	13.85 EA			
V/JPP4	Connector (Package of 4 Each)				3.55 PKG

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
<b>JOLLY - continued</b>									
<i>Color:</i> Brushed Brass Anodized Aluminum (AMGB)									
1/4" x 8'			J60AMGB	26.80 EA	7/16" x 8'			J110AMGB	30.35 EA
5/16" x 8'			J80AMGB	27.75 EA	1/2" x 8'			J125AMGB	31.35 EA
3/8" x 8'			J100AMGB	29.75 EA					
<i>Outside Corner, 90°</i>									
1/4"			EV/J60AMGB	13.85 EA	7/16"			EV/J110AMGB	13.85 EA
5/16"			EV/J80AMGB	13.85 EA	1/2"			EV/J125AMGB	13.85 EA
3/8"			EV/J100AMGB	13.85 EA					
V/JPP4			Connector	(Package of 4 Each)					3.55 PKG
<hr/>									
<i>Color:</i> Brushed Chrome Anodized Aluminum (ACGB)									
1/4" x 8'			J60ACGB	25.20 EA	7/16" x 8'			J110ACGB	29.20 EA
5/16" x 8'			J80ACGB	25.90 EA	1/2" x 8'			J125ACGB	30.25 EA
3/8" x 8'			J100ACGB	28.65 EA					
<i>Outside Corner, 90°</i>									
1/4"			EV/J60ACGB	13.85 EA	7/16"			EV/J110ACGB	13.85 EA
5/16"			EV/J80ACGB	13.85 EA	1/2"			EV/J125ACGB	13.85 EA
3/8"			EV/J100ACGB	13.85 EA					
V/JPP4			Connector	(Package of 4 Each)					3.55 PKG
<hr/>									
<i>Color:</i> Brushed Copper Anodized Aluminum (AKGB)									
1/4" x 8'			J60AKGB	27.85 EA	7/16" x 8'			J110AKGB	29.65 EA
5/16" x 8'			J80AKGB	28.70 EA	1/2" x 8'			J125AKGB	30.10 EA
3/8" x 8'			J100AKGB	29.35 EA					
<i>Outside Corner, 90°</i>									
1/4"			EV/J60AKGB	13.85 EA	7/16"			EV/J110AKGB	13.85 EA
5/16"			EV/J80AKGB	13.85 EA	1/2"			EV/J125AKGB	13.85 EA
3/8"			EV/J100AKGB	13.85 EA					
V/JPP4			Connector	(Package of 4 Each)					3.55 PKG
<hr/>									
<i>Color:</i> Brushed Graphite Anodized Aluminum (AGRB)									
1/4" x 8'			J60AGRB	29.70 EA	7/16" x 8'			J110AGRB	33.50 EA
5/16" x 8'			J80AGRB	31.25 EA	1/2" x 8'			J125AGRB	34.95 EA
3/8" x 8'			J100AGRB	32.85 EA					
<i>Outside Corner, 90°</i>									
1/4"			EV/J60AGRB	13.85 EA	7/16"			EV/J110AGRB	13.85 EA
5/16"			EV/J80AGRB	13.85 EA	1/2"			EV/J125AGRB	13.85 EA
3/8"			EV/J100AGRB	13.85 EA					
V/JPP4			Connector	(Package of 4 Each)					3.55 PKG
<hr/>									
<i>Color:</i> Brushed Nickel Anodized Aluminum (ATGB)									
1/4" x 8'			J60ATGB	27.85 EA	7/16" x 8'			J110ATGB	29.05 EA
5/16" x 8'			J80ATGB	28.20 EA	1/2" x 8'			J125ATGB	30.10 EA
3/8" x 8'			J100ATGB	28.80 EA					
<i>Outside Corner, 90°</i>									
1/4"			EV/J60ATGB	13.85 EA	7/16"			EV/J110ATGB	13.85 EA
5/16"			EV/J80ATGB	13.85 EA	1/2"			EV/J125ATGB	13.85 EA
3/8"			EV/J100ATGB	13.85 EA					
V/JPP4			Connector	(Package of 4 Each)					3.55 PKG
<hr/>									
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
1/4" x 8'			J60EB	56.35 EA	7/16" x 8'			J110EB	63.85 EA
5/16" x 8'			J80EB	58.55 EA	1/2" x 8'			J125EB	63.85 EA
3/8" x 8'			J100EB	61.70 EA					
<i>Outside Corner, 90°</i>									
1/4"			EV/J60EB	27.75 EA	7/16"			EV/J110EB	27.75 EA
5/16"			EV/J80EB	27.75 EA	1/2"			EV/J125EB	27.75 EA
3/8"			EV/J100EB	27.75 EA					
V/JPP4			Connector	(Package of 4 Each)					3.55 PKG
<hr/>									
<i>Color:</i> Chrome-Plated Solid Brass (MC)									
1/4" x 8'			J60MC	111.35 EA	7/16" x 8'			J110MC	117.95 EA
5/16" x 8'			J80MC	115.25 EA	1/2" x 8'			J125MC	118.80 EA
3/8" x 8'			J100MC	116.80 EA					

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
<b>JOLLY - continued</b>									
<i>Color:</i> Chrome-Plated Solid Brass (MC)									
<i>Outside Corner, 90°</i>									
1/4"			26.50	EA	7/16"			26.50	EA
5/16"			26.50	EA	1/2"			26.50	EA
3/8"			26.50	EA					
V/JPP4		Connector	(Package of 4 Each)					3.55	PKG
<i>Color:</i> Polished Brass Anodized Aluminum (AMG)									
1/4" x 8'			23.60	EA	7/16" x 8'			29.00	EA
5/16" x 8'			25.25	EA	1/2" x 8'			30.10	EA
3/8" x 8'			28.45	EA					
<i>Outside Corner, 90°</i>									
1/4"			13.85	EA	7/16"			13.85	EA
5/16"			13.85	EA	1/2"			13.85	EA
3/8"			13.85	EA					
V/JPP4		Connector	(Package of 4 Each)					3.55	PKG
<i>Color:</i> Polished Chrome Anodized Aluminum (ACG)									
1/4" x 8'			23.60	EA	5/16" x 10'			31.50	EA
5/16" x 8'			25.25	EA	3/8" x 10'			34.85	EA
3/8" x 8'			27.90	EA	1/2" x 10'			36.90	EA
7/16" x 8'			28.15	EA					
1/2" x 8'			29.55	EA					
<i>Outside Corner, 90°</i>									
1/4"			13.85	EA	7/16"			13.85	EA
5/16"			13.85	EA	1/2"			13.85	EA
3/8"			13.85	EA					
V/JPP4		Connector	(Package of 4 Each)					3.55	PKG
<i>Colors:</i> Polished Copper Anodized Aluminum (AKG)					<i>Polished Nickel Anodized Aluminum (ATG)</i>				
1/4" x 8'			31.00	EA	7/16" x 8'			32.50	EA
5/16" x 8'			31.50	EA	1/2" x 8'			32.65	EA
3/8" x 8'			32.35	EA					
1/4"			13.85	EA	7/16"			13.85	EA
5/16"			13.85	EA	1/2"			13.85	EA
3/8"			13.85	EA					
V/JPP4		Connector	(Package of 4 Each)					3.55	PKG
<i>Note:</i> To complete part number replace hyphens with color code. Example J60---, for Polished Copper Anodized Aluminum # is: J60AKG.									
<i>Color:</i> Satin Anodized Aluminum (AE)									
1/4" x 8'			20.20	EA	5/16" x 10'			25.10	EA
5/16" x 8'			20.10	EA	3/8" x 10'			26.65	EA
3/8" x 8'			21.35	EA	1/2" x 10'			28.60	EA
7/16" x 8'			22.70	EA					
1/2" x 8'			22.90	EA					
<i>Outside Corner, 90°</i>									
1/4"			10.60	EA	7/16"			10.60	EA
5/16"			10.60	EA	1/2"			10.60	EA
3/8"			10.60	EA					
V/JPP4		Connector	(Package of 4 Each)					3.55	PKG
<i>Color:</i> Satin Brass Anodized Aluminum (AM)									
1/4" x 8'			20.15	EA	7/16" x 8'			23.85	EA
5/16" x 8'			20.95	EA	1/2" x 8'			24.95	EA
3/8" x 8'			23.35	EA					
<i>Outside Corner, 90°</i>									
1/4"			13.85	EA	7/16"			13.85	EA
5/16"			13.85	EA	1/2"			13.85	EA
3/8"			13.85	EA					
V/JPP4		Connector	(Package of 4 Each)					3.55	PKG
<i>Color:</i> Satin Copper Anodized Aluminum (AK)									
1/4" x 8'			24.00	EA	7/16" x 8'			25.75	EA
5/16" x 8'			24.95	EA	1/2" x 8'			26.35	EA
3/8" x 8'			25.50	EA					

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**JOLLY - continued**

Color: Satin Copper Anodized Aluminum (AK)

Outside Corner, 90°

1/4"	EV/J60AK		13.85	EA	7/16"	EV/J110AK		13.85	EA
5/16"	EV/J80AK		13.85	EA	1/2"	EV/J125AK		13.85	EA
3/8"	EV/J100AK		13.85	EA					
	V/JPP4	Connector		(Package of 4 Each)				3.55	PKG

Color: Satin Nickel Anodized Aluminum (AT)

1/4" x 8'	J60AT		24.00	EA	5/16" x 10'	J80AT/300		30.65	EA
5/16" x 8'	J80AT		24.50	EA	3/8" x 10'	J100AT/300		31.25	EA
3/8" x 8'	J100AT		24.95	EA	1/2" x 10'	J125AT/300		32.30	EA
7/16" x 8'	J110AT		25.25	EA					
1/2" x 8'	J125AT		25.85	EA					

Outside Corner, 90°

1/4"	EV/J60AT		13.85	EA	7/16"	EV/J110AT		13.85	EA
5/16"	EV/J80AT		13.85	EA	1/2"	EV/J125AT		13.85	EA
3/8"	EV/J100AT		13.85	EA					
	V/JPP4	Connector		(Package of 4 Each)				3.55	PKG

**JOLLY - Color-Coated Aluminum (AC)**

Colors:	Black (GS)	Black Brown (SB)	Bright White (BW)	Classic Grey (PG)	Grey (G)	Metallic Grey (GM)	Sand Pebble (SP)	White (W)
1/4" x 8'	J60--						7/16" x 8'	J110--
5/16" x 8'	J80--			Stock a			1/2" x 8'	J125--
3/8" x 8'	J100--			Stock b				Stock a

Outside Corner, 90°

1/4"	EV/J60--		12.85	EA	7/16"	EV/J110--		12.85	EA
5/16"	EV/J80--		12.85	EA	1/2"	EV/J125--		12.85	EA
3/8"	EV/J100--		12.85	EA					
	V/JPP4	Connector		(Package of 4 Each)				3.55	PKG

Notes: a) Stocked in color Bright White (BW) only. b) Stocked in colors Bright White (BW), Classic Grey (PG) and White (W) only.  
To complete part number replace hyphens with color code. Example J60--, for Black # is: J60GS.

**JOLLY - TRENDLINE Textured Color-Coated Aluminum**

Colors:	Beige (TSB)	Dark Anthracite (TSDA)	Light Anthracite (TSLA)	Stone Grey (TSSG)
	Bronze (TSOB)	Greige (TSBG)	Pewter (TSG)	
	Cream (TSC)	Ivory (TSI)	Rustic Brown (TSR)	
1/4" x 8'	J60---		1/4" x 10'	J60---/300
5/16" x 8'	J80---		5/16" x 10'	J80---/300
3/8" x 8'	J100---	Stock a	3/8" x 10'	J100---/300
7/16" x 8'	J110---		7/16" x 10'	J110---/300
1/2" x 8'	J125---		1/2" x 10'	J125---/300

Outside Corner, 90°

3/8"	EV/J60---		19.95	EA	7/16"	EV/J110---		19.95	EA
5/16"	EV/J80---		19.95	EA	1/2"	EV/J125---		19.95	EA
3/8"	EV/J100---		19.95	EA					
	V/JPP4	Connector		(Package of 4 Each)				3.55	PKG

Colors:	Matte Black (MGS)	Matte White (MBW)							
1/4" x 8'	J60---		33.90	EA	1/4" x 10'	J60---/300		40.65	EA
5/16" x 8'	J80---		34.65	EA	5/16" x 10'	J80---/300		41.60	EA
3/8" x 8'	J100---		35.30	EA	3/8" x 10'	J100---/300		42.40	EA
7/16" x 8'	J110---		35.70	EA	7/16" x 10'	J110---/300		42.85	EA
1/2" x 8'	J125---		36.45	EA	1/2" x 10'	J125---/300		43.75	EA

Outside Corner, 90°

3/8"	EV/J60---		18.00	EA	7/16"	EV/J110---		18.00	EA
5/16"	EV/J80---		18.00	EA	1/2"	EV/J125---		18.00	EA
3/8"	EV/J100---		18.00	EA					
	V/JPP4	Connector		(Package of 4 Each)				3.55	PKG

Notes: To complete part number replace hyphens with color code. Example J60---, for Beige # is: J60TSB.  
a) Stocked in colors Ivory (TSI) and Greige (TSBG) only.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**JOLLY-P - PVC (P)**

Schluter-JOLLY-P is a PVC profile featuring an 87° angle designed to finish and protect external corners and other tile edges in wall applications. The vertical wall section of the profile provides a decorative finish and protects adjacent tiles. JOLLY-P in sizes 1/4" and higher features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

Colors: Bahama (BH) Classic Grey (PG) Light Grey (HG)  
 Black (GS) Grey (G) Sand Pebble (SP)  
 Bright White (BW) Light Beige (HB) White (W)

3/16" x 8' --45			7.80	EA	3/8" x 8' --100	Stock	b	8.50	EA
1/4" x 8' --60			7.95	EA	7/16" x 8' --110			8.75	EA
5/16" x 8' --80	Stock	a	8.30	EA	1/2" x 8' --125			8.95	EA

<i>Color:</i> Bright White (BW)									
5/16" x 10' BW80/300			10.35	EA	1/2" x 10' BW125/300			11.20	EA
3/8" x 10' BW100/300			10.60	EA					

Notes: a) Stocked in color Bright White (BW) only. b) Stocked in colors Bright White (BW) and Sand Pebble (SP) only.  
 To complete part number replace hyphens with color code. Example --45, for Black # is: GS45.

**QUADEC**

For tiled edges and outside corners of tiled surfaces. The reveal of the profile forms a square outer corner along the surface edge. Can also be used as an accent within tile fields on both floors and walls. Can be combined with the QUADEC-FS feature strip profile and/or the DESIGNLINE border profile for further design options. QUADEC in Stainless Steel can also be used as a stair nosing or floor transition profile.

Colors: Brushed Antique Bronze Anodized Aluminum (ABGB) Brushed Nickel Anodized Aluminum (ATGB)

1/4" x 8' Q60ABGB	a		33.55	EA	3/8" x 8' Q100----			38.15	EA
5/16" x 8' Q80----			34.30	EA	1/2" x 8' Q125----			41.25	EA

*Inside /Outside Corner/End Cap:*

1/4" EV/Q60ABGB	a		20.45	EA	3/8" EV/Q100----			20.45	EA
5/16" EV/Q80----			20.45	EA	1/2" EV/Q125----			20.45	EA

Notes: To complete part number replace hyphens with color code. Example Q80--, Brushed Antique Bronze Anodized Aluminum (ABGB) # is: Q80ABGB.  
 a) Not available in color Brushed Nickel Anodized Aluminum (ATGB).

<i>Color:</i> Brushed Stainless Steel 304 (EB)									
1/4" x 8' Q60EB			96.90	EA	7/16" x 8' Q110EB			115.90	EA
9/32" x 8' Q70EB			100.60	EA	1/2" x 8' Q125EB			119.35	EA
5/16" x 8' Q80EB			104.25	EA	17/32" x 8' Q140EB			122.35	EA
11/32" x 8' Q90EB			107.95	EA	9/16" x 8' Q150EB			124.10	EA
3/8" x 8' Q100EB			112.00	EA					

*Inside /Outside Corner/End Cap:*

1/4" EV/Q60EB			61.00	EA	7/16" EV/Q110EB			68.30	EA
9/32" EV/Q70EB			61.70	EA	1/2" EV/Q125EB			68.95	EA
5/16" EV/Q80EB			62.30	EA	17/32" EV/Q140EB			69.85	EA
11/32" EV/Q90EB			64.50	EA	9/16" EV/Q150EB			71.75	EA
3/8" EV/Q100EB			67.30	EA					

<i>Color:</i> Polished Chrome Anodized Aluminum (ACG)									
3/16" x 8' Q45ACG			29.95	EA	5/16" x 10' Q80ACG/300			44.00	EA
1/4" x 8' Q60ACG			31.25	EA	3/8" x 10' Q100ACG/300			48.50	EA
5/16" x 8' Q80ACG			35.25	EA	1/2" x 10' Q125ACG/300			56.80	EA
3/8" x 8' Q100ACG			38.95	EA					
1/2" x 8' Q125ACG			45.60	EA					

*Inside /Outside Corner/End Cap:*

3/16" EV/Q45ACG			13.40	EA	3/8" EV/Q100ACG			13.40	EA
1/4" EV/Q60ACG			13.40	EA	1/2" EV/Q125ACG			13.40	EA
5/16" EV/Q80ACG			13.40	EA					

<i>Color:</i> Satin Anodized Aluminum (AE)									
3/16" x 8' Q45AE			23.85	EA	1/2" x 8' Q125AE			31.30	EA
1/4" x 8' Q60AE			24.90	EA	9/16" x 8' Q150AE			35.40	EA
5/16" x 8' Q80AE			25.95	EA	3/4" x 8' Q200AE			38.80	EA
3/8" x 8' Q100AE	Stock		28.10	EA					

*Inside /Outside Corner/End Cap:*

3/16" EV/Q45AE			11.30	EA	1/2" EV/Q125AE			11.30	EA
1/4" EV/Q60AE			11.30	EA	9/16" EV/Q150AE			12.75	EA
5/16" EV/Q80AE			11.30	EA	3/4" EV/Q200AE			12.75	EA
3/8" EV/Q100AE			11.30	EA					

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**QUADEC - continued**

Color: Satin Nickel Anodized Aluminum (AT)

3/16" x 8' Q45AT			25.15	EA	3/8" x 8' Q100AT	Stock		29.85	EA
1/4" x 8' Q60AT			26.20	EA	1/2" x 8' Q125AT			33.25	EA
5/16" x 8' Q80AT			28.00	EA					
<i>Inside /Outside Corner/End Cap:</i>									
3/16" EV/Q45AT			11.10	EA	3/8" EV/Q100AT	Stock		11.10	EA
1/4" EV/Q60AT			11.10	EA	1/2" EV/Q125AT			11.10	EA
5/16" EV/Q80AT			11.10	EA					

Color: Stainless Steel 304 (E)

3/16" x 8' Q45E			57.45	EA	3/8" x 8' Q100E			74.05	EA
1/4" x 8' Q60E			65.95	EA	7/16" x 8' Q110E			76.60	EA
9/32" x 8' Q70E			68.45	EA	1/2" x 8' Q125E			78.85	EA
5/16" x 8' Q80E			68.85	EA	17/32" x 8' Q140E			84.45	EA
11/32" x 8' Q90E			73.45	EA	9/16" x 8' Q150E			87.85	EA
<i>Inside /Outside Corner/End Cap:</i>									
3/16" EV/Q45E			46.15	EA	3/8" EV/Q100E			56.10	EA
1/4" EV/Q60E			50.55	EA	7/16" EV/Q110E			57.00	EA
9/32" EV/Q70E			51.30	EA	1/2" EV/Q125E			57.60	EA
5/16" EV/Q80E			51.95	EA	17/32" EV/Q140E			59.90	EA
11/32" EV/Q90E			53.80	EA	9/16" EV/Q150E			64.25	EA

**QUADEC - Color-Coated Aluminum (AC)**

Colors:	Black (GS)	Black Brown (SB)	Bright White (BW)	Classic Grey (PG)	Quartz Grey (QG)	Sand Pebble (SP)	Traffic Grey (VG)	White (W)
3/16" x 8' Q45--							3/8" x 8' Q100--	30.90 EA
1/4" x 8' Q60--							7/16" x 8' Q110--	31.90 EA
5/16" x 8' Q80--							1/2" x 8' Q125--	33.85 EA
<i>Outside Corner, 90°:</i>								
3/16" ED/Q45--							3/8" ED/Q100--	6.20 EA
1/4" ED/Q60--							7/16" ED/Q110--	6.20 EA
5/16" ED/Q80--							1/2" ED/Q125--	6.20 EA

**QUADEC - TRENDLINE Textured Color-Coated Aluminum**

Colors:	Beige (TSB)	Dark Anthracite (TSDA)	Greige (TSBG)	Ivory (TSI)	Light Anthracite (TSLA)	Pewter (TSG)	Rustic Brown (TSR)	Stone Grey (TSSG)
3/16" x 8' Q45--								
1/4" x 8' Q60--								
5/16" x 8' Q80--								
3/8" x 8' Q100--								
7/16" x 8' Q110--								
1/2" x 8' Q125--								
<i>Inside /Outside Corner/End Cap:</i>								
3/16" EV/Q45--								
1/4" EV/Q60--								
5/16" EV/Q80--								

Colors:	Matte Black (MGS)	Matte White (MBW)
3/16" x 8' Q45--		
1/4" x 8' Q60--		
5/16" x 8' Q80--		
3/8" x 8' Q100--		
7/16" x 8' Q110--		
1/2" x 8' Q125--		
<i>Inside /Outside Corner/End Cap:</i>		
3/16" EV/Q45--		
1/4" EV/Q60--		
5/16" EV/Q80--		

1/4" V/Q60	Aluminum Connector	(For use with all Aluminum Quadec)	3.50 EA
5/16" V/RO80	Aluminum Connector	(For use with all Aluminum Quadec)	3.50 EA
3/8" V/RO100	Aluminum Connector	(For use with all Aluminum Quadec)	3.50 EA
7/16" V/RO110	Aluminum Connector	(For use with all Aluminum Quadec)	3.50 EA
1/2" V/RO125	Aluminum Connector	(For use with all Aluminum Quadec)	3.50 EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**QUADEC - continued**

1/4" V/RO60E			Stainless Steel Connector		(For use with all Stainless Steel Quadec)			8.35	EA
5/16" V/RO80E			Stainless Steel Connector		(For use with all Stainless Steel Quadec)			8.35	EA
3/8" V/RO100E			Stainless Steel Connector		(For use with all Stainless Steel Quadec)			8.35	EA
7/16" V/RO110E			Stainless Steel Connector		(For use with all Stainless Steel Quadec)			8.35	EA
1/2" V/RO125E			Stainless Steel Connector		(For use with all Stainless Steel Quadec)			8.35	EA

**Notes:** a) Stocked in colors Pewter (TSG) and Stone Grey (TSSG) only.  
To complete part number replace hyphens with color code. Example Q45--, Dark Anthracite # is: Q45TSDA.

**QUADEC - PVC (P)**

Colors:	Bahama (BH)	Classic Grey (PG)	Light Grey (HG)						
	Black (GS)	Grey (G)	Sand Pebble (SP)						
	Bright White (BW)	Light Beige (HB)	White (W)						
1/4" x 8'	PQ60--	10.15	EA	7/16" x 8'	PQ110--			12.85	EA
5/16" x 8'	PQ80--	10.70	EA	1/2" x 8'	PQ125--			14.30	EA
3/8" x 8'	PQ100--	11.45	EA						
<i>Outside Corner, 90°:</i>									
1/4"	E/PQ60--	3.80	EA	7/16"	E/PQ110--			3.80	EA
5/16"	E/PQ80--	3.80	EA	1/2"	E/PQ125--			3.80	EA
3/8"	E/PQ100--	3.80	EA						

**Note:** To complete part number replace hyphens with color code. Example PQ60--, Bright White # is: PQ60BW.

**QUADEC-FS**

A double-rail feature strip profile that features a recessed section to which tile is bonded. Can be combined with QUADEC profile.

Color:	Brushed Antique Bronze Anodized Aluminum (ABGB)			Inside /Outside Corner/End Cap:			
5/16" x 8'	QF8/50ABGB	72.75	EA	5/16" EV/QF8/50ABGB			43.25 EA
<i>Color: Polished Chrome Anodized Aluminum (ACG)</i>							
5/16" x 8'	QF8/50ACG	67.50	EA	5/16" EV/QF8/50ACG			39.90 EA
<i>Color: Satin Anodized Aluminum (AE)</i>							
5/16" x 8'	QF8/50AE	50.85	EA	5/16" EV/QF8/50AE			33.75 EA
<i>Color: Satin Nickel Anodized Aluminum (AT)</i>							
5/16" x 8'	QF8/50AT	53.80	EA	5/16" EV/QF8/50AT			33.75 EA

**REMA**

A system for creating concealed access panels in tiled walls without impairing the visual appearance of the tile covering.

REMA	Access Panel Kit	(Set includes 4 Magnets & 4 Mounting Plates)	14.75	SET
------	------------------	--	-------	-----

**RONDEC**

A finishing and edge-protection profile for tiled edges and outside corners of tiled surfaces. Can also be combined with the DESIGNLINE profile.

Color:	Bright Black Anodized Aluminum (AGSG)						
1/4" x 8'	RO60AGSG	32.25	EA	3/8" x 8'	RO100AGSG		40.30 EA
5/16" x 8'	RO80AGSG	34.05	EA	1/2" x 8'	RO125AGSG		45.70 EA
<i>Outside Corner, 90°</i>							
1/4"	EV/RO60AGSG	13.05	EA	1/4"	IV/RO60AGSG		13.05 EA
5/16"	EV/RO80AGSG	13.05	EA	5/16"	IV/RO80AGSG		13.05 EA
3/8"	EV/RO100AGSG	13.05	EA	3/8"	IV/RO100AGSG		13.05 EA
1/2"	EV/RO125AGSG	13.05	EA	1/2"	IV/RO125AGSG		13.05 EA
<i>2-Leg Outside Corner, 90°</i>							
5/16"	E2L/RO80AGSG	22.65	EA	5/16"	I2L/RO80AGSG		22.65 EA
3/8"	E2L/RO100AGSG	22.65	EA	3/8"	I2L/RO100AGSG		22.65 EA
1/2"	E2L/RO125AGSG	22.65	EA	1/2"	I2L/RO125AGSG		22.65 EA
<i>Colors: Brushed Antique Bronze Anodized Aluminum (ABGB)</i>				<i>Brushed Copper Anodized Aluminum (AKGB)</i>			
1/4" x 8'	RO60----	33.40	EA	3/8" x 8'	RO100----	Stock a	41.30 EA
5/16" x 8'	RO80----	36.90	EA	1/2" x 8'	RO125----		47.00 EA
<i>Outside Corner, 90°</i>							
1/4"	EV/RO60----	19.50	EA	1/4"	IV/RO60----		19.50 EA
5/16"	EV/RO80----	19.50	EA	5/16"	IV/RO80----		19.50 EA
3/8"	EV/RO100----	19.50	EA	3/8"	IV/RO100----		19.50 EA
1/2"	EV/RO125----	19.50	EA	1/2"	IV/RO125----		19.50 EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**RONDEC - continued**

Colors: Brushed Antique Bronze Anodized Aluminum (ABGB)

2-Leg Outside Corner, 90°

5/16"	E2L/RO80----	27.10	EA
3/8"	E2L/RO100----	27.10	EA
1/2"	E2L/RO125----	27.10	EA

Note: a) Stocked in color Brushed Antique Bronze Anodized Aluminum (ABGB) only.

Brushed Copper Anodized Aluminum (AKGB)

2-Leg Inside Corner, 90°

5/16"	I2L/RO80----	27.10	EA
3/8"	I2L/RO100----	27.10	EA
1/2"	I2L/RO125----	27.10	EA

Color: Brushed Black Anodized Aluminum (AGSB)

1/4" x 8'	RO60AGSB	33.35	EA
5/16" x 8'	RO80AGSB	36.90	EA

Outside Corner, 90°

1/4"	EV/RO60AGSB	19.70	EA
5/16"	EV/RO80AGSB	19.70	EA
3/8"	EV/RO100AGSB	19.70	EA
1/2"	EV/RO125AGSB	19.70	EA

2-Leg Outside Corner, 90°

5/16"	E2L/RO80AGSB	27.10	EA
3/8"	E2L/RO100AGSB	27.10	EA
1/2"	E2L/RO125AGSB	27.10	EA

3/8" x 8'	RO100AGSB	41.25	EA
1/2" x 8'	RO125AGSB	45.65	EA

Inside Corner, 90°

1/4"	IV/RO60AGSB	19.70	EA
5/16"	IV/RO80AGSB	19.70	EA
3/8"	IV/RO100AGSB	19.70	EA
1/2"	IV/RO125AGSB	19.70	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80AGSB	27.10	EA
3/8"	I2L/RO100AGSB	27.10	EA
1/2"	I2L/RO125AGSB	27.10	EA

Color: Brushed Brass Anodized Aluminum (AMGB)

1/4" x 8'	RO60AMGB	31.60	EA
5/16" x 8'	RO80AMGB	35.10	EA

Outside Corner, 90°

1/4"	EV/RO60AMGB	19.90	EA
5/16"	EV/RO80AMGB	19.90	EA
3/8"	EV/RO100AMGB	19.90	EA
1/2"	EV/RO125AMGB	19.90	EA

2-Leg Outside Corner, 90°

5/16"	E2L/RO80AMGB	27.65	EA
3/8"	E2L/RO100AMGB	27.65	EA
1/2"	E2L/RO125AMGB	27.65	EA

3/8" x 8'	RO100AMGB	39.55	EA
1/2" x 8'	RO125AMGB	44.85	EA

Inside Corner, 90°

1/4"	IV/RO60AMGB	19.90	EA
5/16"	IV/RO80AMGB	19.90	EA
3/8"	IV/RO100AMGB	19.90	EA
1/2"	IV/RO125AMGB	19.90	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80AMGB	27.65	EA
3/8"	I2L/RO100AMGB	27.65	EA
1/2"	I2L/RO125AMGB	27.65	EA

Color: Brushed Chrome Anodized Aluminum (ACGB)

1/4" x 8'	RO60ACGB	29.85	EA
5/16" x 8'	RO80ACGB	33.40	EA

Outside Corner, 90°

1/4"	EV/RO60ACGB	19.50	EA
5/16"	EV/RO80ACGB	19.50	EA
3/8"	EV/RO100ACGB	19.50	EA
1/2"	EV/RO125ACGB	19.50	EA

2-Leg Outside Corner, 90°

5/16"	E2L/RO80ACGB	26.60	EA
3/8"	E2L/RO100ACGB	26.60	EA
1/2"	E2L/RO125ACGB	26.60	EA

3/8" x 8'	RO100ACGB	37.80	EA
1/2" x 8'	RO125ACGB	43.95	EA

Inside Corner, 90°

1/4"	IV/RO60ACGB	19.50	EA
5/16"	IV/RO80ACGB	19.50	EA
3/8"	IV/RO100ACGB	19.50	EA
1/2"	IV/RO125ACGB	19.50	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80ACGB	26.60	EA
3/8"	I2L/RO100ACGB	26.60	EA
1/2"	I2L/RO125ACGB	26.60	EA

Color: Brushed Nickel Anodized Aluminum (ATGB)

1/4" x 8'	RO60ATGB	33.35	EA
5/16" x 8'	RO80ATGB	36.90	EA

Outside Corner, 90°

1/4"	EV/RO60ATGB	19.35	EA
5/16"	EV/RO80ATGB	19.35	EA
3/8"	EV/RO100ATGB	19.35	EA
1/2"	EV/RO125ATGB	19.35	EA

2-Leg Outside Corner, 90°

5/16"	E2L/RO80ATGB	27.65	EA
3/8"	E2L/RO100ATGB	27.65	EA
1/2"	E2L/RO125ATGB	27.65	EA

3/8" x 8'	RO100ATGB	40.50	EA
1/2" x 8'	RO125ATGB	46.95	EA

Inside Corner, 90°

1/4"	IV/RO60ATGB	19.35	EA
5/16"	IV/RO80ATGB	19.35	EA
3/8"	IV/RO100ATGB	19.35	EA
1/2"	IV/RO125ATGB	19.35	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80ATGB	27.65	EA
3/8"	I2L/RO100ATGB	27.65	EA
1/2"	I2L/RO125ATGB	27.65	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
<b>RONDEC - continued</b>									
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
1/4" x 8'			95.55	EA	3/8" x 8'			104.15	EA
9/32" x 8'			97.40	EA	7/16" x 8'			106.25	EA
5/16" x 8'			99.70	EA	1/2" x 8'			108.75	EA
11/32" x 8'			101.70	EA	9/16" x 8'			119.65	EA
<i>Outside Corner, 90°</i>									
1/4"			53.60	EA	3/8"			61.80	EA
9/32"			53.60	EA	7/16"			61.80	EA
5/16"			53.60	EA	1/2"			61.80	EA
11/32"			53.60	EA	9/16"			65.55	EA
<i>Sink Corner 3/8" Radius</i>									
5/16"			71.20	EA	1/2"			71.25	EA
3/8"			71.20	EA					
<i>End Cap</i>									
5/16"			6.40	EA	1/2"			6.40	EA
3/8"			6.40	EA					
<i>Color:</i> Chrome-Plated Solid Brass (MC)									
1/4" x 8'			163.70	EA	3/8" x 8'			180.60	EA
5/16" x 8'			173.15	EA	1/2" x 8'			190.25	EA
<i>Note:</i> For Outside and Inside Corner use color: Polished Chrome Anodized Aluminum (ACG).									
<i>Color:</i> Graphite Anodized Aluminum (AGR)									
1/4" x 8'			26.00	EA	3/8" x 8'			29.60	EA
5/16" x 8'			27.80	EA	1/2" x 8'			31.40	EA
<i>Outside Corner, 90°</i>									
1/4"			10.70	EA	1/4"			10.70	EA
5/16"			10.70	EA	5/16"			10.70	EA
3/8"			10.70	EA	3/8"			10.70	EA
1/2"			10.70	EA	1/2"			10.70	EA
<i>2-Leg Outside Corner, 90°</i>									
5/16"			22.25	EA	5/16"			22.20	EA
3/8"			22.25	EA	3/8"			22.20	EA
1/2"			22.25	EA	1/2"			22.20	EA
<i>Color:</i> Polished Brass Anodized Aluminum (AMG)									
1/4" x 8'			29.85	EA	3/8" x 8'			37.80	EA
5/16" x 8'			33.40	EA	1/2" x 8'			43.10	EA
<i>Outside Corner, 90°</i>									
1/4"			12.40	EA	1/4"			12.40	EA
5/16"			12.40	EA	5/16"			12.40	EA
3/8"			12.40	EA	3/8"			12.40	EA
1/2"			12.40	EA	1/2"			12.40	EA
<i>2-Leg Outside Corner, 90°</i>									
5/16"			21.80	EA	5/16"			21.80	EA
3/8"			21.80	EA	3/8"			21.80	EA
1/2"			21.80	EA	1/2"			21.80	EA
<i>Color:</i> Polished Chrome Anodized Aluminum (ACG)									
1/4" x 8'			29.05	EA	5/16" x 10'			40.70	EA
5/16" x 8'			32.55	EA	3/8" x 10'			45.05	EA
3/8" x 8'			36.05	EA	1/2" x 10'			52.75	EA
1/2" x 8'			42.20	EA					
<i>Outside Corner, 90°</i>									
1/4"			12.40	EA	1/4"			12.40	EA
5/16"			12.40	EA	5/16"			12.40	EA
3/8"			12.40	EA	3/8"			12.40	EA
1/2"			12.40	EA	1/2"			12.40	EA
<i>2-Leg Outside Corner, 90°</i>									
5/16"			21.60	EA	5/16"			21.60	EA
3/8"			21.60	EA	3/8"			21.60	EA
1/2"			21.60	EA	1/2"			21.60	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
<b>RONDEC - continued</b>									
<i>Color:</i> Polished Copper Anodized Aluminum (AKG)									
1/4" x 8'			31.65	EA	3/8" x 8'			39.55	EA
5/16" x 8'			33.40	EA	1/2" x 8'			44.80	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"			12.40	EA	1/4"			12.40	EA
5/16"			12.40	EA	5/16"			12.40	EA
3/8"			12.40	EA	3/8"			12.40	EA
1/2"			12.40	EA	1/2"			12.40	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16"			22.25	EA	5/16"			22.20	EA
3/8"			22.25	EA	3/8"			22.20	EA
1/2"			22.25	EA	1/2"			22.20	EA
<hr/>									
<i>Color:</i> Polished Nickel Anodized Aluminum (ATG)									
1/4" x 8'			31.65	EA	3/8" x 8'			39.55	EA
5/16" x 8'			33.40	EA	1/2" x 8'			44.80	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"			12.40	EA	1/4"			12.40	EA
5/16"			12.40	EA	5/16"			12.40	EA
3/8"			12.40	EA	3/8"			12.40	EA
1/2"			12.40	EA	1/2"			12.40	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16"			22.45	EA	5/16"			22.45	EA
3/8"			22.45	EA	3/8"			22.45	EA
1/2"			22.45	EA	1/2"			22.45	EA
<hr/>									
<i>Color:</i> Satin Anodized Aluminum (AE)									
1/4" x 8'			23.75	EA	5/16" x 10'			30.95	EA
5/16" x 8'		<b>Stock</b>	24.80	EA	3/8" x 10'			33.50	EA
3/8" x 8'		<b>Stock</b>	26.80	EA	1/2" x 10'			37.40	EA
1/2" x 8'		<b>Stock</b>	29.90	EA	<i>Inside Corner, 90°</i>				
<i>Outside Corner, 90°</i>					1/4"			10.50	EA
1/4"			10.50	EA	5/16"		<b>Stock</b>	10.50	EA
5/16"		<b>Stock</b>	10.50	EA	3/8"		<b>Stock</b>	10.50	EA
3/8"		<b>Stock</b>	10.50	EA	1/2"		<b>Stock</b>	10.50	EA
1/2"		<b>Stock</b>	10.50	EA	<i>2-Leg Inside Corner, 90°</i>				
<i>2-Leg Outside Corner, 90°</i>					5/16"			22.45	EA
5/16"			22.45	EA	3/8"			22.45	EA
3/8"			22.45	EA	1/2"			22.45	EA
1/2"			22.45	EA	<hr/>				
<i>Color:</i> Satin Brass Anodized Aluminum (AM)									
1/4" x 8'			25.50	EA	3/8" x 8'			32.55	EA
5/16" x 8'			29.05	EA	1/2" x 8'			37.80	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"			10.55	EA	1/4"			10.55	EA
5/16"			10.55	EA	5/16"			10.55	EA
3/8"			10.55	EA	3/8"			10.55	EA
1/2"			10.55	EA	1/2"			10.55	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16"			21.80	EA	5/16"			21.80	EA
3/8"			21.80	EA	3/8"			21.80	EA
1/2"			21.80	EA	1/2"			21.80	EA
<hr/>									
<i>Color:</i> Satin Copper Anodized Aluminum (AK)									
1/4" x 8'			25.50	EA	3/8" x 8'			29.05	EA
5/16" x 8'			27.25	EA	1/2" x 8'			30.85	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"			10.50	EA	1/4"			10.50	EA
5/16"			10.50	EA	5/16"			10.50	EA
3/8"			10.50	EA	3/8"			10.50	EA
1/2"			10.50	EA	1/2"			10.50	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**RONDEC - continued**

Color: Satin Copper Anodized Aluminum (AK)

2-Leg Outside Corner, 90°

5/16"	E2L/RO80AK		21.80	EA
3/8"	E2L/RO100AK		21.80	EA
1/2"	E2L/RO125AK		21.80	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80AK		21.80	EA
3/8"	I2L/RO100AK		21.80	EA
1/2"	I2L/RO125AK		21.80	EA

Color: Satin Nickel Anodized Aluminum (AT)

1/4" x 8"	RO60AT		24.30	EA
5/16" x 8"	RO80AT		25.95	EA
3/8" x 8"	RO100AT	Stock	27.15	EA
1/2" x 8"	RO125AT		30.80	EA

5/16" x 10"	RO80AT/300		32.45	EA
3/8" x 10"	RO100AT/300		33.95	EA
1/2" x 10"	RO125AT/300		38.50	EA

Outside Corner, 90°

1/4"	EV/RO60AT		10.55	EA
5/16"	EV/RO80AT		10.55	EA

Inside Corner, 90°

1/4"	IV/RO60AT		10.55	EA
5/16"	IV/RO80AT		10.55	EA

Outside Corner, 90°

3/8"	EV/RO100AT	Stock	10.55	EA
1/2"	EV/RO125AT		10.55	EA

Inside Corner, 90°

3/8"	IV/RO100AT	Stock	10.55	EA
1/2"	IV/RO125AT		10.55	EA

2-Leg Outside Corner, 90°

5/16"	E2L/RO80AT		22.15	EA
3/8"	E2L/RO100AT		22.15	EA
1/2"	E2L/RO125AT		22.15	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80AT		22.15	EA
3/8"	I2L/RO100AT		22.15	EA
1/2"	I2L/RO125AT		22.15	EA

Color: Stainless Steel 304 (E)

3/16" x 8"	RO45E		59.90	EA
1/4" x 8"	RO60E		62.35	EA
9/32" x 8"	RO70E		64.65	EA
5/16" x 8"	RO80E		65.10	EA
11/32" x 8"	RO90E		69.55	EA

3/8" x 8"	RO100E		69.90	EA
7/16" x 8"	RO110E		72.20	EA
1/2" x 8"	RO125E		74.50	EA
9/16" x 8"	RO150E		84.45	EA

Outside Corner, 90°

3/16"	EV/RO45E		44.20	EA
1/4"	EV/RO60E		44.20	EA
9/32"	EV/RO70E		47.45	EA
5/16"	EV/RO80E		47.45	EA
11/32"	EV/RO90E		50.95	EA

3/8"	EV/RO100E		50.95	EA
7/16"	EV/RO110E		52.75	EA
1/2"	EV/RO125E		52.75	EA
9/16"	EV/RO150E		54.00	EA

Sink Corner 3/8" Radius

5/16"	I2S/RO80E/V2A		71.20	EA
3/8"	I2S/RO100E/V2A		71.20	EA
1/2"	I2S/RO125E/V2A		71.25	EA

Sink Corner 1-1/2" Radius

5/16"	ISK/RO80E/38		37.10	EA
3/8"	ISK/RO100E/38		37.10	EA
1/2"	ISK/RO125E/38		37.10	EA

Aluminum w/ Stainless Steel appearance - Outside Corner, 90°

1/4"	ED/RO60E		10.50	EA
5/16"	ED/RO80E		10.50	EA

3/8"	ED/RO100E		10.50	EA
1/2"	ED/RO125E		10.50	EA

Aluminum w/ Stainless Steel appearance - Inside Corner, 90°

1/4"	ID/RO60E		10.50	EA
5/16"	ID/RO80E		10.50	EA

3/8"	ID/RO100E		10.50	EA
1/2"	ID/RO125E		10.50	EA

1/4"	V/RO60	Aluminum Connector	(For use with all Aluminum Rondec)	3.50	EA
5/16"	V/RO80	Aluminum Connector	(For use with all Aluminum Rondec)	3.50	EA
3/8"	V/RO100	Aluminum Connector	(For use with all Aluminum Rondec)	3.50	EA
1/2"	V/RO125	Aluminum Connector	(For use with all Aluminum Rondec)	3.50	EA
1/4"	V/RO60E	Stainless Steel Connector	(For use with all Stainless Steel Rondec)	8.35	EA
5/16"	V/RO80E	Stainless Steel Connector	(For use with all Stainless Steel Rondec)	8.35	EA
3/8"	V/RO100E	Stainless Steel Connector	(For use with all Stainless Steel Rondec)	8.35	EA
7/16"	V/RO110E	Stainless Steel Connector	(For use with all Stainless Steel Rondec)	8.35	EA
1/2"	V/RO125E	Stainless Steel Connector	(For use with all Stainless Steel Rondec)	8.35	EA

Note: To complete part number replace hyphens with color code. Example RO60---, for Polished Copper Anodized Aluminum # is: RO60AKG.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**RONDEC - Color-Coated Aluminum (AC)**

Colors:	Bahama (BH)	Bright White (BW)	Light Beige (HB)	Sand Pebble (SP)			
	Black (GS)	Classic Grey (PG)	Light Grey (HG)	White (W)			
	Black Brown (SB)	Grey (G)	Metallic Grey (GM)				
1/4" x 8'	RO60--		27.90 EA	3/8" x 8' RO100--	Stock a		34.30 EA
5/16" x 8'	RO80--	Stock a	31.30 EA	1/2" x 8' RO125--			42.85 EA
<i>Outside Corner, 90°</i>				<i>Inside Corner, 90°</i>			
1/4"	ED/RO60--		6.30 EA	1/4"	ID/RO60--		6.30 EA
5/16"	ED/RO80--		6.30 EA	5/16"	ID/RO80--		6.30 EA
3/8"	ED/RO100--		6.30 EA	3/8"	ID/RO100--		6.30 EA
1/2"	ED/RO125--		6.30 EA	1/2"	ID/RO125--		6.30 EA

Notes: a) Stocked in color Bright White (BW) only.  
To complete part number replace hyphens with color code. Example RO60--, for Grey # is: RO60G.

**RONDEC - TRENDLINE Textured Color-Coated Aluminum**

Colors:	Beige (TSB)	Dark Anthracite (TSDA)	Light Anthracite (TSLA)	Stone Grey (TSSG)			
	Bronze (TSOB)	Greige (TSBG)	Pewter (TSG)				
	Cream (TSC)	Ivory (TSI)	Rustic Brown (TSR)				
1/4" x 8'	RO60---		54.80 EA	1/4" x 10' RO60---/300			68.50 EA
5/16" x 8'	RO80---		55.95 EA	5/16" x 10' RO80---/300			69.90 EA
3/8" x 8'	RO100---	Stock a	57.75 EA	3/8" x 10' RO100---/300			72.25 EA
7/16" x 8'	RO110---		58.45 EA	7/16" x 10' RO110---/300			73.00 EA
1/2" x 8'	RO125---		59.00 EA	1/2" x 10' RO125---/300			73.75 EA
<i>Outside Corner, 90°</i>				<i>Inside Corner, 90°</i>			
1/4"	EV/RO60---		19.55 EA	1/4"	IV/RO60---		19.55 EA
5/16"	EV/RO80---		19.55 EA	5/16"	IV/RO80---		19.55 EA
3/8"	EV/RO100---	Stock b	19.55 EA	3/8"	IV/RO100---	Stock b	19.55 EA
7/16"	EV/RO110---		19.55 EA	7/16"	IV/RO110---		19.55 EA
1/2"	EV/RO125---		19.55 EA	1/2"	IV/RO125---		19.55 EA

Colors:	Matte Black (MGS)	Matte White (MBW)				
1/4" x 8'	RO60---		43.90 EA	1/4" x 10' RO60---/300	54.85 EA	
5/16" x 8'	RO80---		44.80 EA	5/16" x 10' RO80---/300	56.00 EA	
3/8" x 8'	RO100---		46.25 EA	3/8" x 10' RO100---/300	57.80 EA	
7/16" x 8'	RO110---		46.75 EA	7/16" x 10' RO110---/300	58.45 EA	
1/2" x 8'	RO125---		47.25 EA	1/2" x 10' RO125---/300	59.05 EA	
<i>Outside Corner, 90°</i>				<i>Inside Corner, 90°</i>		
1/4"	ED/RO60---		15.20 EA	1/4"	ID/RO60---	15.20 EA
5/16"	ED/RO80---		15.20 EA	5/16"	ID/RO80---	15.20 EA
3/8"	ED/RO100---		15.20 EA	3/8"	ID/RO100---	15.20 EA
7/16"	ED/RO110---		15.20 EA	7/16"	ID/RO110---	15.20 EA
1/2"	ED/RO125---		15.20 EA	1/2"	ID/RO125---	15.20 EA

1/4"	V/RO60	Aluminum Connector		(For use with all Aluminum Rondec)	3.50 EA
5/16"	V/RO80	Aluminum Connector		(For use with all Aluminum Rondec)	3.50 EA
3/8"	V/RO100	Aluminum Connector		(For use with all Aluminum Rondec)	3.50 EA
7/16"	V/RO110	Aluminum Connector		(For use with all Aluminum Rondec)	3.50 EA
1/2"	V/RO125	Aluminum Connector		(For use with all Aluminum Rondec)	3.50 EA

Notes: a) Stocked in colors Cream (TSC), Greige (TSBG), Ivory (TSI) and Stone Grey (TSSG) only.  
b) Stocked in colors Greige (TSBG), Ivory (TSI) and Stone Grey (TSSG) only.  
To complete part number replace hyphens with color code. Example RO60---, Grey # is: RO60G.

**RONDEC - PVC (P)**

Colors:	Bahama (BH)	Classic Grey (PG)	Light Grey (HG)			
	Black (GS)	Grey (G)	Sand Pebble (SP)			
	Bright White (BW)	Light Beige (HB)	White (W)			
1/4" x 8'	PRO60--		9.70 EA	7/16" x 8' PRO110--	12.30 EA	
5/16" x 8'	PRO80--		10.25 EA	1/2" x 8' PRO125--	13.70 EA	
3/8" x 8'	PRO100--	Stock a	10.95 EA			
<i>Outside Corner, 90°</i>				<i>Inside Corner, 90°</i>		
1/4"	E/PRO60--		3.85 EA	1/4"	I/PRO60--	3.85 EA
5/16"	E/PRO80--		3.85 EA	5/16"	I/PRO80--	3.85 EA
3/8"	E/PRO100--		3.85 EA	3/8"	I/PRO100--	3.85 EA
7/16"	E/PRO110--		3.85 EA	7/16"	I/PRO110--	3.85 EA
1/2"	E/PRO125--		3.85 EA	1/2"	I/PRO125--	3.85 EA

Notes: a) Stocked in color Bright White (BW) only.  
To complete part number replace hyphens with color code. Example PRO60--, for Light Beige # is: PRO60HB.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**RONDEC-CT**

A double-rail edging profile for countertops. The top and bottom edges of the profile are symmetrically rounded and match the RONDEC profile.

Colors: Brushed Brass Anodized Aluminum (AMGB)					Brushed Chrome Anodized Aluminum (ACGB)				
5/16" x 8'	RC80---39		76.80	EA	1/2" x 8'	RC125---39		80.00	EA
3/8" x 8'	RC100---39		77.25	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80---39		40.65	EA	5/16"	E135RC80---39		40.65	EA
3/8"	E90RC100---39		40.65	EA	3/8"	E135RC100---39		40.65	EA
1/2"	E90RC125---39		40.65	EA	1/2"	E135RC125---39		40.65	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80---39		40.65	EA	5/16"	I135RC80---39		40.65	EA
3/8"	I90RC100---39		40.65	EA	3/8"	I135RC100---39		40.65	EA
1/2"	I90RC125---39		40.65	EA	1/2"	I135RC125---39		40.65	EA
Colors: Brushed Copper Anodized Aluminum (AKGB)					Brushed Nickel Anodized Aluminum (ATGB)				
5/16" x 8'	RC80---39		80.40	EA	1/2" x 8'	RC125---39		82.60	EA
3/8" x 8'	RC100---39		82.00	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80---39		40.65	EA	5/16"	E135RC80---39		40.65	EA
3/8"	E90RC100---39		40.65	EA	3/8"	E135RC100---39		40.65	EA
1/2"	E90RC125---39		40.65	EA	1/2"	E135RC125---39		40.65	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80---39		40.65	EA	5/16"	I135RC80---39		40.65	EA
3/8"	I90RC100---39		40.65	EA	3/8"	I135RC100---39		40.65	EA
1/2"	I90RC125---39		40.65	EA	1/2"	I135RC125---39		40.65	EA
Color: Satin Anodized Aluminum (AE)									
5/16" x 8'	RC80AE39		67.60	EA	1/2" x 8'	RC125AE39		71.95	EA
3/8" x 8'	RC100AE39		68.80	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80AE39		35.30	EA	5/16"	E135RC80AE39		35.30	EA
3/8"	E90RC100AE39		35.30	EA	3/8"	E135RC100AE39		35.30	EA
1/2"	E90RC125AE39		35.30	EA	1/2"	E135RC125AE39		35.30	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80AE39		35.30	EA	5/16"	I135RC80AE39		35.30	EA
3/8"	I90RC100AE39		35.30	EA	3/8"	I135RC100AE39		35.30	EA
1/2"	I90RC125AE39		35.30	EA	1/2"	I135RC125AE39		35.30	EA
Color: Satin Brass Anodized Aluminum (AM)									
5/16" x 8'	RC80AM39		69.75	EA	1/2" x 8'	RC125AM39		74.65	EA
3/8" x 8'	RC100AM39		71.45	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80AM39		35.30	EA	5/16"	E135RC80AM39		35.30	EA
3/8"	E90RC100AM39		35.30	EA	3/8"	E135RC100AM39		35.30	EA
1/2"	E90RC125AM39		35.30	EA	1/2"	E135RC125AM39		35.30	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80AM39		35.30	EA	5/16"	I135RC80AM39		35.30	EA
3/8"	I90RC100AM39		35.30	EA	3/8"	I135RC100AM39		35.30	EA
1/2"	I90RC125AM39		35.30	EA	1/2"	I135RC125AM39		35.30	EA
Colors: Satin Copper Anodized Aluminum (AK)					Satin Nickel Anodized Aluminum (AT)				
5/16" x 8'	RC80--39		74.05	EA	1/2" x 8'	RC125--39		78.90	EA
3/8" x 8'	RC100--39		75.70	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80--39		35.30	EA	5/16"	E135RC80--39		35.30	EA
3/8"	E90RC100--39		35.30	EA	3/8"	E135RC100--39		35.30	EA
1/2"	E90RC125--39		35.30	EA	1/2"	E135RC125--39		35.30	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80--39		35.30	EA	5/16"	I135RC80--39		35.30	EA
3/8"	I90RC100--39		35.30	EA	3/8"	I135RC100--39		35.30	EA
1/2"	I90RC125--39		35.30	EA	1/2"	I135RC125--39		35.30	EA

Note: To complete part number replace hyphens with color code. Example RC80---39, for Brushed Brass Anodized Aluminum # is: RC80AMGB39.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**RONDEC-CT - TRENDLINE Textured Color-Coated Aluminum**

Colors: Beige (TSB)      Pewter (TSG)      Bronze (TSOB)

5/16" x 8'	RC80--39		100.30	EA
3/8" x 8'	RC100--39		105.75	EA

*Outside Corner, 90°*

5/16"	E90RC80--39		42.70	EA
3/8"	E90RC100--39		42.70	EA
1/2"	E90RC125--39		42.70	EA

*Inside Corner, 90°*

5/16"	I90RC80--39		42.70	EA
3/8"	I90RC100--39		42.70	EA
1/2"	I90RC125--39		42.70	EA

1/2" x 8'	RC125--39		108.35	EA
-----------	-----------	--	--------	----

*Outside Corner, 135°*

5/16"	E135RC80--39		42.70	EA
3/8"	E135RC100--39		42.70	EA
1/2"	E135RC125--39		42.70	EA

*Inside Corner, 135°*

5/16"	I135RC80--39		42.70	EA
3/8"	I135RC100--39		42.70	EA
1/2"	I135RC125--39		42.70	EA

Note: To complete part number replace hyphens with color code. Example RC80---39, for Beige # is: RC80TSB39.

**RONDEC-DB**

A decorative profile for walls, wainscotings and tile bases and can also be used as a finishing profile within wall surfaces.

Color: Satin Anodized Aluminum (AE)

17/32" x 8'	DB14AE		42.75	EA
-------------	--------	--	-------	----

*Outside Corner, 90°*

17/32"	EV/DB14AE		16.65	EA
--------	-----------	--	-------	----

17/32" x 10'	DB14AE/300		53.45	EA
--------------	------------	--	-------	----

17/32" x 8'	DB14AM	Satin Brass Anodized Aluminum (AM)	42.75	EA
-------------	--------	------------------------------------	-------	----

17/32" x 8'	DB14AK	Satin Copper Anodized Aluminum (AK)	45.20	EA
-------------	--------	-------------------------------------	-------	----

**RONDEC-STEP**

A finishing and edging profile for countertops and stairs. The vertical leg of the profile hides the exposed edge of the sub-assembly.

Colors: Brushed Brass Anodized Aluminum (AMGB)  
Brushed Chrome Anodized Aluminum (ACGB)

Brushed Copper Anodized Aluminum (AKGB)

*1-1/2" Vertical Leg Length*

5/16" x 8'	RS80---39		79.95	EA
3/8" x 8'	RS100---39		80.75	EA

*Outside Corner, 90°*

5/16"	E90RS80---39		32.05	EA
3/8"	E90RS100---39		32.05	EA
1/2"	E90RS125---39		32.05	EA

*Inside Corner, 90°*

5/16"	I90RS80---39		32.05	EA
3/8"	I90RS100---39		32.05	EA
1/2"	I90RS125---39		32.05	EA

*2-1/4" Vertical Leg Length*

5/16" x 8'	RS80---57		81.40	EA
3/8" x 8'	RS100---57		82.35	EA

*Outside Corner, 90°*

5/16"	E90RS80---57		32.05	EA
3/8"	E90RS100---57		32.05	EA
1/2"	E90RS125---57		32.05	EA

*Inside Corner, 90°*

5/16"	I90RS80---57		32.05	EA
3/8"	I90RS100---57		32.05	EA
1/2"	I90RS125---57		32.05	EA

1/2" x 8'	RS125---39		83.55	EA
-----------	------------	--	-------	----

*Outside Corner, 135°*

5/16"	E135RS80---39		32.05	EA
3/8"	E135RS100---39		32.05	EA
1/2"	E135RS125---39		32.05	EA

*Inside Corner, 135°*

5/16"	I135RS80---39		32.05	EA
3/8"	I135RS100---39		32.05	EA
1/2"	I135RS125---39		32.05	EA

1/2" x 8'	RS125---57		85.10	EA
-----------	------------	--	-------	----

*Outside Corner, 135°*

5/16"	E135RS80---57		32.05	EA
3/8"	E135RS100---57		32.05	EA
1/2"	E135RS125---57		32.05	EA

*Inside Corner, 135°*

5/16"	I135RS80---57		32.05	EA
3/8"	I135RS100---57		32.05	EA
1/2"	I135RS125---57		32.05	EA

Colors: Brushed Antique Bronze Anodized Aluminum (ABGB)

Brushed Nickel Anodized Aluminum (ATGB)

*1-1/2" Vertical Leg Length*

5/16" x 8'	RS80---39		79.85	EA
3/8" x 8'	RS100---39		80.75	EA

*Outside Corner, 90°*

5/16"	E90RS80---39		32.05	EA
3/8"	E90RS100---39		32.05	EA
1/2"	E90RS125---39		32.05	EA

*Inside Corner, 90°*

5/16"	I90RS80---39		32.05	EA
3/8"	I90RS100---39		32.05	EA
1/2"	I90RS125---39		32.05	EA

1/2" x 8'	RS125---39		83.55	EA
-----------	------------	--	-------	----

*Outside Corner, 135°*

5/16"	E135RS80---39		32.05	EA
3/8"	E135RS100---39		32.05	EA
1/2"	E135RS125---39		32.05	EA

*Inside Corner, 135°*

5/16"	I135RS80---39		32.05	EA
3/8"	I135RS100---39		32.05	EA
1/2"	I135RS125---39		32.05	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**RONDEC-STEP - continued**

Color: Satin Anodized Aluminum (AE)

1-1/2" Vertical Leg Length

5/16" x 8"	RS80AE39		61.05	EA	1/2" x 8"	RS125AE39		64.20	EA
3/8" x 8"	RS100AE39		62.10	EA					

Outside Corner, 90°

5/16"	E90RS80AE39		28.35	EA	5/16"	E135RS80AE39		28.35	EA
3/8"	E90RS100AE39		28.35	EA	3/8"	E135RS100AE39		28.35	EA
1/2"	E90RS125AE39		28.35	EA	1/2"	E135RS125AE39		28.35	EA

Inside Corner, 90°

5/16"	I90RS80AE39		28.35	EA	5/16"	I135RS80AE39		28.35	EA
3/8"	I90RS100AE39		28.35	EA	3/8"	I135RS100AE39		28.35	EA
1/2"	I90RS125AE39		28.35	EA	1/2"	I135RS125AE39		28.35	EA

2-1/4" Vertical Leg Length

5/16" x 8"	RS80AE57		62.75	EA	1/2" x 8"	RS125AE57		66.75	EA
3/8" x 8"	RS100AE57		63.75	EA					

Outside Corner, 90°

5/16"	E90RS80AE57		28.35	EA	5/16"	E135RS80AE57		28.35	EA
3/8"	E90RS100AE57		28.35	EA	3/8"	E135RS100AE57		28.35	EA
1/2"	E90RS125AE57		28.35	EA	1/2"	E135RS125AE57		28.35	EA

Inside Corner, 90°

5/16"	I90RS80AE57		28.35	EA	5/16"	I135RS80AE57		28.35	EA
3/8"	I90RS100AE57		28.35	EA	3/8"	I135RS100AE57		28.35	EA
1/2"	I90RS125AE57		28.35	EA	1/2"	I135RS125AE57		28.35	EA

Colors: Satin Copper Anodized Aluminum (AK)

1-1/2" Vertical Leg Length

5/16" x 8"	RS80--39		61.05	EA	1/2" x 8"	RS125--39		64.20	EA
3/8" x 8"	RS100--39		62.10	EA					

Outside Corner, 90°

5/16"	E90RS80--39		28.35	EA	5/16"	E135RS80--39		28.35	EA
3/8"	E90RS100--39		28.35	EA	3/8"	E135RS100--39		28.35	EA
1/2"	E90RS125--39		28.35	EA	1/2"	E135RS125--39		28.35	EA

Inside Corner, 90°

5/16"	I90RS80--39		28.35	EA	5/16"	I135RS80--39		28.35	EA
3/8"	I90RS100--39		28.35	EA	3/8"	I135RS100--39		28.35	EA
1/2"	I90RS125--39		28.35	EA	1/2"	I135RS125--39		28.35	EA

2-1/4" Vertical Leg Length

5/16" x 8"	RS80--57		62.75	EA	1/2" x 8"	RS125--57		66.75	EA
3/8" x 8"	RS100--57		63.75	EA					

Outside Corner, 90°

5/16"	E90RS80--57		28.35	EA	5/16"	E135RS80--57		28.35	EA
3/8"	E90RS100--57		28.35	EA	3/8"	E135RS100--57		28.35	EA
1/2"	E90RS125--57		28.35	EA	1/2"	E135RS125--57		28.35	EA

Inside Corner, 90°

5/16"	I90RS80--57		28.35	EA	5/16"	I135RS80--57		28.35	EA
3/8"	I90RS100--57		28.35	EA	3/8"	I135RS100--57		28.35	EA
1/2"	I90RS125--57		28.35	EA	1/2"	I135RS125--57		28.35	EA

Color: Satin Brass Anodized Aluminum (AM)

2-1/4" Vertical Leg Length

5/16" x 8"	RS80AM57		62.70	EA	1/2" x 8"	RS125AM57		66.70	EA
3/8" x 8"	RS100AM57		63.75	EA					

Outside Corner, 90°

5/16"	E90RS80AM57		28.35	EA	5/16"	E135RS80AM57		28.35	EA
3/8"	E90RS100AM57		28.35	EA	3/8"	E135RS100AM57		28.35	EA
1/2"	E90RS125AM57		28.35	EA	1/2"	E135RS125AM57		28.35	EA

Inside Corner, 90°

5/16"	I90RS80AM57		28.35	EA	5/16"	I135RS80AM57		28.35	EA
3/8"	I90RS100AM57		28.35	EA	3/8"	I135RS100AM57		28.35	EA
1/2"	I90RS125AM57		28.35	EA	1/2"	I135RS125AM57		28.35	EA

Note: To complete part number replace hyphens with color code. Example RS80---35, for Brushed Brass Anodized Aluminum # is: RS80AMGB35.

**SCHIENE-STEP - see section: STAIR-NOSING PROFILES**

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

STAIR-NOSING PROFILES

**RONDEC-STEP** - see section: FINISHING & EDGE-PROTECTION PROFILES FOR WALLS & COUNTERTOPS

**SCHIENE-STEP**

A finishing and edging profile for ceramic tile and natural stone installations on countertops, stairs and tile over tile applications on walls. The top of the profile features a vertical wall section that finishes and protects the tile from damage, while the vertical leg covers the edge of the sub-assembly, top of the riser or existing wall tile edge.

Available in anodized aluminum and brushed stainless steel versions which have different shapes and intended uses. The stainless steel version is available in three vertical leg lengths: 1-1/2" for countertops, 1-3/16" for stairs and 7/16" for tile over tile applications. The anodized aluminum version is intended for residential stair applications (stairs not exposed to heavy traffic). It is available in two vertical leg lengths, 1-3/16" and 1-1/2". The ribbed vertical leg covers the sub-assembly or top of the riser. The integrated joint spacer establishes a defined joint cavity between the tile and the profile.

Color: Brushed Stainless Steel 304 (EB)

1-1/2" Vertical Leg Length

1/4" x 8"	SS60EB39	184.70	EA	7/16" x 8"	SS110EB39	195.85	EA
11/32" x 8"	SS90EB39	192.35	EA	1/2" x 8"	SS125EB39	198.95	EA

Outside Corner, 90° & End Cap

1/4"	E90/SS60EB39	24.40	EA	1/4"	E135/SS60EB39	24.40	EA
11/32"	E90/SS90EB39	24.40	EA	11/32"	E135/SS90EB39	24.40	EA
7/16"	E90/SS110EB39	24.40	EA	7/16"	E135/SS110EB39	24.40	EA
1/2"	E90/SS125EB39	24.40	EA	1/2"	E135/SS125EB39	24.40	EA

Inside Corner, 90°

1/4"	I90/SS60EB39	24.40	EA	1/4"	I135/SS60EB39	24.40	EA
11/32"	I90/SS90EB39	24.40	EA	11/32"	I135/SS90EB39	24.40	EA
7/16"	I90/SS110EB39	24.40	EA	7/16"	I135/SS110EB39	24.40	EA
1/2"	I90/SS125EB39	24.40	EA	1/2"	I135/SS125EB39	24.40	EA

Connector

1/4"	V/SS60EB39	20.70	EA	7/16"	V/SS110EB39	20.70	EA
11/32"	V/SS90EB39	20.70	EA	1/2"	V/SS125EB39	20.70	EA

1-3/16" Vertical Leg Length

11/32" x 8"	SS90EB30	145.50	EA	1/2" x 8"	SS125EB30	149.25	EA
7/16" x 8"	SS110EB30	147.40	EA				

Outside Corner, 90° & End Cap

11/32"	E90/SS90EB30	24.40	EA	11/32"	V/SS90EB30	20.70	EA
7/16"	E90/SS110EB30	24.40	EA	7/16"	V/SS110EB30	20.70	EA
1/2"	E90/SS125EB30	24.40	EA	1/2"	V/SS125EB30	20.70	EA

7/16" Vertical Leg Length

1/4" x 8"	SS60EB11	139.85	EA	1/2" x 8"	SS125EB11	141.85	EA
-----------	----------	--------	----	-----------	-----------	--------	----

Connector

1/4"	V/SS60EB11	20.70	EA	1/2"	V/SS125EB11	20.70	EA
------	------------	-------	----	------	-------------	-------	----

Color: Satin Anodized Aluminum (AE)

1-3/16" Vertical Leg Length

5/16" x 8"	SS80AE30	50.85	EA	1/2" x 8"	SS125AE30	52.60	EA
3/8" x 8"	SS100AE30	51.65	EA	9/16" x 8"	SS150AE30	53.40	EA

1-1/2" Vertical Leg Length

5/16" x 8"	SS80AE39	55.30	EA	1/2" x 8"	SS125AE39	57.00	EA
3/8" x 8"	SS100AE39	56.20	EA	9/16" x 8"	SS150AE39	57.90	EA

Color: Satin Nickel Anodized Aluminum (AT)

1-3/16" Vertical Leg Length

5/16" x 8"	SS80AT30	56.10	EA	1/2" x 8"	SS125AT30	57.60	EA
3/8" x 8"	SS100AT30	56.65	EA	9/16" x 8"	SS150AT30	58.40	EA

1-1/2" Vertical Leg Length

5/16" x 8"	SS80AT39	60.30	EA	1/2" x 8"	SS125AT39	62.00	EA
3/8" x 8"	SS100AT39	61.20	EA	9/16" x 8"	SS150AT39	62.85	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**TREP-B**

Designed to protect tiled stair edges and provide an easily visible, slip-resistant wear surface.

Colors: Black (GS)    Grey (G)    Light Beige (HB)    Nut Brown (NB)    Yellow (CG)

*Aluminum Support with Thermoplastic Rubber Insert & 2-1/16" Wide Wear Surface*

5/16" x 8" --8B			98.55	EA	5/16" x 4' 11" --8B/150			61.60	EA
3/8" x 8" --10B			104.50	EA	3/8" x 4' 11" --10B/150			65.30	EA
1/2" x 8" --12B			109.10	EA	1/2" x 4' 11" --12B/150			68.15	EA
9/16" x 8" --15B			115.10	EA	9/16" x 4' 11" --15B/150			71.95	EA
1" x 8" --25B			117.70	EA	1" x 4' 11" --25B/150			73.60	EA
E52/--		End Cap						2.80	EA

*Aluminum Support Section Only*

5/16" x 8" TAB8			61.15	EA	5/16" x 4' 11" TAB8/150			30.60	EA
3/8" x 8" TAB10			67.15	EA	3/8" x 4' 11" TAB10/150			33.60	EA
1/2" x 8" TAB12			71.75	EA	1/2" x 4' 11" TAB12/150			35.95	EA
9/16" x 8" TAB15			77.75	EA	9/16" x 4' 11" TAB15/150			38.95	EA
1" x 8" TAB25			80.35	EA	1" x 4' 11" TAB25/150			40.25	EA
8" PEA52/--		Replacement Thermoplastic Rubber Insert Only						38.50	EA
9" 10" PEA52/--/300		Replacement Thermoplastic Rubber Insert Only						48.10	EA
50" PEA52/--/50		Replacement Thermoplastic Rubber Insert Only						240.10	EA

Note: To complete part number replace hyphens with color code. Example --8B, for Grey # is: G8B.

**TREP-E**

A stair-nosing profile with a slip-resistant surface and has an anchoring leg which is embedded in the tile bond coat.

Color: Stainless Steel 304 (E)

*1-3/16" Wide Wear Surface*

3/32" x 8" TE20			63.55	EA	7/16" x 8" TE110			69.70	EA
3/16" x 8" TE50			65.75	EA	5/8" x 8" TE160			73.05	EA
5/16" x 8" TE80			67.70	EA	1" x 8" TE250			78.50	EA
3/32" x 4' 11" TE20/150			39.80	EA	7/16" x 4' 11" TE110/150			43.50	EA
3/16" x 4' 11" TE50/150			41.10	EA	5/8" x 4' 11" TE160/150			45.70	EA
5/16" x 4' 11" TE80/150			42.30	EA	1" x 4' 11" TE250/150			49.60	EA
E/TE		End Cap						4.05	EA

**TREP-EFK**

A retrofit stainless steel stair profile which is bonded to existing steps. The stair profile features an easily visible, slip-resistant wear surface for durable and safe stairs. The profile is suitable for interior and exterior use in areas subjected to heavy foot traffic, such as offices or public buildings.

Color: Stainless Steel 316L (E)

8" TEF56K/V4A		2-7/32" Wide Wear Surface						90.40	EA
---------------	--	---------------------------	--	--	--	--	--	-------	----

**TREP-EK**

A stair-nosing profile with a slip-resistant surface and is bonded to existing installations.

Color: Stainless Steel 304 (E)

8" TEK		1-19/64" Wide Wear Surface						69.55	EA
4' 11" TEK/150		1-19/64" Wide Wear Surface						41.75	EA

**TREP-FL**

A decorative stair-nosing profile with a protruding rounded edge that can be integrated into stairs covered with tile or stone.

Color: Brushed Stainless Steel 304 (EB)

11/32" x 8" FL90EB			103.35	EA	11/32" x 4' 11" FL90EB/150			62.05	EA
7/16" x 8" FL110EB			107.85	EA	7/16" x 4' 11" FL110EB/150			64.70	EA
1/2" x 8" FL125EB			112.60	EA	1/2" x 4' 11" FL125EB/150			67.60	EA
E/FLEB		End Cap						6.15	EA

Color: Stainless Steel 304 (E)

11/32" x 8" FL90E			86.20	EA	11/32" x 4' 11" FL90E/150			51.70	EA
7/16" x 8" FL110E			89.95	EA	7/16" x 4' 11" FL110E/150			54.00	EA
1/2" x 8" FL125E			93.95	EA	1/2" x 4' 11" FL125E/150			56.35	EA
E/FLEB		End Cap						6.15	EA

Color: Satin Anodized Aluminum (AE)

11/32" x 8" FL90AE			39.40	EA	11/32" x 4' 11" FL90AE/150			27.95	EA
7/16" x 8" FL110AE			40.25	EA	7/16" x 4' 11" FL110AE/150			28.40	EA
1/2" x 8" FL125AE			41.00	EA	1/2" x 4' 11" FL125AE/150			30.55	EA
E/FLAE		End Cap						2.50	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**TREP-G**

Protects tiled stair edges & has an easily visible, slip-resistant wear surface. Suitable for interior & exterior use in areas subjected to heavy foot-traffic.

Colors: Black (GS)      Transparent (T)

*Brushed Stainless Steel Support with 1-3/16" Wide Non-Slip Tread*

11/32" x 8'	GSEB90--		178.35	EA	11/32" x 4' 11"	GSEB90--/150		112.95	EA
7/16" x 8'	GSEB110--		180.25	EA	7/16" x 4' 11"	GSEB110--/150		114.20	EA
33/64" x 8'	GSEB130--		182.15	EA	33/64" x 4' 11"	GSEB130--/150	a	115.35	EA
9/16" x 8'	GSEB150--		185.30	EA	9/16" x 4' 11"	GSEB150--/150	a	117.10	EA
60'	GSKB183--	Replacement Non-Slip Tread Only						196.20	EA
	E/GSEB	End Cap						6.10	EA

Colors: Black (GS)      Transparent (T)

*Brushed Stainless Steel Support with 2-5/32" Wide Non-Slip Tread*

11/32" x 8'	GBEB90--		228.85	EA	11/32" x 4' 11"	GBEB90--/150		144.10	EA
7/16" x 8'	GBEB110--		230.45	EA	7/16" x 4' 11"	GBEB110--/150		145.15	EA
33/64" x 8'	GBEB130--		232.40	EA	33/64" x 4' 11"	GBEB130--/150	a	146.40	EA
9/16" x 8'	GBEB150--		234.30	EA	9/16" x 4' 11"	GBEB150--/150	a	147.55	EA
60'	GBKB183--	Replacement Non-Slip Tread Only						353.60	EA
	E/GBEB	End Cap						6.10	EA

Notes: a) Special Order Only, call Customer Service Department for availability.

To complete part number replace hyphens with color code. Example GSEB90--, for Transparent # is: GSEB90T.

**TREP-GK**

Designed to protect tiled stair edges & provide an easily visible, slip-resistant wear surface. Suitable for interior & exterior use in areas subjected to heavy foot-traffic. The surface features a self-adhesive non-slip tread with an embedded mineral grain coating. TREP-GK is subsequently bonded to existing installations. As such, can be installed as a repair so that existing damaged stair treads do not have to be replaced.

Colors: Black (GS)      Transparent (T)

8'	GSEBK--	Brushed Stainless Steel Support with 1-3/16" Wide Non-Slip Tread						150.70	EA
4' 11"	GSEBK--/150	Brushed Stainless Steel Support with 1-3/16" Wide Non-Slip Tread						95.55	EA
60'	GSKB183--	Replacement Non-Slip Tread Only						196.20	EA
8'	GBEBK--	Brushed Stainless Steel Support with 2-5/32" Wide Non-Slip Tread						201.00	EA
4' 11"	GBEBK--/150	Brushed Stainless Steel Support with 2-5/32" Wide Non-Slip Tread						126.55	EA
60'	GBKB183--	Replacement Non-Slip Tread Only						353.60	EA

Note: To complete part number replace hyphens with color code. Example GSEBK--, for Black # is: GSEBKGS.

**TREP-S**

Designed to protect tiled stair edges and provide an easily visible, slip-resistant wear surface.

Colors: Black (GS)      Grey (G)      Light Beige (HB)      Nut Brown (NB)      Yellow (CG)

*Aluminum Support with Thermoplastic Rubber Insert & 1-1/32" Wide Wear Surface*

5/16" x 8'	--8S		67.85	EA	5/16" x 4' 11"	--8S/150		43.30	EA
3/8" x 8'	--10S		70.45	EA	3/8" x 4' 11"	--10S/150		44.05	EA
1/2" x 8'	--12S		74.85	EA	1/2" x 4' 11"	--12S/150		46.75	EA
	E26/--	End Cap						2.25	EA

*Aluminum Support Section Only*

5/16" x 8'	TAS8		44.75	EA	5/16" x 4' 11"	TAS8/150		22.45	EA
3/8" x 8'	TAS10		47.35	EA	3/8" x 4' 11"	TAS10/150		23.75	EA
1/2" x 8'	TAS12		51.75	EA	1/2" x 4' 11"	TAS12/150		25.95	EA
8'	PEA26/--	Replacement Thermoplastic Rubber Insert Only						23.80	EA
9' 10"	PEA26/--/300	Replacement Thermoplastic Rubber Insert Only						29.75	EA
50'	PEA26/--/50	Replacement Thermoplastic Rubber Insert Only						148.45	EA

Note: To complete part number replace hyphens with color code. Example --10S, for Black # is: GS10S.

**TREP-SE**

Designed to protect tiled stair edges and provide an easily visible, slip-resistant wear surface.

Colors: Black (GS)      Grey (G)      Light Beige (HB)      Nut Brown (NB)      Yellow (CG)

*Stainless Steel Support with Thermoplastic Rubber Insert & 1-1/32" Wide Wear Surface*

5/16" x 8'	--8SE		101.40	EA	5/16" x 4' 11"	--8SE/150		63.40	EA
3/8" x 8'	--10SE		104.50	EA	3/8" x 4' 11"	--10SE/150		65.30	EA
1/2" x 8'	--12SE		108.75	EA	1/2" x 4' 11"	--12SE/150		67.20	EA
	E26/--	End Cap						2.25	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

TREP-SE - continued

*Stainless Steel Support Section Only*

5/16" x 8"	TES8		77.40	EA	5/16" x 4' 11"	TES8/150		52.50	EA
3/8" x 8"	TES10		80.45	EA	3/8" x 4' 11"	TES10/150		53.25	EA
1/2" x 8"	TES12		84.80	EA	1/2" x 4' 11"	TES12/150		54.50	EA

Colors: Black (GS)    Grey (G)    Light Beige (HB)    Nut Brown (NB)    Yellow (CG)

8'	PE26/-				Replacement Thermoplastic Rubber Insert Only			23.80	EA
9' 10"	PE26/-/300				Replacement Thermoplastic Rubber Insert Only			29.75	EA

Note: To complete part number replace hyphens with color code. Example --12SE/150, for Light Beige # is: HB12SE/150.

TREP-TAP

An Anodized Aluminum cover profile that integrates with the TREP-B and TREP-S stair-nosing profiles to conceal the top of the riser.

Color: Satin Anodized Aluminum (AE)  
2" Wide with a Smooth Surface Finish

8'	TAP50AE		44.35	EA	4' 11"	TAP50AE/150		27.95	EA
3' 3"	TAP50AE/100		20.55	EA					

2-13/32" Wide with Horizontal Grooves

8'	TAPR61AE		45.75	EA	4' 11"	TAPR61AE/150		27.90	EA
----	----------	--	-------	----	--------	--------------	--	-------	----

TREP-V

An Anodized Aluminum profile with a PVC tread designed to protect tiled stair edges. The specially textured slip resistant tread makes TREP-V well suited for use in areas with heavy foot traffic, such as offices or public buildings. The replaceable PVC tread is available in a variety of colors including high visibility options. TREP-V is available with either a narrow (TREP-V 42) or wide (TREP-V 60) tread. End caps are also available.

Colors: Black (GS)    Light Beige (HB)    Nut Brown (NB)    Stone Grey (SG)  
Grout Grey (FG)    Light Grey (HG)    Sand Pebble (SP)

*Anodized Aluminum Support with Slip-resistant PVC Insert & 1-21/32" Wide Tread*

11/32" x 3' 3"	TVL42--90/100		33.75	EA	11/32" x 6' 7"	TVL42--90/200		68.25	EA
7/16" x 3' 3"	TVL42--110/100		35.80	EA	7/16" x 6' 7"	TVL42--110/200		72.45	EA
1/2" x 3' 3"	TVL42--125/100		37.35	EA	1/2" x 6' 7"	TVL42--125/200		75.55	EA
11/32" x 4' 11"	TVL42--90/150		51.05	EA	11/32" x 10'	TVL42--90/300		102.20	EA
7/16" x 4' 11"	TVL42--110/150		54.20	EA	7/16" x 10'	TVL42--110/300		108.40	EA
1/2" x 4' 11"	TVL42--125/150		56.50	EA	1/2" x 10'	TVL42--125/300		113.05	EA
1-21/32" x 6' 7"	TVL42--/200				Replacement PVC Insert Only			27.20	EA
1-21/32" x 10'	TVL42--/300				Replacement PVC Insert Only			40.55	EA
E/TV42--					End Cap (1 left & 1 right)			5.20	SET

*Anodized Aluminum Support with Slip-resistant PVC Insert & 2-3/8" Wide Tread*

11/32" x 3' 3"	TVL60--90/100		46.85	EA	11/32" x 6' 7"	TVL60--90/200		94.80	EA
7/16" x 3' 3"	TVL60--110/100		49.65	EA	7/16" x 6' 7"	TVL60--110/200		100.45	EA
1/2" x 3' 3"	TVL60--125/100		51.80	EA	1/2" x 6' 7"	TVL60--125/200		104.80	EA
11/32" x 4' 11"	TVL60--90/150		70.85	EA	11/32" x 10'	TVL60--90/300		141.75	EA
7/16" x 4' 11"	TVL60--110/150		75.15	EA	7/16" x 10'	TVL60--110/300		150.20	EA
1/2" x 4' 11"	TVL60--125/150		78.35	EA	1/2" x 10'	TVL60--125/300		156.80	EA
2-3/8" x 6' 7"	TVL60--/200				Replacement PVC Insert Only			37.75	EA
2-3/8" x 10'	TVL60--/300				Replacement PVC Insert Only			56.25	EA
E/TV60--					End Cap (1 left & 1 right)			6.10	SET

Note: To complete part number replace hyphens with color code. Example TVL42--90/100, for Black # is: TVL42GS90/100.

MOVEMENT JOINT & COVE-SHAPED PROFILES

DILEX-AHK

An anodized aluminum, cove-shaped profile with a 3/8" radius for inside wall corners, countertop/backsplash and floor/wall transitions.

Color: Brushed Brass Anodized Aluminum (AMGB)

5/16" x 8"	AHK1S80AMGB		65.00	EA	1/2" x 8"	AHK1S125AMGB		68.60	EA
3/8" x 8"	AHK1S100AMGB		66.70	EA					
	E90/AHK1S/AMGB				Outside Corner, 90°			40.65	EA
	E135/AHK1S/AMGB				Outside Corner, 135°			40.65	EA
	I90/AHK1S/AMGB				Inside Corner, 90°			40.65	EA
	I135/AHK1S/AMGB				Inside Corner, 135°			40.65	EA
	V/AHK				Connector			6.00	EA
	E/AHK1S/AMGB				End Cap			26.50	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DILEX-AHK - continued**

*Color:* Brushed Chrome Anodized Aluminum (ACGB)

5/16" x 8'	AHK1S80ACGB		62.55	EA	1/2" x 8'	AHK1S125ACGB		66.20	EA
3/8" x 8'	AHK1S100ACGB		64.30	EA					
	E90/AHK1S/ACGB	Outside Corner, 90°						40.65	EA
	E135/AHK1S/ACGB	Outside Corner, 135°						40.65	EA
	I90/AHK1S/ACGB	Inside Corner, 90°						40.65	EA
	I135/AHK1S/ACGB	Inside Corner, 135°						40.65	EA

*Color:* Brushed Chrome Anodized Aluminum (ACGB)

V/AHK	Connector							6.00	EA
E/AHK1S/ACGB	End Cap							26.50	EA

*Colors:* Brushed Copper Anodized Aluminum (AKGB) | Brushed Nickel Anodized Aluminum (ATGB)  
Brushed Graphite Anodized Aluminum (AGRB)

5/16" x 8'	AHK1S80----		67.20	EA	1/2" x 8'	AHK1S125----		70.90	EA
3/8" x 8'	AHK1S100----		68.95	EA	9/16" x 8'	AHK1S150AGRB	a	73.00	EA
	E90/AHK1S/----	Outside Corner, 90°						40.65	EA
	E135/AHK1S/----	Outside Corner, 135°						40.65	EA
	I90/AHK1S/----	Inside Corner, 90°						40.65	EA
	I135/AHK1S/----	Inside Corner, 135°						40.65	EA
	V/AHK	Connector						6.00	EA
	E/AHK1S/----	End Cap						26.50	EA

*Note:* a) Only available in color Brushed Graphite Anodized Aluminum (AGRB).

*Color:* Polished Brass Anodized Aluminum (AMG)

5/16" x 8'	AHK1S80AMG		71.95	EA	1/2" x 8'	AHK1S125AMG		75.00	EA
3/8" x 8'	AHK1S100AMG		73.35	EA					
	E90/AHK1S/AMG	Outside Corner, 90°						40.65	EA
	E135/AHK1S/AMG	Outside Corner, 135°						40.65	EA
	I90/AHK1S/AMG	Inside Corner, 90°						40.65	EA
	I135/AHK1S/AMG	Inside Corner, 135°						40.65	EA
	V/AHK	Connector						6.00	EA
	E/AHK1S/AMG	End Cap						26.50	EA

*Color:* Polished Chrome Anodized Aluminum (ACG)

5/16" x 8'	AHK1S80ACG		69.85	EA	1/2" x 8'	AHK1S125ACG		72.95	EA
3/8" x 8'	AHK1S100ACG		71.35	EA					
	E90Q/AHK1S/ACG	Outside Corner, 90° (Integrates with QUADEC)					a	39.95	EA
	E90/AHK1S/ACG	Outside Corner, 90°						40.65	EA
	E135/AHK1S/ACG	Outside Corner, 135°						40.65	EA
	I90/AHK1S/ACG	Inside Corner, 90°						40.65	EA
	I135/AHK1S/ACG	Inside Corner, 135°						40.65	EA
	V/AHK	Connector						6.00	EA
	E/AHK1S/ACG	End Cap						26.50	EA

*Note:* a) Features a square shape to align with the QUADEC profile when QUADEC is used on the vertical surface of the outside corner.

*Colors:* Polished Copper Anodized Aluminum (AKG) | Polished Nickel Anodized Aluminum (ATG)

5/16" x 8'	AHK1S80---		73.85	EA	1/2" x 8'	AHK1S125---		76.90	EA
3/8" x 8'	AHK1S100---		75.30	EA					
	E90/AHK1S/---	Outside Corner, 90°						40.65	EA
	E135/AHK1S/---	Outside Corner, 135°						40.65	EA
	I90/AHK1S/---	Inside Corner, 90°						40.65	EA
	I135/AHK1S/---	Inside Corner, 135°						40.65	EA
	V/AHK	Connector						6.00	EA
	E/AHK1S/---	End Cap						26.50	EA

*Color:* Satin Anodized Aluminum (AE)

5/16" x 8'	AHK1S80AE		40.40	EA	1/2" x 8'	AHK1S125AE		44.05	EA
3/8" x 8'	AHK1S100AE		42.10	EA					
	E90Q/AHK1S/AE	Outside Corner, 90° (Integrates with QUADEC)					a	34.25	EA
	E90/AHK1S/AE	Outside Corner, 90°						35.30	EA
	E135/AHK1S/AE	Outside Corner, 135°						35.30	EA
	I90/AHK1S/AE	Inside Corner, 90°						35.30	EA
	I135/AHK1S/AE	Inside Corner, 135°						35.30	EA
	V/AHK	Connector						6.00	EA
	E/AHK1S/AE	End Cap						21.20	EA

*Note:* a) Features a square shape to align with the QUADEC profile when QUADEC is used on the vertical surface of the outside corner.

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DILEX-AHK - continued**

Colors:	Satin Brass Anodized Aluminum (AM)	Satin Nickel Anodized Aluminum (AT)	
	Satin Copper Anodized Aluminum (AK)		
5/16" x 8'	AHK1S80--	46.70 EA   1/2" x 8' AHK1S125--	50.35 EA
3/8" x 8'	AHK1S100--	48.45 EA   9/16" x 8' AHK1S150AT	a 52.35 EA
	E90Q/AHK1S/AT	Outside Corner, 90° (Integrates with QUADEC)	a,b 34.25 EA
	E90/AHK1S/--	Outside Corner, 90°	35.30 EA
	E135/AHK1S/--	Outside Corner, 135°	35.30 EA
	I90/AHK1S/--	Inside Corner, 90°	35.30 EA
	I135/AHK1S/--	Inside Corner, 135°	35.30 EA
	V/AHK	Connector	6.00 EA
	E/AHK1S/--	End Cap	21.20 EA

**Note:** To complete part number replace hyphens with color code. Example AHK1S125--, for Polished Nickel Anodized Aluminum # is: AHK1S125ATG.

a) Only available in color Satin Nickel Anodized Aluminum (AT).

b) Features a square shape to align with the QUADEC profile when QUADEC is used on the vertical surface of the outside corner.

**DILEX-AHK - TRENDLINE Textured Color-Coated Aluminum**

Colors:	Beige (TSB)	Dark Anthracite (TSDA)	Light Anthracite (TSLA)	Stone Grey (TSSG)
	Bronze (TSOB)	Greige (TSBG)	Pewter (TSG)	
	Cream (TSC)	Ivory (TSI)	Rustic Brown (TSR)	
5/16" x 8'	AHK1S80---	70.55 EA   1/2" x 8' AHK1S125---	73.05 EA	
3/8" x 8'	AHK1S100---	71.55 EA   9/16" x 8' AHK1S150---	74.55 EA	
	E90Q/AHK1S/---	Outside Corner, 90° (Integrates with QUADEC)	a 39.60 EA	
	E90/AHK1S/---	Outside Corner, 90°	42.65 EA	
	E135/AHK1S/---	Outside Corner, 135°	42.65 EA	
	I90/AHK1S/---	Inside Corner, 90°	42.65 EA	
	I135/AHK1S/---	Inside Corner, 135°	42.65 EA	
	V/AHK	Connector	6.00 EA	
	E/AHK1S/---	End Cap	28.25 EA	

Colors:	Matte Black (MGS)	Matte White (MBW)	
5/16" x 8'	AHK1S80---	56.45 EA   1/2" x 8' AHK1S125---	58.50 EA
3/8" x 8'	AHK1S100---	57.30 EA   9/16" x 8' AHK1S150---	59.85 EA
	E90Q/AHK1S/---	Outside Corner, 90° (Integrates with QUADEC)	a 31.70 EA
	E90/AHK1S/---	Outside Corner, 90°	34.15 EA
	E135/AHK1S/---	Outside Corner, 135°	34.15 EA
	I90/AHK1S/---	Inside Corner, 90°	34.15 EA
	I135/AHK1S/---	Inside Corner, 135°	34.15 EA
	V/AHK	Connector	6.00 EA
	E/AHK1S/---	End Cap	22.60 EA

**Notes:** To complete part number replace hyphens with color code. Example AHK1S125--, Pewter # is: AHK1S125TSG.

a) Features a square shape to align with the QUADEC profile when QUADEC is used on the vertical surface of the outside corner.

**DILEX-AHKA**

An anodized aluminum, cove-shaped profile for transitions between walls to be tiled & previously finished floors. The profile features a single trapezoid-perforated anchoring leg that is secured in the mortar bond coat & a dovetailed channel, which can be bonded to floor surfaces using KERDI-FIX, epoxy resin, mortar, etc. A 3/8" radius cove section forms the visible surface & prevents the accumulation of dirt, making cleaning simple. Prevents surface water penetration & silicone, thin-set meets maintenance & hygienic requirements of commercial kitchens, bathrooms, food processing plants, or any tiled environment where a sanitary cove base is desired.

Color:	Brushed Chrome Anodized Aluminum (ACGB)		
5/16" x 8'	AHKA80ACGB	62.55 EA   1/2" x 8' AHKA125ACGB	66.20 EA
3/8" x 8'	AHKA100ACGB	64.25 EA   9/16" x 8' AHKA150ACGB	68.20 EA
	E90/AHKA/ACGB	Outside Corner, 90°	40.65 EA
	E135/AHKA/ACGB	Outside Corner, 135°	40.65 EA
	I90/AHKA/ACGB	Inside Corner, 90°	40.65 EA
	I135/AHKA/ACGB	Inside Corner, 135°	40.65 EA
	EL/AHKA/ACGB	End Cap - Left	26.50 EA
	ER/AHKA/ACGB	End Cap - Right	26.50 EA

Color:	Brushed Nickel Anodized Aluminum (ATGB)		
5/16" x 8'	AHKA80ATGB	67.20 EA   1/2" x 8' AHKA125ATGB	70.85 EA
3/8" x 8'	AHKA100ATGB	68.95 EA   9/16" x 8' AHKA150ATGB	73.00 EA
	E90/AHKA/ATGB	Outside Corner, 90°	40.65 EA
	E135/AHKA/ATGB	Outside Corner, 135°	40.65 EA
	I90/AHKA/ATGB	Inside Corner, 90°	40.65 EA
	I135/AHKA/ATGB	Inside Corner, 135°	40.65 EA
	EL/AHKA/ATGB	End Cap - Left	26.50 EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DILEX-AHKA - continued**

<i>Color:</i> Brushed Nickel Anodized Aluminum (ATGB)					
ER/AHKA/ATGB		End Cap - Right		26.50 EA	
<i>Color:</i> Satin Anodized Aluminum (AE)					
5/16" x 8'	AHKA80AE		40.40 EA	1/2" x 8' AHKA125AE	44.00 EA
3/8" x 8'	AHKA100AE		42.05 EA	9/16" x 8' AHKA150AE	45.30 EA
	E90/AHKA/AE	Outside Corner, 90°			35.30 EA
	E135/AHKA/AE	Outside Corner, 135°			35.30 EA
	I90/AHKA/AE	Inside Corner, 90°			35.30 EA
	I135/AHKA/AE	Inside Corner, 135°			35.30 EA
	EL/AHKA/AE	End Cap - Left			21.20 EA
	ER/AHKA/AE	End Cap - Right			21.20 EA
<i>Color:</i> Satin Nickel Anodized Aluminum (AT)					
5/16" x 8'	AHKA80AT		46.70 EA	1/2" x 8' AHKA125AT	50.35 EA
3/8" x 8'	AHKA100AT		48.40 EA	9/16" x 8' AHKA150AT	52.30 EA
	E90/AHKA/AT	Outside Corner, 90°			35.30 EA
	E135/AHKA/AT	Outside Corner, 135°			35.30 EA
	I90/AHKA/AT	Inside Corner, 90°			35.30 EA
	I135/AHKA/AT	Inside Corner, 135°			35.30 EA
	EL/AHKA/AT	End Cap - Left			21.20 EA
	ER/AHKA/AT	End Cap - Right			21.20 EA

**DILEX-AHKA - TRENDLINE Textured Color-Coated Aluminum**

<i>Colors:</i> Beige (TSB)		Dark Anthracite (TSDA)	Light Anthracite (TSLA)	Stone Grey (TSSG)	
Bronze (TSOB)		Greige (TSBG)	Pewter (TSG)		
Cream (TSC)		Ivory (TSI)	Rustic Brown (TSR)		
5/16" x 8'	AHKA80---		70.55 EA	1/2" x 8' AHKA125---	73.05 EA
3/8" x 8'	AHKA100---		71.55 EA	9/16" x 8' AHKA150---	74.55 EA
	E90/AHKA/---	Outside Corner, 90°			42.65 EA
	E135/AHKA/---	Outside Corner, 135°			42.65 EA
	I90/AHKA/---	Inside Corner, 90°			42.65 EA
	I135/AHKA/---	Inside Corner, 135°			42.65 EA
	EL/AHKA/---	End Cap - Left			27.55 EA
	ER/AHKA/---	End Cap - Right			27.55 EA
<i>Colors:</i> Matte Black (MGS)		Matte White (MBW)			
5/16" x 8'	AHKA80---		56.45 EA	1/2" x 8' AHKA125---	58.50 EA
3/8" x 8'	AHKA100---		57.30 EA		
	E90/AHKA/---	Outside Corner, 90°			34.15 EA
	E135/AHKA/---	Outside Corner, 135°			34.15 EA
	I90/AHKA/---	Inside Corner, 90°			34.15 EA
	I135/AHKA/---	Inside Corner, 135°			34.15 EA
	EL/AHKA/	Connector			22.60 EA
	ER/AHKA/	Connector			22.60 EA

*Note:* To complete part number replace hyphens with color code. Example AHKA80---, Light Anthracite # is: AHKA80TSLA.

**DILEX-AKWS**

A surface joint profile with aluminum anchoring legs that protect tile edges. Has a 1/4" wide soft PVC movement zone.

<i>Colors:</i> Black (GS)		Classic Grey (PG)	Grey (G)	Light Beige (HB)	Sand Pebble (SP)
3/8" x 8'	AKWS100--		48.40 EA	17/32" x 8' AKWS140--	56.25 EA
7/16" x 8'	AKWS110--		49.25 EA	5/8" x 8' AKWS160--	59.75 EA
1/2" x 8'	AKWS125--		51.95 EA	13/16" x 8' AKWS210--	65.05 EA

*Note:* To complete part number replace hyphens with color code. Example AKWS100--, for Black # is: AKWS100GS.

**DILEX-AS**

A perimeter joint profile with a rigid PVC anchoring leg and a flexible joining leg with self-adhesive tape to bond the profile to fixed building elements. Suitable for tiles 1/4" to 1/2" thick.

<i>Color:</i> Bright White (BW)				
3/8" x 8'	AS20BW			41.25 EA
	EKR/AS20BW	Outside End Cap (Right)		4.90 EA
	EKL/AS20BW	Outside End Cap (Left)		4.90 EA
	I/AS20BW	Inside Corner		4.90 EA
	EKI/AS20BW	2 Inside Corners, 1 Right & 1 Left End Cap		17.80 EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DILEX-BT**

An expansion joint profile made of anodized aluminum that bridges expansion joints and accommodates movement via the 1-3/16" wide telescopic center section which also forms the visible surface. Protects tile edges and is suitable for tile surfaces exposed to foot traffic and vehicular traffic.

Color: Satin Anodized Aluminum (AE)

5/16" x 8'	AEBT80	204.35	EA	9/16" x 8'	AEBT150	215.05	EA
3/8" x 8'	AEBT100	207.70	EA	11/16" x 8'	AEBT175	219.35	EA
1/2" x 8'	AEBT125	211.65	EA	3/4" x 8'	AEBT200	230.50	EA

**DILEX-BTO**

Expansion joint profile that bridges expansion joints at floor/wall transitions & accommodates movement via the 1-3/16" wide telescopic center section.

Color: Satin Anodized Aluminum (AE)

5/16" x 8'	AEBT80/O125	210.75	EA	9/16" x 8'	AEBT150/O125	216.15	EA
3/8" x 8'	AEBT100/O125	212.40	EA	11/16" x 8'	AEBT175/O125	218.45	EA
1/2" x 8'	AEBT125/O125	214.35	EA	3/4" x 8'	AEBT200/O125	223.80	EA

**DILEX-BTS**

An expansion joint profile made of anodized aluminum that bridges expansion joints and accommodates movement via the 1-3/16" wide telescopic center section. Installed in completed tile coverings & is suitable for tile surfaces exposed to foot & vehicular traffic.

Color: Satin Anodized Aluminum (AE)

3/8" x 8'	AEBTS100	211.75	EA
-----------	----------	--------	----

**DILEX-BWA**

A perimeter joint profile with a rigid PVC anchoring leg and a 7/32" wide soft CPE movement zone that isolates the tile covering from fixed building elements and forms the visible surface. Features a dovetailed channel made of rigid PVC that can be bonded to the fixed building elements.

Colors:	Classic Grey (PG)	Bright White (BW)	Grout Grey (FG)	Stone Grey (SG)
	Grey (G)	Cream (C)	Light Beige (HB)	
	Black (GS)	Dark Anthracite (DA)	Sand Pebble (SP)	
3/16" x 8'	BWA45--	a 26.35	EA	3/8" x 8' BWA100--
1/4" x 8'	BWA60--	28.10	EA	1/2" x 8' BWA125--
5/16" x 8'	BWA80--	Stock b 29.85	EA	

Notes: a) Not available in color Sand Pebble (SP). b) Stocked in color Bright White (BW) only.  
To complete part number replace hyphens with color code. Example BWA45--, for Bright White # is: BWA45BW.

**DILEX-BWB**

Profile with rigid PVC anchoring legs & a 3/8" wide soft CPE movement zone. Suitable for residential to medium-duty commercial applications.

Colors:	Classic Grey (PG)	Bright White (BW)	Grout Grey (FG)	Stone Grey (SG)
	Grey (G)	Cream (C)	Light Beige (HB)	
	Black (GS)	Dark Anthracite (DA)	Sand Pebble (SP)	
1/4" x 8'	BWB60--	a 26.55	EA	1/2" x 8' BWB125--
5/16" x 8'	BWB80--	27.25	EA	9/16" x 8' BWB150G
3/8" x 8'	BWB100--	28.55	EA	3/4" x 8' BWB200G

Notes: a) Not available in color Sand Pebble (SP). b) Available in color Grey (G) only.  
To complete part number replace hyphens with color code. Example BWB60--, for Light Beige # is: BWB60HB.

**DILEX-BWS**

Profile with rigid PVC anchoring legs & a 3/16" wide soft CPE movement zone. Suitable for residential to medium-duty commercial applications.

Colors:	Classic Grey (PG)	Bright White (BW)	Grout Grey (FG)	Stone Grey (SG)
	Grey (G)	Cream (C)	Light Beige (HB)	
	Black (GS)	Dark Anthracite (DA)	Sand Pebble (SP)	
3/16" x 8'	BWS45--	24.55	EA	3/8" x 8' BWS100--
1/4" x 8'	BWS60--	24.60	EA	7/16" x 8' BWS110--
5/16" x 8'	BWS80--	24.60	EA	1/2" x 8' BWS125--
11/32" x 8'	BWS90--	25.85	EA	

Note: To complete part number replace hyphens with color code. Example BWS60--, for Grey # is: BWS60G.

**DILEX-EDP**

A surface joint profile that protects tile edges and separates individual fields in the tile covering. Accommodates horizontal movement via the 15/32" wide tongue-and-groove connection. Suited for tile surfaces subject to heavy use, including areas exposed to continuous vehicular traffic.

Color: Stainless Steel 304 (E)

3/8" x 8'	EDP100	142.25	EA	5/8" x 8'	EDP160	151.65	EA
7/16" x 8'	EDP110	143.55	EA	13/16" x 8'	EDP210	158.75	EA
1/2" x 8'	EDP125	146.10	EA				

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DILEX-EHK**

Cove-shaped profile with a 23/32" radius for inside wall corners, countertop/backsplash and floor/wall transitions.

Color: Brushed Stainless Steel 304 (EB)

9/32"x9/32"x8'	EBHKU7/O7		134.25	EA	7/16"x7/16"x8'	EBHKU11/O11		142.65	EA
11/32"x11/32"x8'	EBHKU9/O9		138.20	EA					
	A/EBHK2R18	Outside Corner, 90°						15.70	EA
	E135/EBHK2R18	Outside Corner, 135°						15.75	EA
	I/EBHK2R18	Inside Corner, 90° (2 Way)						15.70	EA
	I/EBHK3R18	Inside Corner, 90° (3 Way)						15.70	EA
	I135/EBHK2R18	Inside Corner, 135°						15.75	EA
	V/EBHK	Connector						15.70	EA
	E/HKW/G	End Cap					a	6.35	EA

Color: Stainless Steel 304 (E)

9/32"x9/32"x8'	EHKU7/O7		103.35	EA	7/16"x7/16"x8'	EHKU11/O11		109.70	EA
11/32"x11/32"x8'	EHKU9/O9		106.35	EA					
	A/EHK2R18	Outside Corner, 90°						12.15	EA
	E135/EHK2R18	Outside Corner, 135°						12.15	EA
	I/EHK2R18	Inside Corner, 90° (2 Way)						12.15	EA
	I/EHK3R18	Inside Corner, 90° (3 Way)						12.15	EA
	I135/EHK2R18	Inside Corner, 135°						12.15	EA
	V/EHK	Connector						12.15	EA
	E/HKW/G	End Cap					a	6.35	EA

Color: Stainless Steel 316 L (EV4A)

9/32"x9/32"x8'	EHKU7/O7/V4A		113.60	EA	7/16"x7/16"x8'	EHKU11/O11/V4A		120.65	EA
11/32"x11/32"x8'	EHKU9/O9/V4A		116.95	EA	5/8"x5/8"x8'	EHKU16/O16/V4A		123.10	EA

Note: a) Grey PVC only.

**DILEX-EKE**

A corner movement joint profile with a 3/16" wide soft CPE movement zone that separates individual tile fields at floor/wall transitions and inside wall corners. Prevents surface water penetration and sound bridges making it ideal for floor/wall transitions in sound-rated floors.

Colors: Black (GS)      Classic Grey (PG)      Light Beige (HB)  
Bright White (BW)      Grey (G)      Sand Pebble (SP)

5/16"x9/32"x8'	EKEU8/O7--	25.15	EA	33/64"x1/2"x8'	EKEU13/O12--	26.60	EA
11/32"x5/16"x8'	EKEU9/O8--	25.80	EA	9/16"x17/32"x8'	EKEU15/O14--	27.45	EA
7/16"x3/8"x8'	EKEU11/O10--	26.00	EA				

Note: To complete part number replace hyphens with color code. Example EKEU8/O7--, for Bright White # is: EKEU8/O7BW.

**DILEX-EKSB**

A surface joint profile for thinner floor coverings & a 1/4" wide movement zone. Suitable for residential to medium-duty commercial applications.

Colors: Black (GS)      Classic Grey (PG)      Grey (G)      Light Beige (HB)

3/32" x 8'	EKSB25--	111.30	EA	1/4" x 8'	EKSB60--	122.35	EA
3/16" x 8'	EKSB45--	117.70	EA				

Note: To complete part number replace hyphens with color code. Example EKSB25--, for Grey # is: EKSB25G.

**DILEX-EZ 6 + 9**

This profile combines decorative design with stress-relieving function for tile and stone set in a thin bed of adhesive.

Colors: Brass Inlay/Grey (M/G)      Chrome Inlay/Yellow (C/CG)

1/4" x 8'	EZ--6	22.40	EA	11/32" x 8'	EZ--9	26.70	EA
-----------	-------	-------	----	-------------	-------	-------	----

Note: To complete part number replace hyphens with color code. Example EZ--6, for Brass Inlay/Grey # is: EZM/G6.

**DILEX-F**

A surface joint profile with rigid, recycled PVC anchoring legs and a narrow replaceable silicone inlay that ties together tile fields to form a seamless visible surface. The carrier profile (DILEX-FCS) has a protective cover that is removed after tile installation and replaced with the selected color of silicone insert (DILEX-FIS). The trapezoid-perforated anchoring legs transfer movement to the profile movement zone. The special silicone inlay is equipped with anti-stretch properties and a low-friction coating that repels dust. The inlay is approximately 1/8" wide when installed and available in 10 colors to match the grout. The DILEX-F system is suitable for residential to medium-duty commercial applications subject to light mechanical loads (e.g., offices and stores).

Colors: Black (GS)      Cream (C)      Grout Grey (FG)      Stone Grey (SG)  
Bright White (BW)      Dark Anthracite (DA)      Light Beige (HB)  
Classic Grey (PG)      Grey (G)      Sand Pebble (SP)

Carrier Profile with Protective Cover

11/32" x 8'	FCS90	16.85	EA	7/16" x 8'	FCS110	16.85	EA
3/8" x 8'	FCS100	16.85	EA	1/2" x 8'	FCS125	16.85	EA
100'	FIS300--					a	327.30

Notes: a) An installation tool is included with each roll of silicone inlay to facilitate cleaning of the joint and insertion of the inlay. To complete part number replace hyphens with color code. Example FIS300--, for Light Beige # is: FIS300HB.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DILEX-HK**

A cove-shaped profile with an 11/16" radius and a soft CPE movement zone. Prevents sound bridges making it ideal for sound-rated floors.

Colors: Bright White (BW) Grey (G) Light Beige (HB)

1/2"x11/32"x8'	HKU12/O9--									48.30	EA
	A/HK/--		Outside Corner, 90°							6.35	EA
	I/HK2R18/--		Inside Corner, 90° (2 Way)							6.35	EA
	I/HK3R18/--		Inside Corner, 90° (3 Way)							6.35	EA
	V/HK		Connector							2.70	EA
	EL/HK/G		End Cap (Left)				a			6.35	EA
	ER/HK/G		End Cap (Right)				a			6.35	EA

Notes: a) Only available in color Grey (G).

To complete part number replace hyphens with color code. Example HKU12/O9--, for Light Beige # is: HKU12/O9HB.

**DILEX-HKS**

A Stainless Steel cove-shaped profile with a 23/32" radius for inside wall corners and floor/wall transitions in applications.

Colors: Black (GS) Classic Grey (PG) Grey (G) Light Beige (HB)

5/16"x9/32"x8'	HKSV2AU8/O7--		181.90	EA	23/32"x9/32"x8'	HKSV2AU18/O7--				190.00	EA
3/8"x9/32"x8'	HKSV2AU10/O7--		183.70	EA	13/16"x9/32"x8'	HKSV2AU21/O7--				191.75	EA
15/32"x9/32"x8'	HKSV2AU12/O7--		184.60	EA	1"x9/32"x8'	HKSV2AU25/O7--				195.30	EA
17/32"x9/32"x8'	HKSV2AU14/O7--		187.25	EA	1-3/16"x9/32"x8'	HKSV2AU30/O7--				198.00	EA
5/8"x9/32"x8'	HKSV2AU16/O7--		189.05	EA							
<i>90° Outside Corner with Pre-Cut Profile Sections</i>											
	E90V2AU8/O7--	a	71.65	EA		E90V2AU14/O7--			a	71.65	EA
	E90V2AU10/O7--	a	71.65	EA		E90V2AU16/O7--			a	71.65	EA
	E90V2AU12/O7--	a	71.65	EA							
5/16"x11/32"x8'	HKSV2AU8/O9--		181.90	EA	23/32"x11/32"x8'	HKSV2AU18/O9--				190.00	EA
3/8"x11/32"x8'	HKSV2AU10/O9--		183.70	EA	13/16"x11/32"x8'	HKSV2AU21/O9--				191.75	EA
15/32"x11/32"x8'	HKSV2AU12/O9--		184.60	EA	1"x11/32"x8'	HKSV2AU25/O9--				195.35	EA
17/32"x11/32"x8'	HKSV2AU14/O9--		187.25	EA	1-3/16"x11/32"x8'	HKSV2AU30/O9--				198.05	EA
5/8"x11/32"x8'	HKSV2AU16/O9--		189.10	EA							
<i>90° Outside Corner with Pre-Cut Profile Sections</i>											
	E90V2AU8/O9--	a	71.65	EA		E90V2AU14/O9--			a	71.65	EA
	E90V2AU10/O9--	a	71.65	EA		E90V2AU16/O9--			a	71.65	EA
	E90V2AU12/O9--	a	71.65	EA							
5/16"x7/16"x8'	HKSV2AU8/O11--		181.90	EA	23/32"x7/16"x8'	HKSV2AU18/O11--				190.00	EA
3/8"x7/16"x8'	HKSV2AU10/O11--		183.70	EA	13/16"x7/16"x8'	HKSV2AU21/O11--				191.75	EA
15/32"x7/16"x8'	HKSV2AU12/O11--		184.60	EA	1"x7/16"x8'	HKSV2AU25/O11--				195.35	EA
17/32"x7/16"x8'	HKSV2AU14/O11--		187.25	EA	1-3/16"x7/16"x8'	HKSV2AU30/O11--				198.05	EA
5/8"x7/16"x8'	HKSV2AU16/O11--		189.10	EA							
<i>90° Outside Corner with Pre-Cut Profile Sections</i>											
	E90V2AU8/O11--	a	71.65	EA		E90V2AU14/O11--			a	71.65	EA
	E90V2AU10/O11--	a	71.65	EA		E90V2AU16/O11--			a	71.65	EA
	E90V2AU12/O11--	a	71.65	EA							
	A/EHK2R18		Outside Corner, 90°							12.15	EA
	I/EHK2R18		Inside Corner, 90° (2 Way)							12.15	EA
	I/EHK3R18		Inside Corner, 90° (3 Way)							12.15	EA
	V/EHK		Connector							12.15	EA
	E/HKW/G		End Cap						b	6.35	EA

Notes: a) Special Order Only, call Customer Service Department for availability.

b) Grey PVC only.

To complete part number replace hyphens with color code. Example HKSV2AU8/O7--, for Black # is: HKSV2AU8/O7GS.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DILEX-HKU**

A Stainless Steel cove-shaped profile for inside wall corners and floor/wall (including countertop/backsplash) transitions. May be used with floor coverings other than ceramic and stone tile, provided that the floor coverings are fastened or adhered (i.e., no floating floors). The profile features a single anchoring leg that turns inward, which allows it to be used with different thicknesses of tile. DILEX-HKU is available with either a 3/8" or 1-7/16" radius cove section. The cove section forms the visible surface and prevents the accumulation of dirt, making cleaning simple. It prevents surface water penetration and meets the maintenance and hygienic requirements of commercial kitchens, bathrooms and food-processing plants or any tiled environment where a sanitary cove base is desired.

*3/8" Radius Cove Section*

<i>Color:</i> Stainless Steel 304 (E)									
8' HKUR10E								72.60	EA
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
8' HKUR10EB								79.45	EA
<i>Color:</i> Stainless Steel 316 L (V4A)									
8' HKUR10E/V4A								108.65	EA
<i>Colors:</i> Stainless Steel 304 (E)					Brushed Stainless Steel 304 (EB)				
EQ/HKUR10--		Outside Corner, 90°						8.30	EA
E135/HKUR10--		Outside Corner, 135°						7.90	EA
I/HKU3R10--		Inside Corner, 90°						8.30	EA
I135/HKUR10--		Inside Corner, 135°						7.90	EA
V/HKUR10--		Connector						7.50	EA
EK/HKUR10--		End Cap						6.85	EA

*1-7/16" Radius Cove Section*

<i>Color:</i> Stainless Steel 304 (E)									
8' HKUR36E								119.00	EA
E/HKUR36E		Outside Corner, 90°						14.45	EA
I/HKU3R3610E		Inside Corner, 90°						14.45	EA
V/HKUR36E		Connector						14.45	EA
VI/HKUR36		Internal Connector, EPS Foam						4.10	EA
EK/HKUR36E		End Cap (Grey PVC only)						10.85	EA

*Notes:* To complete part number replace hyphens with color code. Example EQ/HKUR10--, for Stainless Steel 304 (E) # is: EQ/HKUR10E.  
a) Only available in color Brushed Stainless Steel 304 (EB) only.

**DILEX-HKW**

A PVC cove-shaped profile with an 11/16" radius for inside wall corners and floor/wall transitions.

<i>Colors:</i> Bright White (BW)		Classic Grey (PG)		Grey (G)		Light Beige (HB)			
9/32"x9/32"x8'	HKWU7/O7--			33.55	EA	7/16"x7/16"x8'	HKWU11/O11--		33.55 EA
11/32"x11/32"x8'	HKWU9/O9--			33.55	EA				
A/HKW--		Outside Corner, 90°							6.35 EA
I/HKW2R18/--		Inside Corner, 90° (2 Way)							6.35 EA
I/HKW3R18/--		Inside Corner, 90° (3 Way)							6.35 EA
E/HKW/G		End Cap							a 6.35 EA

*Notes:* a) Grey PVC only.  
To complete part number replace hyphens with color code. Example HKWU7/O7----, for Bright White # is: HKWU7/O7BW.

**DILEX-KSA**

A perimeter joint profile with a Stainless Steel or Aluminum anchoring leg and a 3/8" wide soft thermoplastic rubber movement zone.

<i>Colors:</i> Black (GS)		Classic Grey (PG)		Grey (G)		Light Beige (HB)			
<i>Aluminum (A) Anchoring Leg</i>									
5/16" x 8'	AKSA80--			49.25	EA	1/2" x 8'	AKSA125--		52.30 EA
3/8" x 8'	AKSA100--			50.60	EA	17/32" x 8'	AKSA140--		54.65 EA
7/16" x 8'	AKSA110--			51.85	EA				
<i>Stainless Steel 304 (E) Anchoring Leg</i>									
5/16" x 8'	EKSA80--			88.70	EA	5/8" x 8'	EKSA160--		116.45 EA
3/8" x 8'	EKSA100--			107.95	EA	23/32" x 8'	EKSA185--		119.05 EA
7/16" x 8'	EKSA110--			110.70	EA	13/16" x 8'	EKSA210--		122.30 EA
1/2" x 8'	EKSA125--			111.30	EA	1" x 8'	EKSA250--		128.15 EA
17/32" x 8'	EKSA140--			113.20	EA	1-3/16" x 8'	EKSA300--		134.00 EA
3/8" Wide	KSAE/--								Replacement Thermoplastic Rubber Insert Only 21.75 EA

*Note:* To complete part number replace hyphens with color code. Example AKSA80--, for Grey # is: AKSA80G.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**DILEX-KSN**

A surface joint profile with a 7/16" wide movement zone. The Stainless Steel can be used for surfaces exposed to heavy-duty commercial traffic.

Colors: Classic Grey (PG) Cream (C) Light Beige (HB)  
 Grey (G) Dark Anthracite (DA) Sand Pebble (SP)  
 Black (GS) Grout Grey (FG) Stone Grey (SG)

*Aluminum (A) Anchoring Leg:*

5/16" x 8'	AKSN80--	a	60.65	EA	17/32" x 8'	AKSN140--	a	67.70	EA
3/8" x 8'	AKSN100--		63.30	EA	5/8" x 8'	AKSN160--	a	70.30	EA
7/16" x 8'	AKSN110--		66.20	EA	13/16" x 8'	AKSN210--	a	77.40	EA
1/2" x 8'	AKSN125--		65.95	EA					

*Stainless Steel 304 (E) Anchoring Leg:*

5/16" x 8'	EKSN80--	a	127.20	EA	5/8" x 8'	EKSN160--		163.75	EA
3/8" x 8'	EKSN100--		151.90	EA	23/32" x 8'	EKSN185--	a	167.40	EA
7/16" x 8'	EKSN110--		155.70	EA	13/16" x 8'	EKSN210--	a	171.95	EA
1/2" x 8'	EKSN125--		156.50	EA	1" x 8'	EKSN250--	a	180.20	EA
17/32" x 8'	EKSN140--		159.20	EA	1-3/16" x 8'	EKSN300--	a	188.40	EA

7/16" Wide KSE/-- Replacement Thermoplastic Rubber Insert Only 20.25 EA

Notes: a) Not available in colors Cream (C), Dark Anthracite (DA), Grout Grey (FG) and Stone Grey (SG).  
 To complete part number replace hyphens with color code. Example EKSN80--, for Classic Grey # is: EKSN80PG.

**DILEX-MOP - Mortar Bed Movement Joint**

A screed joint profile with a 5/16" wide movement zone. Designed to provide movement joints in tile installations that are set in a mortar bed.

Color: Grey (G)

1-3/8" x 8'	MOP35G	23.60	EA	2-5/8" x 8'	MOP65G	35.00	EA
2" x 8'	MOP50G	30.05	EA				

**DILEX-MP/-MPV**

A screed joint profile with a 5/16" wide movement zone. Adjusts to the thickness of the mortar bed & tile surface using the DILEX-MPV extensions.

Colors: Black (GS) Grey (G) Light Beige (HB)

1-3/8" x 8'	MP35--					27.70	EA
9/16" x 8'	MPV15			Extension Profile		18.70	EA
1" x 8'	MPV25			Extension Profile		20.10	EA

Note: To complete part number replace hyphens with color code. Example MP35--, for Brick Red # is: MP35ZR.

**DILEX-PHK**

A PVC, cove-shaped profile for inside wall corners, countertop/backsplash transitions & floor/wall transitions in applications where limited movement is expected. DILEX-PHK provides a 3/8" radius to prevent the accumulation of dirt & makes cleaning simple. Also prevents surface water penetration & meets the maintenance and hygienic requirements of commercial kitchens, bathrooms, food processing plants, or any tiled environment where a sanitary cove base is desired.

Colors: Bahama (BH) Classic Grey (PG) Light Beige (HB) White (W)  
 Bright White (BW) Grey (G) Sand Pebble (SP)

5/16" x 8'	PHK1S80--	29.70	EA	1/2" x 8'	PHK1S125--	31.75	EA
3/8" x 8'	PHK1S100--	31.30	EA				
	E90/PHK1S/--			Outside Corner, 90°		4.25	EA
	E135/PHK1S/--			Outside Corner, 135°		4.25	EA
	I90/PHK1S/--			Inside Corner, 90°		4.25	EA
	I135/PHK1S/--			Inside Corner, 135°		4.25	EA
	E/PHK1S/--			End Cap		4.25	EA
	V/PHK			Connector		2.40	EA

**DILEX-STF**

DILEX-STF is a maintenance-free expansion joint profile system made of aluminum. The interlocking center section allows for movement in 3 directions - horizontal, vertical, and along the length of the profile. The profile is fastened to the substrate with screws for a secure installation.

Color: Aluminum (A)

*1-9/16" Structural Movement Joint Profile:*

*2" Structural Movement Joint Profile:*

7/8" x 10'	ASTF2240/300	711.05	EA	7/8" x 10'	ASTF2250/300	749.20	EA
1-9/16" x 10'	ASTF4040/300	812.00	EA	1-9/16" x 10'	ASTF4050/300	850.90	EA
2-1/16" x 10'	ASTF5240/300	850.90	EA	2-1/16" x 10'	ASTF5250/300	889.10	EA

Note: Schluter keeps limited quantities in their inventory. Please contact Customer Service for availability. Items not in their stock require 7-9 weeks delivery time.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**FINISHING, EDGE-PROTECTION & TRANSITION PROFILES FOR RESILIENT FLOOR AND WALL COVERINGS**

**VINPRO-RO**

A finishing and edging profile for resilient covering (e.g., LVT) installations on stairs and outside corners of resilient surfaces. The reveal of the profile forms a symmetrically rounded corner along the surface edge.

*Color:* Brushed Antique Bronze Anodized Aluminum (ABGB)

1/8" x 8'	VPRO30ABGB	34.60	EA	19/64" x 8'	VPROL75ABGB	46.80	EA
5/32" x 8'	VPRO40ABGB	34.95	EA	5/16" x 8'	VPROL80ABGB	47.30	EA
3/16" x 8'	VPRO50ABGB	35.55	EA	21/64" x 8'	VPROL85ABGB	47.75	EA
7/32" x 8'	VPROL55ABGB	45.05	EA	11/32" x 8'	VPROL90ABGB	48.25	EA
1/4" x 8'	VPROL60ABGB	45.45	EA	3/8" x 8'	VPROL100ABGB	48.70	EA
17/64" x 8'	VPROL65ABGB	45.90	EA	7/16" x 8'	VPROL110ABGB	49.20	EA
9/32" x 8'	VPROL70ABGB	46.35	EA	1/2" x 8'	VPROL125ABGB	49.70	EA

*Color:* Brushed Chrome Anodized Aluminum (ACGB)

1/8" x 8'	VPRO30ACGB	31.05	EA	19/64" x 8'	VPROL75ACGB	44.65	EA
5/32" x 8'	VPRO40ACGB	31.45	EA	5/16" x 8'	VPROL80ACGB	45.10	EA
3/16" x 8'	VPRO50ACGB	32.00	EA	21/64" x 8'	VPROL85ACGB	45.50	EA
7/32" x 8'	VPROL55ACGB	42.90	EA	11/32" x 8'	VPROL90ACGB	46.00	EA
1/4" x 8'	VPROL60ACGB	43.35	EA	3/8" x 8'	VPROL100ACGB	46.45	EA
17/64" x 8'	VPROL65ACGB	43.75	EA	7/16" x 8'	VPROL110ACGB	46.90	EA
9/32" x 8'	VPROL70ACGB	44.20	EA	1/2" x 8'	VPROL125ACGB	47.40	EA

*Color:* Brushed Nickel Anodized Aluminum (ATGB)

1/8" x 8'	VPRO30ATGB	33.05	EA	19/64" x 8'	VPROL75ATGB	46.40	EA
5/32" x 8'	VPRO40ATGB	33.45	EA	5/16" x 8'	VPROL80ATGB	46.85	EA
3/16" x 8'	VPRO50ATGB	34.05	EA	21/64" x 8'	VPROL85ATGB	47.30	EA
7/32" x 8'	VPROL55ATGB	44.60	EA	11/32" x 8'	VPROL90ATGB	47.80	EA
1/4" x 8'	VPROL60ATGB	45.05	EA	3/8" x 8'	VPROL100ATGB	48.25	EA
17/64" x 8'	VPROL65ATGB	45.50	EA	7/16" x 8'	VPROL110ATGB	48.75	EA
9/32" x 8'	VPROL70ATGB	45.95	EA	1/2" x 8'	VPROL125ATGB	49.25	EA

**VINPRO-S**

Designed to provide edging for resilient coverings (e.g., LVT). Typical applications include edge protection where the resilient covering is bordered by carpet, floor coverings of similar heights, or as a finishing edge to wall skirting applications.

*Color:* Brushed Antique Bronze Anodized Aluminum (ABGB)

1/8" x 8'	VPS30ABGB	23.95	EA	19/64" x 8'	VPSL75ABGB	31.60	EA
5/32" x 8'	VPS40ABGB	24.35	EA	5/16" x 8'	VPSL80ABGB	31.90	EA
3/16" x 8'	VPS50ABGB	24.50	EA	21/64" x 8'	VPSL85ABGB	32.25	EA
7/32" x 8'	VPSL55ABGB	30.35	EA	11/32" x 8'	VPSL90ABGB	32.55	EA
1/4" x 8'	VPSL60ABGB	30.65	EA	3/8" x 8'	VPSL100ABGB	32.90	EA
17/64" x 8'	VPSL65ABGB	30.95	EA	7/16" x 8'	VPSL110ABGB	33.20	EA
9/32" x 8'	VPSL70ABGB	31.25	EA	1/2" x 8'	VPSL125ABGB	33.55	EA

*Color:* Brushed Chrome Anodized Aluminum (ACGB)

1/8" x 8'	VPS30ACGB	21.45	EA	19/64" x 8'	VPSL75ACGB	29.10	EA
5/32" x 8'	VPS40ACGB	21.70	EA	5/16" x 8'	VPSL80ACGB	29.40	EA
3/16" x 8'	VPS50ACGB	21.95	EA	21/64" x 8'	VPSL85ACGB	29.70	EA
7/32" x 8'	VPSL55ACGB	27.95	EA	11/32" x 8'	VPSL90ACGB	29.95	EA
1/4" x 8'	VPSL60ACGB	28.25	EA	3/8" x 8'	VPSL100ACGB	30.30	EA
17/64" x 8'	VPSL65ACGB	28.55	EA	7/16" x 8'	VPSL110ACGB	30.60	EA
9/32" x 8'	VPSL70ACGB	28.85	EA	1/2" x 8'	VPSL125ACGB	30.90	EA

*Color:* Brushed Nickel Anodized Aluminum (ATGB)

1/8" x 8'	VPS30ATGB	22.90	EA	19/64" x 8'	VPSL75ATGB	30.50	EA
5/32" x 8'	VPS40ATGB	23.15	EA	5/16" x 8'	VPSL80ATGB	30.85	EA
3/16" x 8'	VPS50ATGB	23.40	EA	21/64" x 8'	VPSL85ATGB	31.15	EA
7/32" x 8'	VPSL55ATGB	29.30	EA	11/32" x 8'	VPSL90ATGB	31.40	EA
1/4" x 8'	VPSL60ATGB	29.60	EA	3/8" x 8'	VPSL100ATGB	31.75	EA
17/64" x 8'	VPSL65ATGB	29.90	EA	7/16" x 8'	VPSL110ATGB	32.05	EA
9/32" x 8'	VPSL70ATGB	30.25	EA	1/2" x 8'	VPSL125ATGB	32.40	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**VINPRO-STEP**

A finishing and edging profile for resilient covering (e.g., LVT) installations on stairs. The top of the profile features a square design and a capping flange that is ribbed to provide slip protection.

*Color:* Brushed Antique Bronze Anodized Aluminum (ABGB)

1/8" x 8'	VPST30ABGB	32.35	EA	19/64" x 8'	VPSTL75ABGB	44.25	EA
5/32" x 8'	VPST40ABGB	32.65	EA	5/16" x 8'	VPSTL80ABGB	45.60	EA
3/16" x 8'	VPST50ABGB	32.90	EA	21/64" x 8'	VPSTL85ABGB	47.00	EA
7/32" x 8'	VPSTL55ABGB	39.35	EA	11/32" x 8'	VPSTL90ABGB	48.35	EA
1/4" x 8'	VPSTL60ABGB	40.50	EA	3/8" x 8'	VPSTL100ABGB	49.90	EA
17/64" x 8'	VPSTL65ABGB	41.75	EA	7/16" x 8'	VPSTL110ABGB	51.40	EA
9/32" x 8'	VPSTL70ABGB	43.00	EA	1/2" x 8'	VPSTL125ABGB	52.90	EA

*Color:* Brushed Chrome Anodized Aluminum (ACGB)

1/8" x 8'	VPST30ACGB	30.20	EA	19/64" x 8'	VPSTL75ACGB	39.05	EA
5/32" x 8'	VPST40ACGB	30.45	EA	5/16" x 8'	VPSTL80ACGB	40.20	EA
3/16" x 8'	VPST50ACGB	30.75	EA	21/64" x 8'	VPSTL85ACGB	41.40	EA
7/32" x 8'	VPSTL55ACGB	34.70	EA	11/32" x 8'	VPSTL90ACGB	42.65	EA
1/4" x 8'	VPSTL60ACGB	35.75	EA	3/8" x 8'	VPSTL100ACGB	44.00	EA
17/64" x 8'	VPSTL65ACGB	36.80	EA	7/16" x 8'	VPSTL110ACGB	45.30	EA
9/32" x 8'	VPSTL70ACGB	37.90	EA	1/2" x 8'	VPSTL125ACGB	46.70	EA

*Color:* Brushed Nickel Anodized Aluminum (ATGB)

1/8" x 8'	VPST30ATGB	32.35	EA	19/64" x 8'	VPSTL75ATGB	41.25	EA
5/32" x 8'	VPST40ATGB	32.65	EA	5/16" x 8'	VPSTL80ATGB	42.45	EA
3/16" x 8'	VPST50ATGB	32.90	EA	21/64" x 8'	VPSTL85ATGB	43.75	EA
7/32" x 8'	VPSTL55ATGB	36.65	EA	11/32" x 8'	VPSTL90ATGB	45.05	EA
1/4" x 8'	VPSTL60ATGB	37.75	EA	3/8" x 8'	VPSTL100ATGB	46.50	EA
17/64" x 8'	VPSTL65ATGB	38.90	EA	7/16" x 8'	VPSTL110ATGB	47.85	EA
9/32" x 8'	VPSTL70ATGB	40.05	EA	1/2" x 8'	VPSTL125ATGB	49.30	EA

**VINPRO-STEP-R**

Edging profile for resilient covering (e.g., LVT) installations on stairs. The top of the profile features a capping flange with a rounded leading edge, while the elongated vertical section provides increased visibility.

*Color:* Brushed Antique Bronze Anodized Aluminum (ABGB)

1/8" x 8'	VPSTRL30ABGB	61.15	EA	19/64" x 8'	VPSTRL75ABGB	65.55	EA
5/32" x 8'	VPSTRL40ABGB	61.75	EA	5/16" x 8'	VPSTRL80ABGB	66.20	EA
3/16" x 8'	VPSTRL50ABGB	62.40	EA	21/64" x 8'	VPSTRL85ABGB	66.85	EA
7/32" x 8'	VPSTRL55ABGB	63.00	EA	11/32" x 8'	VPSTRL90ABGB	67.50	EA
1/4" x 8'	VPSTRL60ABGB	63.60	EA	3/8" x 8'	VPSTRL100ABGB	68.20	EA
17/64" x 8'	VPSTRL65ABGB	64.25	EA	7/16" x 8'	VPSTRL110ABGB	68.90	EA
9/32" x 8'	VPSTRL70ABGB	64.90	EA	1/2" x 8'	VPSTRL125ABGB	69.55	EA

*Color:* Brushed Chrome Anodized Aluminum (ACGB)

1/8" x 8'	VPSTRL30ACGB	56.30	EA	19/64" x 8'	VPSTRL75ACGB	60.40	EA
5/32" x 8'	VPSTRL40ACGB	56.90	EA	5/16" x 8'	VPSTRL80ACGB	61.00	EA
3/16" x 8'	VPSTRL50ACGB	57.45	EA	21/64" x 8'	VPSTRL85ACGB	61.60	EA
7/32" x 8'	VPSTRL55ACGB	58.05	EA	11/32" x 8'	VPSTRL90ACGB	62.20	EA
1/4" x 8'	VPSTRL60ACGB	58.65	EA	3/8" x 8'	VPSTRL100ACGB	62.85	EA
17/64" x 8'	VPSTRL65ACGB	59.25	EA	7/16" x 8'	VPSTRL110ACGB	63.45	EA
9/32" x 8'	VPSTRL70ACGB	59.80	EA	1/2" x 8'	VPSTRL125ACGB	64.10	EA

*Color:* Brushed Nickel Anodized Aluminum (ATGB)

1/8" x 8'	VPSTRL30ATGB	61.05	EA	19/64" x 8'	VPSTRL75ATGB	65.45	EA
5/32" x 8'	VPSTRL40ATGB	61.65	EA	5/16" x 8'	VPSTRL80ATGB	66.10	EA
3/16" x 8'	VPSTRL50ATGB	62.30	EA	21/64" x 8'	VPSTRL85ATGB	66.75	EA
7/32" x 8'	VPSTRL55ATGB	62.90	EA	11/32" x 8'	VPSTRL90ATGB	67.45	EA
1/4" x 8'	VPSTRL60ATGB	63.55	EA	3/8" x 8'	VPSTRL100ATGB	68.10	EA
17/64" x 8'	VPSTRL65ATGB	64.15	EA	7/16" x 8'	VPSTRL110ATGB	68.80	EA
9/32" x 8'	VPSTRL70ATGB	64.80	EA	1/2" x 8'	VPSTRL125ATGB	69.50	EA

**VINPRO-T**

Designed to provide transitions between same-height resilient floor coverings, (e.g., LVT) primarily in retrofit applications.

*Colors:* Brushed Antique Bronze Anodized Aluminum (ABGB)      Brushed Nickel Anodized Aluminum (ATGB)  
Brushed Chrome Anodized Aluminum (ACGB)

17/32" x 8'	VPT3/14----	18.05	EA	1" x 8'	VPTL3/25----	23.00	EA
-------------	-------------	-------	----	---------	--------------	-------	----

*Note:* To complete part number replace hyphens with color code. Example VPT3/14----, for Brushed Antique Bronze Anodized Aluminum # is: VPT3/14ABGB.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**VINPRO-U**

Designed to provide a smooth transition between resilient floor coverings (e.g., LVT) and floor coverings at lower elevations or finished concrete. The sloped surface eliminates trip hazards.

**Color:** Brushed Antique Bronze Anodized Aluminum (ABGB)

1/8" x 8'	VPU30ABGB	27.55	EA	19/64" x 8'	VPUL75ABGB	49.80	EA
5/32" x 8'	VPU40ABGB	28.15	EA	5/16" x 8'	VPUL80ABGB	51.30	EA
3/16" x 8'	VPU50ABGB	29.05	EA	21/64" x 8'	VPUL85ABGB	52.80	EA
7/32" x 8'	VPUL55ABGB	44.20	EA	11/32" x 8'	VPUL90ABGB	54.40	EA
1/4" x 8'	VPUL60ABGB	45.55	EA	3/8" x 8'	VPUL100ABGB	67.75	EA
17/64" x 8'	VPUL65ABGB	46.90	EA	7/16" x 8'	VPUL110ABGB	69.80	EA
9/32" x 8'	VPUL70ABGB	48.35	EA	1/2" x 8'	VPUL125ABGB	71.90	EA

**Color:** Brushed Chrome Anodized Aluminum (ACGB)

1/8" x 8'	VPU30ACGB	24.70	EA	19/64" x 8'	VPUL75ACGB	45.30	EA
5/32" x 8'	VPU40ACGB	25.10	EA	5/16" x 8'	VPUL80ACGB	46.65	EA
3/16" x 8'	VPU50ACGB	26.05	EA	21/64" x 8'	VPUL85ACGB	48.00	EA
7/32" x 8'	VPUL55ACGB	40.20	EA	11/32" x 8'	VPUL90ACGB	49.45	EA
1/4" x 8'	VPUL60ACGB	41.40	EA	3/8" x 8'	VPUL100ACGB	53.90	EA
17/64" x 8'	VPUL65ACGB	42.70	EA	7/16" x 8'	VPUL110ACGB	55.50	EA
9/32" x 8'	VPUL70ACGB	43.95	EA	1/2" x 8'	VPUL125ACGB	57.20	EA

**Color:** Brushed Nickel Anodized Aluminum (ATGB)

1/8" x 8'	VPU30ATGB	26.35	EA	19/64" x 8'	VPUL75ATGB	48.60	EA
5/32" x 8'	VPU40ATGB	26.80	EA	5/16" x 8'	VPUL80ATGB	50.05	EA
3/16" x 8'	VPU50ATGB	27.70	EA	21/64" x 8'	VPUL85ATGB	51.55	EA
7/32" x 8'	VPUL55ATGB	43.20	EA	11/32" x 8'	VPUL90ATGB	53.10	EA
1/4" x 8'	VPUL60ATGB	44.50	EA	3/8" x 8'	VPUL100ATGB	61.65	EA
17/64" x 8'	VPUL65ATGB	45.80	EA	7/16" x 8'	VPUL110ATGB	63.55	EA
9/32" x 8'	VPUL70ATGB	47.20	EA	1/2" x 8'	VPUL125ATGB	65.45	EA

**MODULAR SCREED SYSTEM FOR CONVENTIONAL & RADIANT-HEATED SCREEDS**

**BEKOTEC-, BEKOTEC-F, BEKOTEC-DRAIN & BEKOTEC-THERM-RH 75**

A lightweight modular studded screed system that is used to create continuous screed surfaces without control joints or reinforcement. Since it is a floating system, the assembly can be customized to meet a range of heat and sound requirements.

1-3/8" Thick	EN/US/P	24" x 48"	(8 SF Sheet - 12 Sheets/Box)	312.75	BX
29/32" Thick	EN23F10	47-1/4" x 35-7/16"	(11.63 SF Sheet - 10 Sheets/Box)	485.05	BX
29/32" Thick	EN23FD10	47-1/4" x 35-7/16"	(11.63 SF Sheet - 10 Sheets/Box)	523.80	BX
4"x5/16"x164'	BRS810	Edge strip for conventional screed		115.85	ROLL
4"x5/16"x164'	BRK810	Edge strip for conventional screed, with adhesive strip		150.50	ROLL
3-1/8"x5/16"x82'	BRS808KF	Edge strip for poured screeds, with PE-adhesive leg		218.30	ROLL
3-1/8"x5/16"x82'	BRS808KSF	Self-supporting edge strip for poured screed, with PE-adhesive leg		294.60	ROLL
2-3/8" x 3'3"	DFP6/100	Movement joint profile for installation at door areas or for dividing screed surfaces		22.30	EA
3-1/8" x 3'3"	DFP8/100	Movement joint profile for installation at door areas or for dividing screed surfaces		26.75	EA
4" x 3'3"	DFP10/100	Movement joint profile for installation at door areas or for dividing screed surfaces		31.20	EA
100/Package	BTZRH75/100	PVC Heating Clamps; Used to attach radiant heating pipes to the EN/US/P panel.		92.95	EA

**THIN-SET MORTARS**

**SET**

A premium unmodified thin-set approved to set porcelain tile over Schluter Systems membranes and boards. Meets the requirements of ANSI A118.1T

50-lb Bag	SET50G (Grey)	39.70	EA	50-lb Bag	SET50W (White)	42.20	EA
-----------	---------------	-------	----	-----------	----------------	-------	----

**ALL-SET**

A specialized modified thin-set engineered for use both under and over all DITRA and KERDI products. Meets the requirements of ANSI A118.4T, A118.11, and A118.15T

50-lb Bag	SETA50G (Grey)	64.70	EA	50-lb Bag	SETA50W (White)	Stock	68.00	EA
-----------	----------------	-------	----	-----------	-----------------	-------	-------	----

**FAST-SET**

A specialized rapid-setting modified thin-set mortar ready to grout in 4 hours for fast-track projects. Meets the requirements of ANIS A118.4TF, A118.11, and A118.15TF

50-lb Bag	SETF50G (Grey)	a	114.60	EA	50-lb Bag	SETF50W (White)	a	124.55	EA
-----------	----------------	---	--------	----	-----------	-----------------	---	--------	----

**Note:** Available in Full Pallets of 56 Bags only.

**PRIMER-U**

PRIMER-U is a ready-to-use, universal primer used to enhance adhesion of mortars for hard-to-bond substrates such as gypsum underlayment, raised access panels, and existing tile.

1 Quart	PRMUQT1	Universal Primer	34.75	EA	1 Gallon	PRMU1	Universal Primer	Stock	95.95	EA
---------	---------	------------------	-------	----	----------	-------	------------------	-------	-------	----

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**WATERPROOFING, UNCOUPLING & DRAINAGE MEMBRANES**

**DITRA-DITRA-XL**

Uncoupling membrane with a grid structure and an anchoring fleece laminated to the underside. In conjunction with tile coverings forms an uncoupling, waterproofing and vapor management layer while providing support/load distribution. Waterproofs and allows moisture in the substrate to evaporate. Allows ceramic tile installations over single-layer plywood or OSB subfloors. Ideal for interior or exterior tile and stone installations.

1/8"x3' 3"x16' 5"	DITRA5M	(54 SF/Roll)	<b>Stock</b>	164.75 ROLL	1/8"x3' 3"x98' 5"	DITRA30M	(323 SF/Roll)	<b>Stock</b>	840.80 ROLL
1/8"x3' 3"x45' 9"	DITRA150	(150 SF/Roll)	<b>Stock</b>	424.35 ROLL	5/16"x3' 3"x53' 3"	DITRA-XL/175	(175 SF/Roll)	<b>Stock</b>	547.30 ROLL
14-1/2" Wide	DIRO			DITRA Roller					342.55 EA
	TRL-DIT			DITRA Trowel - 11/64" x 11/64" Square-Notched				a	
	TRL-DHXL			DITRA-HEAT/DITRA-XL Trowel - 1/4" x 1/4" Square-Notched				a	

Note: a) Schluter Trowels are listed on the Tools Price List under Trowels.

**DITRA-PS**

The ORIGINAL Schluter-DITRA uncoupling membrane for tiled floors is now available in a peel and stick option. Quick & Easy Installations: The peel and stick technology ensures a quick and hassle-free installation process. No thin-set required to install the membrane, saving you time and labor costs.

3' 2-3/4"x34' 3/4"	DITRAP5110	(110 SF/Roll)		392.35 ROLL	3' 2-3/4"x2' 5"	DITRAP5MA	(7.75 SF/Sheet)		29.75 Sheet
3' 2-3/4"x83' 4"	DITRAP525M	(269 SF/Roll)		908.85 ROLL					

**PRIMER-PS**

Schluter-PRIMER-PS is a ready-to-use topical primer engineered for Schluter peel & stick membranes. PRIMER-PS optimizes adhesion, creating a uniform layer that enhances the bond between various substrates and the membrane, ensuring a stronger, more reliable connection. Can also be used with Schluter-DITRA-HEAT-PS, and Schluter-DITRA-HEAT-DUO-PS peel & stick membranes.

1 Quart	PRMPSQT1	Primer		25.75 EA	1 Gallon	PRMPS1	Primer		71.95 EA
---------	----------	--------	--	----------	----------	--------	--------	--	----------

**DITRA-DRAIN**

A drainage membrane designed for use within thin-bed ceramic and stone tile assemblies in exterior applications. It consists of a studded polyethylene sheet with a laminated polypropylene filter fabric. DITRA-DRAIN provides uncoupling and drainage for use in a variety of exterior applications, including exterior floors, patios, walkways and balconies.

5/32"x3' 3"x33'	DITRA-DRAIN10M	(108 SF/Roll)		429.00 EA	5/32"x3' 3"x82'	DITRA-DRAIN25M	(269 SF/Roll)		1,004.70 EA
3-1/2" x 16' 5"	STUVKB90/5M			66.55 EA	3-1/2" x 98' 5"	STUVKB90/30M			351.55 EA

**KERDI**

A pliable sheet-applied waterproofing membrane and vapor retarder that guarantees uniform thickness. It is covered with an anchoring fleece on both sides to anchor the membrane in thin-set mortar.

3' 3" x 16' 5"	KERDI200/5M	(54 SF/Roll)	<b>Stock</b>	164.20 ROLL	3' 3" x 98' 5"	KERDI200	(323 SF/Roll)	<b>Stock</b>	859.30 ROLL
3' 3" x 23'	KERDI200/7M	(75 SF/Roll)		224.90 ROLL	6' 7" x 49' 2-1/2"	KERDI200200/15M	(323 SF/Roll)		859.15 ROLL
3' 3" x 33'	KERDI200/10M	(108 SF/Roll)	<b>Stock</b>	318.85 ROLL	6' 7" x 98' 5"	KERDI200200	(646 SF/Roll)		1,646.20 ROLL
3' 3" x 65' 7"	KERDI200/20M	(214 SF/Roll)		609.40 ROLL					
	TRL-KER			KERDI Trowel - 1/8" x 1/8" Square-Notched				a	

Note: a) Schluter Trowels are listed on the Tools Price List under Trowels.

**KERDI-BAND**

A waterproofing strip used to seal butt joints and floor/wall connections with the KERDI, DITRA and DITRA-HEAT membranes, as well as joints, corners and fastener penetrations with the KERDI-BOARD building panels.

5" x 16' 5"	KEBA100/125/5M		<b>Stock</b>	30.45 EA	7-1/4" x 16' 5"	KEBA100/185/5M		<b>Stock</b>	39.90 EA
5" x 33'	KEBA100/125/10M		<b>Stock</b>	57.80 EA	7-1/4" x 98' 5"	KEBA100/185		<b>Stock</b>	197.50 EA
5" x 98' 5"	KEBA100/125		<b>Stock</b>	142.90 EA	10" x 16' 5"	KEBA100/250/5M			49.70 EA
5" x 984' 3"	KEBA100/125/300			1,285.40 EA	10" x 98' 5"	KEBA100/250			254.00 EA

**KERDI-DS**

A bonded waterproofing membrane and vapor retarder with very low water vapor permeance for use in continuous use steam rooms and similar applications. It is 20-mil thick and features additives to produce a water vapor permeance of 0.18 perms.

3' 3" x 98' 5"	KERDI-DS	(323 SF/Roll)							1,165.90 EA
----------------	----------	---------------	--	--	--	--	--	--	-------------

**KERDI-FIX**

A single-component sealing and bonding compound with a silane-modified polymer base. It is odor-neutral, UV- and weather-resistant and contains no solvents. Elastomeric and bonds well to most materials such as wood, stone, concrete, metal, glass and many plastics. Suitable for bonding the KERDI waterproofing membrane and KERDI-BAND to fixed building elements. Also suitable for use as a sealant.

Colors:	Bright White (BW)	Grey (G)							
9.81 Ounce	KERDIFIX--	Cartridge			<b>Stock</b>	a			39.45 EA
100 ml	KERDIFIX100G	Tube - Grey (G)							22.90 EA

Note: a) To complete part number replace hyphens with color code. Example KERDIFIX--, for Grey # is: KERDIFIX/G.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**KERDI-FLEX**

A waterproofing strip with a fleece-free central zone for sealing movement joints.

5" x 16' 5"	FLEX125/5M		57.55	EA	5" x 98' 5"	FLEX125/30		262.45	EA
10" x 16' 5"	FLEX250/5M		93.25	EA	10" x 98' 5"	FLEX250/30		477.60	EA

**KERDI-KERECK-F**

Pre-formed corners made of KERDI for waterproofing inside and outside corners.

KERECK/FI2	Inside Corner, 90°	(2 each per Package)	<b>Stock</b>	23.45	PKG
KERECK135/FI2	Inside Corner, 135°	(2 each per Package)		26.05	PKG
KERECK/FA2	Outside Corner, 90°	(2 each per Package)	<b>Stock</b>	23.45	PKG
KERECK/FI10	Inside Corner, 90°	(10 each per Package)	<b>Stock</b>	111.65	PKG
KERECK135/FI10	Inside Corner, 135°	(10 each per Package)		123.40	PKG
KERECK/FA10	Outside Corner, 90°	(10 each per Package)	<b>Stock</b>	111.65	PKG

**KERDI-KERS**

Pre-formed, seamless corners made of KERDI for waterproofing floor/wall/shower base connections in curbless shower applications where the KERDI-LINE linear drain is installed adjacent to the wall.

3/4"	KERS20L	Left Inside Corner	31.55	EA	1-7/64"	KERS28L	Left Inside Corner	31.55	EA
3/4"	KERS20R	Right Inside Corner	31.55	EA	1-7/64"	KERS28R	Right Inside Corner	31.55	EA

**KERDI-KERS-B**

Preformed, seamless corners for waterproofing 135° angles between triangular shower benches & walls or the tops of curbs in neo-angle shower applications.

KERECK135/FI2	Inside Corner, 135°	(2 each per Package)		26.05	PKG
KERECK135/FI10	Inside Corner, 135°	(10 each per Package)		123.40	PKG
KERSB135KLR	Bench Corner, 135°	(1 Right & 1 Left per Package)		54.85	PKG
KERSB135K5LR	Bench Corner, 135°	(5 Right & 5 Left per Package)		260.25	PKG
KERSB135K	Bench/Neo-Angle Corner Kit		a	80.80	PKG

Note: a) Each package contains 1 Right and 1 Left, 135° Bench Corner, and 2 each 135° Inside corners.

**KERDI-KM**

Prefabricated seals that are designed to seal protrusions through the KERDI or DITRA/DITRA-XL membranes. Designed to be used in conjunction with KERDI-FIX or equivalent sealant to seal around pipes or other similar elements.

7" x 7"	KM5117/22	7/8" Pipe nipple opening diameter		(5 each per Package)	13.65	PKG
---------	-----------	-----------------------------------	--	----------------------	-------	-----

**KERDI-SEAL-MV**

Prefabricated seals with over-molded rubber gaskets that are designed to seal and protect protrusions at the mixing valve.

9.25" Diameter	KMSMV235/114	4-1/2" Mixing valve opening diameter		(1 each per Package)	<b>Stock</b>	13.35	PKG
9.25" Diameter	KMSMV10235/114	4-1/2" Mixing valve opening diameter		(10 each per Package)		120.30	PKG

**KERDI-SEAL-PS**

Prefabricated seals that are designed to seal protrusions through the KERDI or DITRA/DITRA-XL membranes. Feature over-molded rubber gaskets and are used to seal pipe protrusions and protect moisture-sensitive solid backing panels at the mixing valve.

7.30" Diameter	KMS172/12	1/2" Pipe nipple opening diameter		(1 each per Package)	<b>Stock</b>	11.60	PKG
7.30" Diameter	KMS172/20	3/4" Pipe nipple opening diameter		(1 each per Package)	<b>Stock</b>	11.60	PKG
7.30" Diameter	KMS10172/12	1/2" Pipe nipple opening diameter		(10 each per Package)		104.20	PKG
7.30" Diameter	KMS10172/20	3/4" Pipe nipple opening diameter		(10 each per Package)		103.95	PKG

**REMOVABLE FLEECE**

**SCHLUTER-REFLEECE**

Schluter-REFLEECE is a removable fleece used to create temporary floor coverings. Made of recycled PET with a self-adhesive coating on the back, REFLEECE measures 1/32" thick and is suitable for the application of temporary, removable tile and natural stone coverings. REFLEECE is easy to install and can be removed during deconstruction without causing damage to the existing subfloor. An impact sound improvement value up to 9dB was measured (according to DIN EN ISO 10140) for this assembly. Install with the Schluter-KERDI-BOARD-ZSA adhesive tape for connecting REFLEECE at the seams.

3' 3" x 98' 5"	REFL30M	(323 SF/Roll)			863.30	EA
----------------	---------	---------------	--	--	--------	----

Note: See the Schluter Kerdi-Board Price List for the KERDI-BOARD-ZSA adhesive tape pricing.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

SHOWER SYSTEM

**KERDI-DRAIN and KERDI-DRAIN-H**

KERDI-DRAIN and KERDI-DRAIN-H are floor drains with an integrated bonding flange that provides a large contact area for a secure connection to the KERDI waterproofing membrane at the top of the assembly. Both KERDI-DRAIN and KERDI-DRAIN-H are appropriate for both mortar bed and KERDI-SHOWER-T/-TS/-TT shower tray applications. The bonding flange is sloped to simplify installation of the mortar bed. The KERDI-DRAIN flange provides a vertical connection to the drain pipe and is available in ABS or PVC with 2" or 3" outlet, and stainless steel with a 2" or 3" no-hub outlet or 2" threaded outlet. The KERDI-DRAIN-H flange provides a horizontal connection to the drain pipe and is available in ABS or PVC with a 2" outlet. It is ideal for applications where the use of a vertical connection to the drain pipe is not possible or practical. The horizontal outlet allows the positioning of the drain in the desired area regardless of drain pipe location.

KD2FLKABS	ABS Flange with 2" Drain Outlet		a	114.75	EA
KD2FLKPVC	PVC Flange with 2" Drain Outlet	Stock	a	114.75	EA
KDH2FLKABS	ABS Flange with 2" Horizontal Drain Outlet		a	114.75	EA
KDH2FLKPVC	PVC Flange with 2" Horizontal Drain Outlet	Stock	a	114.75	EA
KD2FLKE	Stainless Steel Flange with 2" Drain Outlet (No-hub)		a,b	329.05	EA
KD2FLKETH	Stainless Steel Flange with 2" Drain Outlet (Threaded)		a,b	366.05	EA
KD3FLKABS	ABS Flange with 3" Drain Outlet		a,c	129.70	EA
KD3FLKPVC	PVC Flange with 3" Drain Outlet		a,c	129.70	EA
KD3FLKE	Stainless Steel Flange with 3" Drain Outlet (No-hub)		a,b,c	329.05	EA
KD2FLKABS10	ABS Flange with 2" Drain Outlet	(10 Pack)	d	1,032.70	EA
KD2FLKPVC10	PVC Flange with 2" Drain Outlet	(10 Pack) Stock	d	1,032.70	EA

Notes: KERDI-DRAIN Grates are sold separately.

- a) Includes 4 inside corners, 2 outside corners, 3/4" pipe seal and 4-1/2" mixing valve seal.
- b) Also contains a 3.38 oz. tube of KERDI-FIX.
- c) When using a flange with 3" outlet, a 6" grate is recommended.
- d) Includes 40 inside corners, 20 outside corners, 10 - 3/4" pipe seals and 10 - 4-1/2" mixing valve seals.

**KERDI-DRAIN-F**

KERDI-DRAIN-F is a floor drain specifically designed to allow connections to Schluter-DITRA and DITRA-HEAT uncoupling membranes in floor applications. The drain body is available in polypropylene or stainless steel, each with a laminated Schluter-KERDI collar that ensures a simple connection to the uncoupling membrane on the floor and at wall transitions. KERDI-DRAIN-F features a flat, narrow bonding flange to allow for placement against walls or in corners on floors. It can be combined with virtually any KERDI-DRAIN grate assembly, with the exception of the tileable grate and the 6" square and round grates.

KDF2FL	Polypropylene with 2" NPT Outlet			69.75	EA
KDF2EFL	Stainless Steel with 2" No-Hub Outlet			316.75	EA
KDF2ETHFL	Stainless Steel with 2" Threaded Outlet			352.50	EA

Notes: The grate assembly is sold separately. Includes 1 Vertical height adjustment collar and 1 construction cover.

**KERDI-DRAIN-A**

KERDI-DRAIN-A Adaptor Kits are used to convert traditional clamping ring drains to integrated bonding flange drains when removal of the clamping ring drain is not practical. A stainless steel adaptor ring with an overmolded rubber gasket replaces the clamping ring and is sealed to the existing drain body using KERDI-FIX. The bonding flange then slides into the adaptor ring and seals against the rubber gasket. Adaptor kits are suitable for both mortar bed and KERDI-SHOWER-T/-TS/-TT shower tray applications.

KDAM5FLKABS	Adaptor Kit with Flange, height adjustment collar and 5-1/2" Adaptor Ring		a	114.75	EA
KDA7FLKABS	Adaptor Kit with Flange, lateral adjustment ring and 7-1/2" Adaptor Ring		a	157.35	EA
KDAM5FLKABS10	Adaptor Kit with Flange, height adjustment collar and 5-1/2" Adaptor Ring	(10 Pack)	b	1,032.70	EA

Notes: KERDI-DRAIN Grates are sold separately. a) Includes 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal and 3.38 oz. tube of KERDI-FIX. b) Includes 40 inside corners, 20 outside corners, 10 - 3/4" pipe seals, 10 - 4-1/2" mixing valve seals and 10 - 3.38 oz. tubes of KERDI-FIX. 10-packs are packaged in bulk, not individually boxed.

**KERDI-DRAIN - DRAIN KITS**

Color: Stainless Steel 304 (E)

KD2/ABS/E	ABS flange, 2" Drain Outlet and 4" Square Grate		a	195.75	EA
KD2/PVC/E	PVC flange, 2" Drain Outlet and 4" Square Grate	Stock	a	195.75	EA

**KERDI-DRAIN Adaptor Kit with 5-1/2" Adaptor Ring**

KDAM5ABSE	Residential Adaptor Kit with Standard ABS Flange and 4" Square Grate		b	195.90	EA
-----------	--	--	---	--------	----

Notes: a) Includes height adjustment collar, lateral adjustment ring, 4 inside corners, 2 outside corners, 3/4" pipe seal and 4-1/2" mixing valve seal. b) Includes height adjustment collar, adaptor ring, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal and 3.38 oz. tube of KERDI-FIX.

**KERDI-DRAIN - FLANGES (without Seals and Corners)**

KD2/ABS/FL	Flange, ABS with 2" Drain Outlet			40.10	EA
KD2/PVC/FL	Flange, PVC with 2" Drain Outlet			40.05	EA
KDH2/ABS/FL	Flange, ABS with 2" Horizontal Drain Outlet			40.00	EA
KDH2/PVC/FL	Flange, PVC with 2" Horizontal Drain Outlet			40.05	EA
KD2/E/FL	Flange, Stainless Steel with 2" Drain Outlet (No-hub)		a	270.40	EA
KD2/ETH/FL	Flange, Stainless Steel with 2" Drain Outlet (Threaded)		a	275.45	EA
KD3/ABS/FL	Flange, ABS with 3" Drain Outlet		b	54.95	EA
KD3/PVC/FL	Flange, PVC with 3" Drain Outlet		b	55.05	EA
KD3/E/FL	Flange, Stainless Steel with 3" Drain Outlet (No-hub)		a,b	270.45	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**KERDI-DRAIN - FLANGES (without Seals and Corners) - continued**

KD2/ABS/FL10	Flange, ABS with 2" Drain Outlet	(10 Pack)	360.85	PKG
KD2/PVC/FL10	Flange, PVC with 2" Drain Outlet	(10 Pack) <b>Stock</b>	361.15	PKG
KD2/E/FL10	Flange, Stainless Steel with 2" Drain Outlet (No-hub)	(10 Pack)	2,209.15	PKG

**Notes:** KERDI-DRAIN Grates are sold separately. a) Includes 3.38 oz. tube of KERDI-FIX.  
b) When using a flange with 3" outlet, a 6" grate is recommended.

**KERDI-DRAIN - GRATES**

The classically-inspired KERDI-DRAIN is available with a variety of grate finishes, and accommodates a wide range of tile thicknesses.

*KERDI-DRAIN-STYLE Stainless Steel Grates for use with Flanges with 2" Outlet*

Colors:	Brushed Classic Gold (EBCG)	Brushed Nickel (EBT)	Brushed Vintage Gold (EBVG)			
	KDIF4GRK---D6	Curve Design 4" Square Grate		a,b	208.50	EA
	KDIF4GRK---D5	Floral Design 4" Square Grate		a,b	208.50	EA
	KDIF4GRK---D8	Pure Design 4" Square Grate		a,b	208.50	EA
<b>Color:</b>	Brushed Stainless Steel 304 (EB)					
	KDIF4GRKEBD6	Curve Design 4" Square Grate	<b>Stock</b>	a	132.25	EA
	KDIF4GRKEBD16	Diagonal Design 4" Square Grate		a	190.30	EA
	KDIF4GRKEBD5	Floral Design 4" Square Grate	<b>Stock</b>	a	132.20	EA
	KDIF4GRKEBD21	Parallel Design 4" Square Grate		a	190.30	EA
	KDIF4GRKEBD8	Pure Design 4" Square Grate	<b>Stock</b>	a	132.25	EA
	KDIF4GRKEBD17	Quad Design 4" Square Grate		a	190.30	EA
	KDIF4GRKEBD18	Square Design 4" Square Grate		a	190.30	EA

*KERDI-DRAIN-STYLE TRENDLINE Textured Color-Coated Stainless Steel Grates for use with Flanges with 2" Outlet*

Colors:	Bronze (TSOB)	Greige (TSBG)	Matte White (MBW)			
	Cream (TSC)	Ivory (TSI)	Pewter (TSG)			
	Dark Anthracite (TSDA)	Matte Black (MGS)	Stone Grey (TSSG)			
	KDIF4GRK---D6	Curve Design 4" Square Grate	<b>Stock</b>	a,b,c	208.30	EA
	KDIF4GRK---D16	Diagonal Design 4" Square Grate		a	208.30	EA
	KDIF4GRK---D5	Floral Design 4" Square Grate	<b>Stock</b>	a,b,c	208.30	EA
	KDIF4GRK---D21	Parallel Design 4" Square Grate		a	208.30	EA
	KDIF4GRK---D8	Pure Design 4" Square Grate	<b>Stock</b>	a,b,c	208.30	EA
	KDIF4GRK---D17	Quad Design 4" Square Grate		a	208.30	EA
	KDIF4GRK---D18	Square Design 4" Square Grate		a	208.30	EA

*Stainless Steel Grates for use with Flanges with 2" Outlet*

<b>Color:</b>	Chrome (EP)					
	KD4GRKEP	4" Square Grate (Design 1)	<b>Stock</b>	a	81.20	EA
<b>Colors:</b>	Classic Gold (ECG)	Vintage Gold (EVG)				
	Nickel (ET)					
	KD4GRK--	4" Square Grate (Design 1)	<b>Stock</b>	a,b,d	131.15	EA
<b>Color:</b>	Oil-Rubbed Bronze (EOB)					
	KD4GRKEOB	4" Square Grate (Design 1)	<b>Stock</b>	a	113.95	EA
<b>Color:</b>	Stainless Steel 304 (E)					
	KD4GRKE	4" Square Grate (Design 1)	<b>Stock</b>	a	81.20	EA
	KD4GRKE10	4" Square Grate (Design 1)	(10 Pack) <b>Stock</b>	e	730.80	EA

*Anodized Aluminum Grates for use with Flanges with 2" Outlet*

Colors:	Brushed Brass Anodized Aluminum (AMGB)	Brushed Nickel Anodized Aluminum (ATGB)				
	Brushed Copper Anodized Aluminum (AKGB)					
	KD4GRK---	4" Square Grate (Design 2)	<b>Stock</b>	a,b,f	113.95	EA

*Tileable Grate for use with Flanges with 2" Outlet*

	KD4GRKECS	4" Square Tileable Grate	<b>Stock</b>	g	81.25	EA
--	-----------	--------------------------	--------------	---	-------	----

*Stainless Steel Grates for use with Flanges with 2" or 3" Outlet*

<b>Color:</b>	Stainless Steel 304 (E)					
	KD6GRKE	6" Square Grate		h	109.00	EA
	KD-GR6C-E	6" Square Clean Out Cover			219.85	EA
	KD6GRKRE	6" Round Grate		h	109.00	EA

- Notes:** a) Includes grate, frame, height adjustment collar and lateral adjustment ring.  
b) To complete part number replace hyphens with color code. Example KDIF4GRK---D6, for Brushed Classic Gold # is: KDIF4GRKEBCGD6.  
c) Stocked in color Matte Black (MGS) only. d) Stocked in color Classic Gold (ECG) and Nickel (ET) only.  
e) Includes 10 - grates, 10 - frames, 10 - height adjustment collars and 10 - lateral adjustment rings.  
f) Stocked in colors Brushed Brass Anodized Aluminum (AMGB) and Brushed Nickel Anodized Aluminum (ATGB) only.  
g) Includes tileable covering support, spacer and lateral adjustment ring. h) Includes grate and frame with integrated height adjustment collar and lateral adjustment ring.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**KERDI-DRAIN - TAMPER PROOF SCREWS**

Designed as a high security accessory for the KERDI-DRAIN. Ideal for loss prevention and anti-theft, these tamper proof screws are used in environments where tamper resistance is desired or required (e.g., healthcare or education facilities, etc.). Phillips head screws are included with the KERDI-DRAIN. The tamper-proof screws as well as the driver bit must be purchased separately.

KD/TPSCRW	Tamper Proof Screw	3.85	EA
KD/TPWRCH	Driver Bit	18.60	EA

**KERDI-DRAIN - STRAINER**

The KERDI-DRAIN Strainer is a hair catcher customized to fit inside the KERDI-DRAIN flange to trap and collect hair. Simple to remove and clean, the hair catcher fits discreetly into the drain to prevent hair clogs that can lead to blocked pipes.

KD-STR	Strainer	Stock	4.30	EA
--------	----------	-------	------	----

**KERDI-SHOWER-CB**

KERDI-SHOWER-CB is a height compensation board made of lightweight expanded polystyrene. Two versions are available: • The 1"-thick compensation board is used to accommodate the adaptor ring height when installing the KERDI-DRAIN-A adaptor in conjunction with the KERDI-SHOWER-T/T/TT shower trays. • The 3-1/2"-thick compensation board is used to accommodate the drain body and waste pipe height, when installing the KERDI-DRAIN-H in conjunction with the KERDI-SHOWER-T/T/TT shower trays.

48" x 24" x 1"	KSCB256101220	Compensation Board 48" x 24" x 1"	a	34.70	EA
48" x 24" x 3-1/2"	KSCB906101220	Compensation Board 48" x 24" x 3-1/2"		139.45	EA

Note: a) Sold in bundles of 6 Each/Bundle. Please order in multiples of the bundle quantity.

**KERDI-LINE**

A low profile linear floor drain specifically designed for bonded waterproofing assemblies. KERDI-LINE can be installed adjacent to walls or at intermediate locations in showers, wet rooms, and other applications that require waterproofing and drainage. The floor can be sloped on a single plane to KERDI-LINE, which enables the use of large-format tiles and creates interesting design opportunities. The KERDI-LINE channel body is made of formed stainless steel and features a collar made of KERDI for a secure waterproof connection. The grate assembly is available in six design options: A - closed-design, B - perforated, D - frameless, tileable covering support, E - Floral, F - Curve and G - Pure. If KERDI-LINE is placed at shower entrance it is recommended that grate assembly A or D is chosen and that the drainage openings span the maximum width of the entrance to limit potential overflow; secondary drainage (e.g., KERDI-DRAIN) may be required in the drying area. Grate and frame assemblies A and B are available in brushed stainless steel or stainless steel with chrome finish, and can be adjusted for use with tile coverings from 1/8" to 1" thick. The tileable covering support can accommodate any thickness of tile covering. Grate and frame assemblies E, F and G (KERDI-LINE-STYLE) are available in brushed stainless steel and can accommodate tile coverings from 1/4" to 11/16" thick.

Color: Stainless Steel 304 (E)

Channel Body w/Center Drain Outlet (The bonding flange extends 7/8" beyond the channel on all sides.)

Length: 20"	KL1V60E50	464.80	EA	Length: 48"	KL1V60E120	Stock	603.45	EA	
Length: 24"	KL1V60E60	479.60	EA	Length: 52"	KL1V60E130		731.20	EA	
Length: 28"	KL1V60E70	520.90	EA	Length: 56"	KL1V60E140	Stock	749.75	EA	
Length: 32"	KL1V60E80	526.00	EA	Length: 60"	KL1V60E150	Stock	767.80	EA	
Length: 36"	KL1V60E90	Stock	549.35	EA	Length: 64"	KL1V60E160		782.75	EA
Length: 40"	KL1V60E100		564.80	EA	Length: 68"	KL1V60E170		795.00	EA
Length: 44"	KL1V60E110		576.60	EA	Length: 72"	KL1V60E180	Stock	808.80	EA

Channel Body w/Off-Set Drain Outlet (The bonding flange extends 7/8" beyond the channel on all sides.)

Length: 28"	KL1V060E70	527.30	EA	Length: 40"	KL1V060E100		592.85	EA
Length: 32"	KL1V060E80	532.45	EA	Length: 44"	KL1V060E110		616.90	EA
Length: 36"	KL1V060E90	556.85	EA	Length: 48"	KL1V060E120		646.20	EA

Note: Includes channel body, channel support, no-hub coupling, 4 inside corners, 2 outside corners, 3/4" pipe seal and 4-1/2" mixing valve seal.

Color: Brushed Stainless Steel 304 (EB)

Grate Assembly - Closed Design (A) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1AR19EB50	431.95	EA	Length: 48"	KL1AR19EB120		549.45	EA
Length: 24"	KL1AR19EB60	444.40	EA	Length: 52"	KL1AR19EB130		716.20	EA
Length: 28"	KL1AR19EB70	462.65	EA	Length: 56"	KL1AR19EB140		752.10	EA
Length: 32"	KL1AR19EB80	474.60	EA	Length: 60"	KL1AR19EB150		791.45	EA
Length: 36"	KL1AR19EB90	496.90	EA	Length: 64"	KL1AR19EB160		842.65	EA
Length: 40"	KL1AR19EB100	526.70	EA	Length: 68"	KL1AR19EB170		878.55	EA
Length: 44"	KL1AR19EB110	539.70	EA	Length: 72"	KL1AR19EB180		928.85	EA

Grate Assembly - Closed Design (A) - 1-1/8" frame height for 1/2" to 1" thick coverings

Length: 20"	KL1AR30EB50	444.40	EA	Length: 36"	KL1AR30EB90		520.95	EA
Length: 24"	KL1AR30EB60	459.60	EA	Length: 40"	KL1AR30EB100		553.40	EA
Length: 28"	KL1AR30EB70	480.60	EA	Length: 44"	KL1AR30EB110		568.05	EA
Length: 32"	KL1AR30EB80	494.40	EA	Length: 48"	KL1AR30EB120		577.80	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**KERDI-LINE - continued**

Color: Brushed Stainless Steel 304 (EB)

Grate Assembly - Perforated Design (B) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1B19EB50		393.10	EA	Length: 48"	KL1B19EB120	Stock	493.10	EA
Length: 24"	KL1B19EB60		400.65	EA	Length: 52"	KL1B19EB130		716.15	EA
Length: 28"	KL1B19EB70		422.80	EA	Length: 56"	KL1B19EB140	Stock	752.05	EA
Length: 32"	KL1B19EB80		430.55	EA	Length: 60"	KL1B19EB150	Stock	791.45	EA
Length: 36"	KL1B19EB90	Stock	453.95	EA	Length: 64"	KL1B19EB160		842.65	EA
Length: 40"	KL1B19EB100		467.15	EA	Length: 68"	KL1B19EB170		878.50	EA
Length: 44"	KL1B19EB110		483.85	EA	Length: 72"	KL1B19EB180	Stock	928.80	EA

Grate Assembly - Perforated Design (B) - 1-1/8" frame height for 1/2" to 1" thick coverings

Length: 20"	KL1B30EB50		404.45	EA	Length: 36"	KL1B30EB90		475.90	EA
Length: 24"	KL1B30EB60		414.45	EA	Length: 40"	KL1B30EB100		490.85	EA
Length: 28"	KL1B30EB70		439.25	EA	Length: 44"	KL1B30EB110		509.30	EA
Length: 32"	KL1B30EB80		448.45	EA	Length: 48"	KL1B30EB120		518.50	EA

Color: Chrome (EP)

Grate Assembly - Closed Design (A) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1AR19EP50		475.10	EA	Length: 36"	KL1AR19EP90		546.55	EA
Length: 24"	KL1AR19EP60		488.75	EA	Length: 40"	KL1AR19EP100		579.30	EA
Length: 28"	KL1AR19EP70		508.85	EA	Length: 44"	KL1AR19EP110		593.55	EA
Length: 32"	KL1AR19EP80		522.00	EA	Length: 48"	KL1AR19EP120		604.30	EA

Grate Assembly - Perforated Design (B) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1B19EP50		432.40	EA	Length: 36"	KL1B19EP90		499.25	EA
Length: 24"	KL1B19EP60		440.65	EA	Length: 40"	KL1B19EP100		513.80	EA
Length: 28"	KL1B19EP70		465.05	EA	Length: 44"	KL1B19EP110		532.15	EA
Length: 32"	KL1B19EP80		473.50	EA	Length: 48"	KL1B19EP120		542.30	EA

Covering Support - Frameless Tileable Design (D) for use with Center Outlet Channel Body

Length: 20"	KL1DRE50	a	200.45	EA	Length: 48"	KL1DRE120	a	293.25	EA
Length: 24"	KL1DRE60	a	210.15	EA	Length: 52"	KL1DRE130	a	353.50	EA
Length: 28"	KL1DRE70	a	219.85	EA	Length: 56"	KL1DRE140	a	356.55	EA
Length: 32"	KL1DRE80	a	229.65	EA	Length: 60"	KL1DRE150	a	360.20	EA
Length: 36"	KL1DRE90	a	246.25	EA	Length: 64"	KL1DRE160	a	395.70	EA
Length: 40"	KL1DRE100	a	273.90	EA	Length: 68"	KL1DRE170	a	399.60	EA
Length: 44"	KL1DRE110	a	283.55	EA	Length: 72"	KL1DRE180	a	402.90	EA

Covering Support - Frameless Tileable Design (D) for use with Off-Set Outlet Channel Body

Length: 28"	KL1DROE70	a	219.90	EA	Length: 40"	KL1DROE100	a	273.90	EA
Length: 32"	KL1DROE80	a	229.65	EA	Length: 44"	KL1DROE110	a	283.55	EA
Length: 36"	KL1DROE90	a	246.25	EA	Length: 48"	KL1DROE120	a	293.25	EA

**KERDI-LINE SOLID Grates in TRENDLINE**

Colors: Bronze (TSOB) Greige (TSBG) Stone Grey (TSSG)  
 Cream (TSC) Ivory (TSI)  
 Dark Anthracite (TSDA) Pewter (TSG)

Grate Assembly - Closed Design (A) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1AR19----50	b	514.80	EA	Length: 48"	KL1AR19----120	b	654.85	EA
Length: 24"	KL1AR19----60	b	529.65	EA	Length: 52"	KL1AR19----130	b	853.60	EA
Length: 28"	KL1AR19----70	b	551.40	EA	Length: 56"	KL1AR19----140	b	896.35	EA
Length: 32"	KL1AR19----80	b	565.65	EA	Length: 60"	KL1AR19----150	b	943.30	EA
Length: 36"	KL1AR19----90	b	592.25	EA	Length: 64"	KL1AR19----160	b	1,004.30	EA
Length: 40"	KL1AR19----100	b	627.75	EA	Length: 68"	KL1AR19----170	b	1,047.05	EA
Length: 44"	KL1AR19----110	b	643.15	EA	Length: 72"	KL1AR19----180	b	1,107.05	EA

Grate Assembly - Perforated Design (B) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1B19----50	b	468.55	EA	Length: 48"	KL1B19----120	b	587.65	EA
Length: 24"	KL1B19----60	b	477.55	EA	Length: 52"	KL1B19----130	b	853.55	EA
Length: 28"	KL1B19----70	b	503.90	EA	Length: 56"	KL1B19----140	b	896.35	EA
Length: 32"	KL1B19----80	b	513.10	EA	Length: 60"	KL1B19----150	b	943.30	EA
Length: 36"	KL1B19----90	b	541.05	EA	Length: 64"	KL1B19----160	b	1,004.30	EA
Length: 40"	KL1B19----100	b	556.75	EA	Length: 68"	KL1B19----170	b	1,047.05	EA
Length: 44"	KL1B19----110	b	576.65	EA	Length: 72"	KL1B19----180	b	1,107.00	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**KERDI-LINE - continued**

Colors: Matte Black (MGS)      Matte White (MBW)

*Grate Assembly - Closed Design (A) - 3/4" frame height for 1/8" to 9/16" thick coverings*

Length: 20"	KL1AR19---50	b	499.85	EA	Length: 48"	KL1AR19---120	b	635.80	EA
Length: 24"	KL1AR19---60	b	514.20	EA	Length: 52"	KL1AR19---130	b	828.75	EA
Length: 28"	KL1AR19---70	b	535.35	EA	Length: 56"	KL1AR19---140	b	870.25	EA
Length: 32"	KL1AR19---80	b	549.20	EA	Length: 60"	KL1AR19---150	b	915.85	EA
Length: 36"	KL1AR19---90	b	575.00	EA	Length: 64"	KL1AR19---160	b	975.10	EA
Length: 40"	KL1AR19---100	b	609.45	EA	Length: 68"	KL1AR19---170	b	1,016.60	EA
Length: 44"	KL1AR19---110	b	624.45	EA	Length: 72"	KL1AR19---180	b	1,074.80	EA

*Grate Assembly - Perforated Design (B) - 3/4" frame height for 1/8" to 9/16" thick coverings*

Length: 20"	KL1B19---50	b	454.90	EA	Length: 48"	KL1B19---120	b	570.55	EA
Length: 24"	KL1B19---60	b	463.65	EA	Length: 52"	KL1B19---130	b	828.75	EA
Length: 28"	KL1B19---70	b	489.25	EA	Length: 56"	KL1B19---140	b	870.25	EA
Length: 32"	KL1B19---80	b	498.15	EA	Length: 60"	KL1B19---150	b	915.85	EA
Length: 36"	KL1B19---90	b	525.30	EA	Length: 64"	KL1B19---160	b	975.05	EA
Length: 40"	KL1B19---100	b	540.55	EA	Length: 68"	KL1B19---170	b	1,016.55	EA
Length: 44"	KL1B19---110	b	559.90	EA	Length: 72"	KL1B19---180	b	1,074.80	EA

Color: Brushed Stainless Steel 304 (EB)

*Grate Assembly - Perforated Design (B) w/Locking Mechanism - 3/4" frame height for 1/8" to 9/16" thick coverings*

Length: 20"	KL1BL19EB50	c	435.00	EA	Length: 48"	KL1BL19EB120	c	527.10	EA
Length: 24"	KL1BL19EB60	c	440.70	EA	Length: 52"	KL1BL19EB130	c	772.15	EA
Length: 28"	KL1BL19EB70	c	462.15	EA	Length: 56"	KL1BL19EB140	c	808.05	EA
Length: 32"	KL1BL19EB80	c	468.55	EA	Length: 60"	KL1BL19EB150	c	847.40	EA
Length: 36"	KL1BL19EB90	c	493.50	EA	Length: 64"	KL1BL19EB160	c	898.55	EA
Length: 40"	KL1BL19EB100	c	503.35	EA	Length: 68"	KL1BL19EB170	c	934.40	EA
Length: 44"	KL1BL19EB110	c	520.25	EA	Length: 72"	KL1BL19EB180	c	984.70	EA

Notes: Includes grate and grate frame with height adjustment spacers (not included with frameless tileable grate).

a) A Stainless Steel Plate with Schluter KERDI laminated on the surface to allow for bonding of ceramic or stone tile, and is used without a frame.

b) To complete part number replace hyphens with color code. Example KL1AR19---50, for Matte White (MBW) # is: KL1AR19MBW50.

c) Driver Bit for tamper-proof screws sold separately. Please see page 42.

**KERDI-LINE-STYLE**

These shower drain grates feature brand new designs that fit into a virtually invisible frame, resulting in a stylish and truly seamless look for shower floors. Features solid stainless steel with elegant brushed finish, thin discreet frame and adjustable to fit all common tile thicknesses.

Color: Brushed Stainless Steel 304 (EB)

*Grate Assembly - Curve Design - 29/32" frame height for 1/4" to 11/16" thick coverings*

Length: 20"	KL1IFF23EB50	447.45	EA	Length: 36"	KL1IFF23EB90	535.45	EA
Length: 24"	KL1IFF23EB60	465.05	EA	Length: 40"	KL1IFF23EB100	561.80	EA
Length: 28"	KL1IFF23EB70	482.70	EA	Length: 44"	KL1IFF23EB110	588.20	EA
Length: 32"	KL1IFF23EB80	509.05	EA	Length: 48"	KL1IFF23EB120	614.60	EA

*Grate Assembly - Floral Design - 29/32" frame height for 1/4" to 11/16" thick coverings*

Length: 20"	KL1IFE23EB50	464.90	EA	Length: 36"	KL1IFE23EB90	570.35	EA
Length: 24"	KL1IFE23EB60	482.50	EA	Length: 40"	KL1IFE23EB100	605.50	EA
Length: 28"	KL1IFE23EB70	500.10	EA	Length: 44"	KL1IFE23EB110	640.60	EA
Length: 32"	KL1IFE23EB80	535.25	EA	Length: 48"	KL1IFE23EB120	675.75	EA

*Grate Assembly - Pure Design - 29/32" frame height for 1/4" to 11/16" thick coverings*

Length: 20"	KL1IFG23EB50	500.00	EA	Length: 36"	KL1IFG23EB90	587.95	EA
Length: 24"	KL1IFG23EB60	517.60	EA	Length: 40"	KL1IFG23EB100	614.35	EA
Length: 28"	KL1IFG23EB70	539.60	EA	Length: 44"	KL1IFG23EB110	649.45	EA
Length: 32"	KL1IFG23EB80	561.55	EA	Length: 48"	KL1IFG23EB120	684.55	EA

Notes: Includes grate and grate frame with height adjustment spacers (not included with frameless tileable grate). KERDI-LINE Channel Body sold separately.

Product Code 'I'

Stock	Note	Sugg. List	U/M	Stock	Note	Sugg. List	U/M
-------	------	------------	-----	-------	------	------------	-----

**KERDI-LINE-TF**

KERDI-LINE-TF combines minimalist style with functional protection. Its thin stainless steel frames protect the tile edges around the grate opening and surrounding tile. Creates a defined boundary that helps maintain clean, consistent grout lines - ideal for mosaics or small-format tiles. Allows the grate to be removed and reinserted easily without disturbing the surrounding tiles or grout. Best suited for areas where the drain is surrounded by tile on all sides, rather than positioned flush against a wall.

*Color:* Stainless Steel 304 (E)

*Grate Assembly - Tile w/within frame - 1/4" frame height for 13/64" to 9/32" thick coverings*

Length: 20"	KLTFH6E50	338.75 EA	Length: 36"	KLTFH6E90	379.50 EA
Length: 24"	KLTFH6E60	348.95 EA	Length: 40"	KLTFH6E100	389.70 EA
Length: 28"	KLTFH6E70	359.10 EA	Length: 44"	KLTFH6E110	399.85 EA
Length: 32"	KLTFH6E80	369.30 EA	Length: 48"	KLTFH6E120	410.05 EA

*Grate Assembly - Tile w/within frame - 1/2" frame height for 9/32" to 15/32" thick coverings*

Length: 20"	KLTFH12E50	345.55 EA	Length: 36"	KLTFH12E90	386.35 EA
Length: 24"	KLTFH12E60	355.75 EA	Length: 40"	KLTFH12E100	396.55 EA
Length: 28"	KLTFH12E70	365.95 EA	Length: 44"	KLTFH12E110	406.75 EA
Length: 32"	KLTFH12E80	376.15 EA	Length: 48"	KLTFH12E120	416.90 EA

*Grate Assembly - Tile w/within frame - 7/8" frame height for 5/8" to 25/32" thick coverings*

Length: 20"	KLTFH22E50	352.45 EA	Length: 36"	KLTFH22E90	393.25 EA
Length: 24"	KLTFH22E60	362.65 EA	Length: 40"	KLTFH22E100	403.45 EA
Length: 28"	KLTFH22E70	372.85 EA	Length: 44"	KLTFH22E110	413.65 EA
Length: 32"	KLTFH22E80	383.05 EA	Length: 48"	KLTFH22E120	423.85 EA

*Notes:* Includes tileable covering support, frame and grate removal tool.

**KERDI-LINE-A**

KERDI-LINE-A is an adaptor kit designed to convert a traditional clamping ring drain to a KERDI-LINE linear drain when removal of the clamping ring drain is not practical (e.g., when it is set in concrete slabs). The stainless steel adaptor ring features an over-molded rubber gasket and a variety of perforated hole patterns that align with most common clamping ring shower drains. The adaptor ring replaces the clamping ring and is attached to the drain body using the clamping ring bolts. This connection is made watertight via the rubber gasket and KERDI-FIX adhesive/sealant that is included. The KERDI-LINE channel body outlet slides into the adaptor ring, with a tight fit to the over-molded rubber gasket, ensuring a watertight seal. The KERDI-LINE-A adaptor kit is suitable for both mortarbed and KERDI-SHOWER-LT/LTS shower tray applications.

5-1/2"	KLAM5K	Linear Drain Adaptor Kit		58.00 EA
5-1/2"	KLAM5K10	Linear Drain Adaptor Kit	(10 Pack)	a 521.45 EA

*Note:* 10-packs are packaged in bulk, not individually boxed.

**KERDI-LINE-FC**

A stainless steel cover plate for use with the Schluter-KERDI-LINE linear floor drain to create a seamless look in applications where multiple drains are installed end to end.

KERDI-LINE-FC is designed for use with either the solid or perforated grates.

*Color:* Brushed Stainless Steel 304 (EB)

Width: 1-3/8"	V/KLEB35	Cover Plate		23.35 EA
---------------	----------	-------------	--	----------

*Color:* Chrome (EP)

Width: 1-3/8"	V/KLEP35	Cover Plate		23.35 EA
---------------	----------	-------------	--	----------

*KERDI-LINE-FC Cover Plate in TRENDLINE*

<i>Colors:</i> Bronze (TSOB)	Greige (TSBG)	Stone Grey (TSSG)
Cream (TSC)	Ivory (TSI)	
Dark Anthracite (TSDA)	Pewter (TSG)	

Width: 1-3/8"	V/KL---35	Cover Plate		27.75 EA
---------------	-----------	-------------	--	----------

*Color:* Matte Black (MGS) Matte White (MBW)

Width: 1-3/8"	V/KL---35	Cover Plate		26.90 EA
---------------	-----------	-------------	--	----------

*Note:* To complete part number replace hyphens with color code. Example V/KL---35, for Bronze (TSOB) # is: V/KLTSOB35.

**KERDI-LINE STRAINER**

The KERDI-LINE Strainer is a hair catcher customized to fit inside the KERDI-LINE channel body to trap and collect hair. Simple to remove and clean, the hair catcher fits discreetly into the drain to prevent hair clogs that can lead to blocked pipes.

KLVZSF	Strainer			4.30 EA
--------	----------	--	--	---------

**KERDI-LINE-VARIO**

The KERDI-LINE-VARIO grate and channel are made of formed stainless steel and are designed to be trimmed to length to ensure a perfect fit in custom applications. The channel features a drainage opening cut in the center that can be positioned anywhere within the overall trimmed length of the channel to avoid obstacles encountered during construction (e.g., floor joists). This allows for increased flexibility in the placement of the flange within the shower.

*Grate & Channel Kit - Brushed Stainless Steel, 1-11/16" Wide*

Length: 48"	KLVRID5EB122	w/ Floral Design Grate	a	322.45 EA
Length: 48"	KLVRID13EB122	w/ Herringbone Design Grate	a	322.45 EA
Length: 48"	KLVRID14EB122	w/ Slant Design Grate	a	322.45 EA
Length: 48"	KLVRID3EB122	w/ Square Design Grate	a	338.30 EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**KERDI-LINE-VARIO - continued**

*Grate & Channel Kit - Brushed Stainless Steel, 1-11/16" Wide*

Length: 96"	KLVRID5EB244	w/ Floral Design Grate		a	607.15	EA
Length: 96"	KLVRID13EB244	w/ Herringbone Design Grate		a	607.15	EA
Length: 96"	KLVRID14EB244	w/ Slant Design Grate		a	607.15	EA
Length: 96"	KLVRID3EB244	w/ Square Design Grate		a	618.65	EA

*Grate & Channel Kit - TRENDLINE Textured Color-Coated Stainless Steel*

Colors:	Bronze (TSOB)	Greige (TSBG)	Matte White (MBW)
	Cream (TSC)	Ivory (TSI)	Pewter (TSG)
	Dark Anthracite (TSDA)	Matte Black (MGS)	Stone Grey (TSSG)
Length: 48"	KLVRID5----122	w/ Floral Design Grate	b 425.30 EA
Length: 48"	KLVRID13----122	w/ Herringbone Design Grate	b 425.25 EA
Length: 48"	KLVRID14----122	w/ Slant Design Grate	b 425.30 EA
Length: 48"	KLVRID3----122	w/ Square Design Grate	b 425.30 EA
Length: 96"	KLVRID5----244	w/ Floral Design Grate	b 747.55 EA
Length: 96"	KLVRID13----244	w/ Herringbone Design Grate	b 747.50 EA
Length: 96"	KLVRID14----244	w/ Slant Design Grate	b 747.50 EA
Length: 96"	KLVRID3----244	w/ Square Design Grate	b 747.50 EA
	KLVR2FLK	Flange Kit, Polypropylene Drain Body with 2" Drain Outlet (Threaded)	c 158.55 EA
	KLV-STR1	Strainer	7.10 EA
	KLVRGG/2	Grate Guards (Pack of 2 Each)	3.75 PKG

- Notes:**
- a) The shortest allowable length to cut the channel and grate is 10" and the minimum recommended tile thickness to use with the KERDI-LINE-VARIO channel is 3/8". The kit includes the grate, channel and 2 end caps.
  - b) To complete part number replace hyphens with color code. Example KLVRID5----122, for Bronze (TSOB) # is: KLVRID5TSOB122.
  - c) The KERDI-LINE-VARIO flange is suitable for use with KERDI-SHOWER-LT/LTS prefabricated shower trays as well as in mortar bed applications. Includes construction cover, downspout, polypropylene flange w/integrated KERDI collar, ABS and PVC coupling, flange support, waterproofing corners (4 inside, 2 outside), 3/4" pipe seal, 4-1/2" mixing valve seal, cleaning brush and grate removal tool.

**PREFABRICATED SUBSTRATES**

**KERDI-SHOWER-LT/LTS**

Polystyrene sloped trays with integrated Schluter-KERDI waterproofing. These prefabricated shower trays are designed to integrate with the Schluter-KERDI-LINE.

*KERDI-SHOWER-LT - Tray with Center Linear Drain Placement*

39" x 39"	KSLT1000	282.70 EA	55" x 55"	KSLT1395	475.40 EA
48" x 48"	KSLT1220	377.15 EA			

*KERDI-SHOWER-LTS - Tray with Perimeter Linear Drain Placement*

39" x 39"	KSLT1000S	283.35 EA	36" x 72"	KSLT915/1830S	Stock 444.60 EA
48" x 48"	KSLT1220S	Stock 377.55 EA	38" x 76"	KSLT965/1930S	491.15 EA
55" x 55"	KSLT1395S	Stock 475.95 EA	76" x 38"	KSLT1930/965S	490.40 EA
36" x 55"	KSLT915/1395S	331.65 EA			

**KERDI-SHOWER-TI-TS-TT**

Sloped shower trays with integrated KERDI waterproofing. The trays are made of lightweight, expanded polystyrene (PS 40) for constructing mortar-free shower bases. Each of these prefabricated shower trays is designed to integrate with the Schluter-KERDI-DRAIN.

*KERDI-SHOWER-T - Standard Tray with Center Drain Placement*

38" x 60"	KST965/1525	Stock 189.45 EA	60" x 60"	KST1525	Stock 369.65 EA
48" x 60"	KST1220/1525	Stock 281.40 EA	72" x 72"	KST1830	Stock 402.40 EA
48" x 72"	KST1220/1830	Stock 302.00 EA			

*KERDI-SHOWER-TS - Standard Tray with Off-Center Drain Placement*

38" x 60" OC	KST965/1525S	Stock 190.15 EA
--------------	--------------	-----------------

*KERDI-SHOWER-TT - Features a thin perimeter height that simplifies the construction of curbless showers. Tray with Center Drain Placement*

32" x 38"	KST965/810BF	a 184.80 EA	38" x 38"	KST965BF	Stock a 157.05 EA
36" x 36"	KST915BF	b 141.30 EA	36" x 48"	KST915/1220BF	Stock d 217.50 EA
38" x 38" Neo-Angle	KST965NA/BF	c 193.15 EA	48" x 48"	KST1220BF	Stock d 173.40 EA

- Notes:**
- a) 29/32" Perimeter Height.
  - b) 7/8" Perimeter Height.
  - c) 1-1/32" Perimeter Height. Includes 2 Kerdi-Kereck 135° Inside Corners.
  - d) 1" Perimeter Height.

**KERDI-SHOWER-R**

A lightweight, expanded polystyrene shower ramp with integrated Schluter-KERDI waterproofing designed to facilitate the construction of access ramps for tiled showers. The ramp integrates with the Schluter-Shower System to create accessible, curbless showers and adheres to the ADA's slope ratio.

48" x 12"	KSR305/1220	Shower Ramp	Stock 143.25 EA
-----------	-------------	-------------	-----------------

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**KERDI-SHOWER KITS**

**KERDI-SHOWER-KIT**

An all-inclusive package containing each of the integrated family of components required to create a maintenance-free, watertight shower assembly without a mortar bed.

*Complete Shower Kits with KERDI-DRAIN Stainless Steel 304 (E) grate*

48" x 48"	KSK1220ABSE		a	813.40	EA	38" x 60"	KSK9651525PVCE		b	882.05	EA
48" x 48"	KSK1220PVCE		a	813.40	EA	38" x 60" OC	KSK9651525SABSE		b	882.05	EA
38" x 60"	KSK9651525ABSE		b	882.05	EA	38" x 60" OC	KSK9651525SPVCE		b	882.05	EA

*Shower Kits without the KERDI-DRAIN grate (SOLD SEPARATELY)*

48" x 48"	KSK1220ABS		c	739.55	EA	38" x 60" OC	KSK9651525SPVC	<b>Stock</b>	d	808.60	EA
48" x 48"	KSK1220PVC	<b>Stock</b>	c	739.55	EA	48" x 72"	KSK12201830ABS		e	1,087.05	EA
38" x 60"	KSK9651525ABS		d	808.60	EA	48" x 72"	KSK12201830PVC	<b>Stock</b>	e	1,087.05	EA
38" x 60"	KSK9651525PVC	<b>Stock</b>	d	808.60	EA	72" x 72"	KSK1830ABS		f	1,268.45	EA
38" x 60" OC	KSK9651525SABS		d	808.60	EA	72" x 72"	KSK1830PVC	<b>Stock</b>	f	1,268.45	EA

*Shower Kits without the KERDI-DRAIN grate and flange (SOLD SEPARATELY)*

48" x 48"	KSK1220		g	625.15	EA	48" x 72"	KSK12201830		i	973.50	EA
38" x 60"	KSK9651525	<b>Stock</b>	h	694.05	EA	72" x 72"	KSK1830		j	1,154.25	EA
38" x 60" OC	KSK9651525S	<b>Stock</b>	h	694.05	EA						

- Notes:**
- a) Kit includes shower tray, 48" x 6" x 4-1/2" shower curb, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet and stainless steel grate, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - b) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet and stainless steel grate, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - c) Kit includes shower tray, 48" x 6" x 4-1/2" shower curb, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - d) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - e) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 39' 4" waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - f) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 16' 5" waterproofing membrane roll, 3' 3" x 33' waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - g) Kit includes shower tray, 48" x 6" x 4-1/2" shower curb, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll.
  - h) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll.
  - i) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 39' 4" waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls.
  - j) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 16' 5" waterproofing membrane roll, 3' 3" x 33' waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls.

**KERDI-TUBKIT**

KERDI-TUBKIT contains all the components necessary to create a fully waterproof and vapor tight bathtub surround assembly.

75 SF Coverage	KKB7									342.65	EA
----------------	------	--	--	--	--	--	--	--	--	--------	----

**Note:** Kit includes 1 each: KERDI 7M 3' 3" x 23' Waterproofing membrane roll, KERDI-BAND 5" x 16' 5" Waterproofing strip roll, KERDI-SEAL-PS 3/4" Pipe seal, KERDI-SEAL-MV 4-1/2" Mixing valve seal & KERDI-FIX Bright White sealing and bonding compound.

**KERDI-SHOWER ACCESSORIES**

Accessories are used to enhance tiled shower applications, providing shelving, splashguards at the entrances to curbless showers, support channels for glass walls, and wall finishing that eliminates the need to cut wedges of tile in KERDI-LINE applications.

**SHELF-E**

A brushed stainless steel corner shelf designed for tiled walls. Available in 3 shapes and in the Floral and Curve STYLE designs, the shelf features 3/32" thick anchoring tabs which allow for easy installation either in tandem with the tile, or as a retrofit application.

**Color:** Brushed Stainless Steel 304 (EB)

SES2D6EB	Curve Design Pentagonal Corner Shelf	145.40	EA
SES3D6EB	Curve Design Quadrilateral Corner Shelf	197.30	EA
SES1D6EB	Curve Design Triangular Corner Shelf	145.35	EA
SES2D5EB	Floral Design Pentagonal Corner Shelf	151.50	EA
SES3D5EB	Floral Design Quadrilateral Corner Shelf	197.30	EA
SES1D5EB	Floral Design Triangular Corner Shelf	151.45	EA
SES2D7EB	Pure Design Pentagonal Corner Shelf	145.50	EA
SES3D7EB	Pure Design Quadrilateral Corner Shelf	197.40	EA
SES1D7EB	Pure Design Triangular Corner Shelf	145.50	EA
SES2D3EB	Square Design Pentagonal Corner Shelf	151.65	EA
SES3D3EB	Square Design Quadrilateral Corner Shelf	197.45	EA
SES1D3EB	Square Design Triangular Corner Shelf	151.55	EA
SES2D10EB	Wave Design Pentagonal Corner Shelf	151.65	EA
SES3D10EB	Wave Design Quadrilateral Corner Shelf	197.35	EA
SES1D10EB	Wave Design Triangular Corner Shelf	151.55	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**SHELF-E - TRENDLINE Textured Color-Coated Aluminum**

<b>Colors:</b> Bronze (TSOB)	Greige (TSBG)	Matte White (MBW)	
Cream (TSC)	Ivory (TSI)	Pewter (TSG)	
Dark Anthracite (TSDA)	Matte Black (MGS)	Stone Grey (TSSG)	
SES2D6----	Curve Design Pentagonal Corner Shelf		120.95 EA
SES3D6----	Curve Design Quadrilateral Corner Shelf		136.15 EA
SES1D6----	Curve Design Triangular Corner Shelf		107.15 EA
SES2D5----	Floral Design Pentagonal Corner Shelf		130.10 EA
SES3D5----	Floral Design Quadrilateral Corner Shelf		151.45 EA
SES1D5----	Floral Design Triangular Corner Shelf		114.80 EA
SES2D7----	Pure Design Pentagonal Corner Shelf		121.05 EA
SES3D7----	Pure Design Quadrilateral Corner Shelf		136.35 EA
SES1D7----	Pure Design Triangular Corner Shelf		107.30 EA
SES2D3----	Square Design Pentagonal Corner Shelf		130.20 EA
SES3D3----	Square Design Quadrilateral Corner Shelf		151.55 EA
SES1D3----	Square Design Triangular Corner Shelf		114.95 EA
SES2D10----	Wave Design Pentagonal Corner Shelf		130.20 EA
SES3D10----	Wave Design Quadrilateral Corner Shelf		151.55 EA
SES1D10----	Wave Design Triangular Corner Shelf		114.95 EA

*Note:* To complete part number replace hyphens with color code. Example SES2D6----, for Bronze # is: SES2D6TSOB.

**SHELF-N**

A rectangular, brushed stainless steel shelf designed to fit into KERDI-BOARD-SN prefabricated niches. Available in the Floral and Curve STYLE designs, the shelf can be easily installed in tandem with the tile.

<b>Color:</b> Brushed Stainless Steel 304 (EB)			
SNS1D6EB	Curve Design Rectangular Niche Shelf		160.75 EA
SNS1D5EB	Floral Design Rectangular Niche Shelf	<b>Stock</b>	168.35 EA
SNS1D7EB	Pure Design Rectangular Niche Shelf		160.75 EA
SNS1D3EB	Square Design Rectangular Niche Shelf		168.35 EA
SNS1D10EB	Wave Design Rectangular Niche Shelf		168.35 EA

**SHELF-N - TRENDLINE Textured Color-Coated Aluminum**

<b>Colors:</b> Bronze (TSOB)	Greige (TSBG)	Matte White (MBW)	
Cream (TSC)	Ivory (TSI)	Pewter (TSG)	
Dark Anthracite (TSDA)	Matte Black (MGS)	Stone Grey (TSSG)	
SNS1D6----	Curve Design Rectangular Niche Shelf		122.45 EA
SNS1D5----	Floral Design Rectangular Niche Shelf		130.10 EA
SNS1D7----	Pure Design Rectangular Niche Shelf		122.55 EA
SNS1D3----	Square Design Rectangular Niche Shelf		130.20 EA
SNS1D10----	Wave Design Rectangular Niche Shelf		130.20 EA

*Note:* To complete part number replace hyphens with color code. Example SNS1D6----, for Bronze # is: SNS1D6TSOB.

**SHELF-W**

A rectangular, brushed stainless steel shelf designed for tiled walls. Available in the Floral and Curve STYLE designs, the shelf features a double anchoring leg for installation in tandem with the tile.

<b>Color:</b> Brushed Stainless Steel 304 (EB)			
SWS1D6EB	Curve Design Rectangular Wall Shelf		168.40 EA
SWS1D5EB	Floral Design Rectangular Wall Shelf		176.00 EA
SWS1D7EB	Pure Design Rectangular Wall Shelf		168.40 EA
SWS1D3EB	Square Design Rectangular Wall Shelf		176.00 EA
SWS1D10EB	Wave Design Rectangular Wall Shelf		176.00 EA

**SHELF-W - TRENDLINE Textured Color-Coated Aluminum**

<b>Colors:</b> Bronze (TSOB)	Greige (TSBG)	Matte White (MBW)	
Cream (TSC)	Ivory (TSI)	Pewter (TSG)	
Dark Anthracite (TSDA)	Matte Black (MGS)	Stone Grey (TSSG)	
SWS1D6----	Curve Design Rectangular Wall Shelf		125.45 EA
SWS1D5----	Floral Design Rectangular Wall Shelf		149.85 EA
SWS1D7----	Pure Design Rectangular Wall Shelf		125.65 EA
SWS1D3----	Square Design Rectangular Wall Shelf		150.05 EA
SWS1D10----	Wave Design Rectangular Wall Shelf		150.05 EA

*Note:* To complete part number replace hyphens with color code. Example SWS1D6----, for Bronze # is: SWS1D6TSOB.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**SHOWERPROFILE-R**

A two part wall transition profile made of brushed stainless steel for covering the exposed wall area where the floor slopes down to a perimeter linear drain. A fleece fabric is laminated on the reverse of the profile for bonding with the tile adhesive. The two-part design can be seamlessly adjusted to any height between 29/32" and 1-25/32". The profile is available in lengths of 39" and 55" and can be cut to the desired length.

Color: Brushed Stainless Steel 304 (EB)

Length: 39"	SPRA23EB/100	Height adjustment from 29/32" to 1-3/8"	119.60	EA
Length: 39"	SPRA33EB/100	Height adjustment from 1-5/16" to 1-25/32"	130.35	EA
Length: 55"	SPRA23EB/140	Height adjustment from 29/32" to 1-3/8"	137.70	EA
Length: 55"	SPRA33EB/140	Height adjustment from 1-5/16" to 1-25/32"	154.10	EA

**SHOWERPROFILE-S (-SA/-SB)**

A two part profile with a tapered edge, designed to cover adjoining tile edges that become exposed as the shower floor slopes to accommodate drainage to the KERDI-LINE. The tapered profile features a visible surface of brushed stainless steel and a fleece fabric on the reverse for bonding with the tile adhesive. It is designed to be inserted into the U-shaped groove of the matching hard PVC support profile. The profile can be used for lateral transitions to the wall or the adjoining floor.

Color: Brushed Stainless Steel 304 (EB)

3/16" x 47-1/4"	SPSA50EB/120	98.35	EA	3/8" x 78-3/4"	SPSB100EB/200	319.30	EA
3/16" x 63"	SPSA50EB/160	128.75	EA	1/2" x 47-1/4"	SPSB125EB/120	109.50	EA
3/16" x 78-3/4"	SPSA50EB/200	286.20	EA	1/2" x 63"	SPSB125EB/160	142.60	EA
3/8" x 47-1/4"	SPSB100EB/120	98.35	EA	1/2" x 78-3/4"	SPSB125EB/200	319.30	EA
3/8" x 63"	SPSB100EB/160	128.80	EA				

**SHOWERPROFILE-WS**

A two-part profile that forms a splashguard at the entrance of barrier-free showers. The anodized aluminum support profile is set in conjunction with the tile covering and can be combined with either a semi-circular lip or a collapsible upright straight lip. Both variants allow for wheelchair accessibility.

Color: Satin Anodized Aluminum (AE)

5/16" x 39"	SPWS19AE/100	33.40	EA	5/16" x 8'	SPWS19AE	74.70	EA
-------------	--------------	-------	----	------------	----------	-------	----

Color: Black (GS)

39"	SPWSC16GS/100	Semi-Circular Lip	17.50	EA
8'	SPWSC16GS	Semi-Circular Lip	38.50	EA

Color: Transparent (T)

39"	SPWSL30T/100	Straight Lip	21.10	EA
8'	SPWSL30T	Straight Lip	46.35	EA

**SHOWERPROFILE-WSK**

A two-part profile that forms a splashguard at the entrance of barrier-free showers. The anodized aluminum support profile is adhered to existing coverings and can be combined with either a semi-circular lip or a collapsible upright straight lip. Both variants allow for wheelchair accessibility.

Color: Satin Anodized Aluminum (AE)

5/16" x 39"	SPWSK52AE/100	39.20	EA	5/16" x 8'	SPWSK52AE	89.35	EA
5/16"	EK/SPWSK52AE	End Cap				7.15	EA

Color: Black (GS)

39"	SPWSC16GS/100	Semi-Circular Lip	17.50	EA
8'	SPWSC16GS	Semi-Circular Lip	38.50	EA

Color: Transparent (T)

39"	SPWSL30T/100	Straight Lip	21.10	EA
8'	SPWSL30T	Straight Lip	46.35	EA

**PAVER SUPPORT SYSTEM**

**TROBA-LEVEL-PL 10**

Stackable paver supports that are designed to support tile pavers of different formats and thicknesses. The 1/8" joint spacers enable a uniform joint appearance while protecting against lateral movements in the covering. TROBA-LEVEL-PL 10 can be stacked up to heights of 7-7/8" and can also be combined with other TROBA-LEVEL paver supports.

3/8"	TLPL10/10	Stackable Paver Support	(10 each per Package)	40.40	PKG
------	-----------	-------------------------	-----------------------	-------	-----

**TROBA-LEVEL-PLA 30**

Stackable paver support extensions that can be inserted between two TROBA-LEVEL-PL 10 stackable paver supports for a more economical way to achieve assembly heights of 2" or greater.

1-3/16"	TLPLA30/10	Stackable Paver Support Extension	(10 each per Package)	46.85	PKG
---------	------------	-----------------------------------	-----------------------	-------	-----

**TROBA-LEVEL-AP 1**

Leveling shims that are used to level the tile surface by adjusting the corners of each tile paver. These leveling shims are designed to lock in between the spacer tabs of the TROBA-LEVEL-LV 3, TROBA-LEVEL-PL 10, and TROBA-LEVEL-PLV 60 paver supports. The TROBA-LEVEL-AP 1 leveling shims can be stacked up to 10 shims high under each corner of the tile paver to compensate for variations in the substrate and/or paver thickness.

1/32"	TLAP1	Leveling Shim	(250 each per Package)	61.25	PKG
-------	-------	---------------	------------------------	-------	-----

**Product Code 'I'**

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

**TROBA-LEVEL-PLV 60**

Preassembled, adjustable paver supports that can be variably adjusted from 2-3/8" to 5-1/8" using the adjustment ring and two opposing threads. The joint spacer configuration of the TROBA-LEVEL-PLV 60 paver support enables stacking in combination with TROBA-LEVEL-PL 10 and -PLA 30. If necessary, TROBA-LEVEL-AP 1 leveling plates can be used for precision adjustment and leveling of the tile surface.

2-3/8" - 5-1/8"	TLPLV60/6	Adjustable Paver Support	(6 each per Package)	93.97	PKG
-----------------	-----------	--------------------------	----------------------	-------	-----

**TROBA-LEVEL-LV 3**

Stackable paver supports that are intended for low assembly heights. The supports can be cut for perimeter applications and feature 1/8" joint spacers. The joint spacer configuration of the TROBA-LEVEL-LV 3 paver support enables stacking in combination with TROBA-LEVEL-PL 10 and -PLA30.

1/8"	TLLV3/10	Stackable Paver Support	(10 each per Package)	72.70	PKG
------	----------	-------------------------	-----------------------	-------	-----

**TROBA-LEVEL-PLA 70**

Adjustable paver support height extensions that are designed to be added to the TROBA-LEVEL-PLV 60 adjustable paver supports between the height adjustment ring and the base plate. Multiple TROBA-LEVEL-PLA 70 paver support extensions can be used to reach the desired height (recommended maximum height: 15").

2-3/4"	TLPLA70/6	Adjustable Paver Support Extension	(6 each per Package)	61.50	PKG
--------	-----------	------------------------------------	----------------------	-------	-----

**TROBA-LEVEL-PLS 6**

Protective pads that provide additional protection to the waterproofing membrane under the base plates of TROBA-LEVEL-LV 3, TROBA-LEVEL-PL 10, or TROBA-LEVEL-PLV 60 paver supports. These protective pads feature four perforated tabs designed to maintain the position of the paver support on the pad.

1/4"	TLPLS6	Protective Pad	(10 each per Package)	38.99	PKG
------	--------	----------------	-----------------------	-------	-----

**TROBA-ZFK**

Joint spacers that ensure a uniform joint appearance for self-supporting porcelain tiles, natural stone, or concrete pavers installed directly on sand, gravel, or crushed stone beds. The joint width is 1/8", and the joint spacer height is 9/16". When thicker pavers are being installed, a joint spacer height of 1-3/16" can be achieved by snapping two joint spacers together.

9/16"	TZFK3	Joint Spacer	(50 each per Package)	20.68	PKG
-------	-------	--------------	-----------------------	-------	-----

**EXTERIOR DRAINAGE MEMBRANES**

**TROBA-PLUS**

A durable subsurface drainage system that permits water to drain off freely and reliably. The closely positioned, cone-shaped studs are covered by a water permeable filter fabric. They serve to support the floor covering over the entire surface, thus creating a continuous drainage area above the waterproofing layer.

3' 3" x 41'	TROBA-PLUS8 (134.50 SF/Roll)	Sub-surface Drainage System		435.35	EA
-------------	------------------------------	-----------------------------	--	--------	----

**ACCESSORIES**

**DITRA/KERDI Trowels**

Used to install DITRA and KERDI membranes.

TRL-DIT	DITRA Trowel - 11/64" x 11/64" Square-Notched	a
TRL-KER	KERDI Trowel - 1/8" x 1/8" Square-Notched	a
TRL-DHXL	DITRA-HEAT/DITRA-XL Trowel - 1/4" x 1/4" Square-Notched	a
TRL-MUL	MULTI Trowel - 3/8" x 11/32" U-Notched	a

*Note:* a) Schluter Trowels are listed on the Tools Price List under Trowels.

**TPRO-ET**

A lightweight, three-sided embedding tool designed to simplify the installation of KERDI and KERDI-DS membranes, KERDI-KERECK corners, and KERDI-BAND. Its flat edge helps achieve full thin-set coverage by removing air pockets and ensuring a secure bond without damaging the membrane. TPRO-ET features multiple working edges to reach tight corners and wide surfaces for faster installation.

TPROET1	Embedding Tool for KERDI Membranes	11.35	EA
---------	------------------------------------	-------	----

**PROCUT-TSM**

A cutting wheel with a diameter of 4-1/2" for conventional angle grinders. It produces especially clean cuts of Stainless Steel, Aluminum and Brass.

TSM115/1	Cutting Wheel	19.05	EA
----------	---------------	-------	----

**SNIPS**

Specifically designed to cut PVC trim profiles.

PSF	Cutting Tool	117.65	EA
PS90/45EK	Replacement Blade	36.00	EA

**PROCUT-SQR**

Helps achieve precise 45° and 90° angles with ease, secures profiles and pencil tile trim during cutting for faster fitting.

SQR1	Profile Cutting Guide	50.65	EA
------	-----------------------	-------	----